



Reliable products with  
real value, for 30+ years.

2025

[intellinetsolutions.com](http://intellinetsolutions.com)

550 Commerce Blvd. • Oldsmar, FL 34677 • 813.855.0550



Celebrating over 30+ Years of Market Experience



Superior Warranty



Global Expertise, Global Mentality



Retail Ready



High-Quality Products



Strength In Connectivity



**REGISTER HERE TO  
BECOME A DEALER**



## TABLE OF CONTENTS

- PoE Extenders & Splitters ..... 4
- PoE Injectors .....5
- Outdoor Injectors.....5
- Unmanaged PoE Switches..... 6-9
- Managed PoE Switches .....9-10
- Industrial Switches .....11
- Industrial Injectors/  
Splitters/Extender/SFPs ..... 12
- Industrial Power Supply .....13
- Rackmount DIN Rail Kit .....13
- Data Switches .....14-15
- Open Slot SFP Media Converters..... 16
- Multi-Mode Media Converters.....17
- Single Mode Media Converters ..... 18
- Industrial Media Converters ..... 19
- SFP/GBICS .....20-21
- SFP+ DAC Twinax Cable.....22
- Patch Panels .....24
- Wall Brackets .....25
- Tools & Testers ..... 26-27
- Racks..... 28-32
- Cabinets ..... 33-35
- Shelves .....36
- Panels ..... 37
- Accessories.....38
- Cat6 UTP Patch Cables .....39
- Cat6 UTP Slim Patch Cables.....40
- Cat6a S/FTP Patch Cables .....40
- Cat6a U/UTP Slim Network  
Patch Cables ..... 41
- Cat8.1 S/FTP Patch Cables .....42
- Wall Plates.....43
- Modular Plugs.....44
- RJ45 Components.....44
- Keystone Jacks .....45
- Fiber Optic Cables.....46-47
- Network Cards..... 47


© 2025 IC Intracom. All rights reserved. Intellinet Network Solutions is a trademark of IC Intracom, registered in the U.S. and other countries. Other trademarks and trade names are the property of their respective owners.

# ULTRA LONG RANGE EXTENDER KIT

## Ultra Long Range Outdoor Fast Ethernet PoE+ Extender Kit

[561952]

- Extremely high PoE range and weatherproof housing ideal for IP camera installations
- IP67-rated, dustproof and waterproof
- Delivers data up to 3280 ft. (1000 m) without packet loss
- Kit includes two modules for maximum distance capabilities
- Compatible with IEEE 802.3bt/at/af-compliant powered devices (PD) such as network cameras, wireless access points, VoIP phones and more
- Supports 10/100 Mbps data rates
- Short-circuit, overload and high-voltage protection



3



## POE EXTENDERS



**Outdoor Gigabit High-Power PoE+ Extender Repeater**  
 [561211] Daisy chain up to 4 times for 1,640' (500 m). Each unit can extend up to 328 feet



**Indoor Gigabit High-Power PoE+ Extender Repeater**  
 [560962] Metal, Daisy chain up to 5 times for 1,968' (600 m). Each unit can extend up to 328 feet



**2-Port Gigabit High-Power PoE+ Extender Repeater**  
 [561266]\* 30 W PoE Input. Doubles the connection distance between PoE source and device from 328 ft. (100 m) to 656 ft. (200 m)



**2-Port Outdoor Vandalproof Gigabit Ultra PoE Extender**  
 [561648]\* 60 W PoE Input. Two 30 W Ports, Extends PoE up to 100 m (328 ft.), IEEE 802.3bt/at/af Compliant, IP67 Waterproof, IK10-rated, Metal Housing



**2-Port Gigabit Ultra PoE Extender**  
 [561600]\* 60 W PoE Input. Doubles the maximum connection distance between PoE source and device from 100 m (328 ft.) to 200 m (656 ft.)



**4-Port Gigabit Ultra PoE Extender**  
 [561617]\* 90 W PoE Power Budget, Four PSE Ports with up to 30 W Output, IEEE 802.3bt (PoE++ / 4PPoE) Compliant, Metal Housing. Pair with 561495 95 W Injector

## POE SPLITTERS



**Power over Ethernet (PoE+) Splitter**  
 [560443] IEEE802.3at, 5, 7.5, 9 or 12 V DC output voltage. Can be used to convert a non-PoE device to PoE



**Industrial Gigabit PoE++ Splitter**  
 [508940]\* 60 W Input, 12 V / 4.25 A DC Output, IP30-rated Metal Housing, DIN-rail Mount

\*CALIFORNIA | WARNING: Cancer and Reproductive Harm - P65Warnings.ca.gov



# PoE INJECTORS



**15.4 Watt PoE Injector**  
[524179] IEEE 802.3 af compliant, Plastic Housing



560566



561518

**30 Watt Gigabit High Power PoE+ Injector**  
[561518]\* IEEE 802.3at/af Compliant, Plastic Housing  
[560566]\* Supports IEEE 802.3at/af detection and short circuit, Metal Housing



**30 Watt 2.5G High-Power PoE+ Injector**  
[561570]\* IEEE 802.3at/af Compliant, 10/100/1000/2500 Mbps, Plastic Housing, Wall-mount Option



**60 Watt Gigabit Ultra PoE Injector**  
[561235]\* IEEE 802.3 at/af compliant, Plastic Housing



**95 Watt Gigabit PoE++ Injector**  
[561495]\* IEEE 802.3bt and IEEE 802.3at/af Compliant, Plastic Housing



**95 Watt 10G PoE++ Injector**  
[561945]\* IEEE 802.3bt (4PPoE) Compliant, Plastic Housing, Wall-mount Option

# OUTDOOR INJECTORS



**30 Watt Outdoor Vandalproof Gigabit High-Power PoE+ Injector**  
[561778]\* IEEE 802.3at/af Compliant, IP67 Waterproof, IK10 Vandal-proof, Metal Housing



**60 Watt Outdoor Vandalproof Gigabit Ultra PoE Injector**  
[561785]\* IEEE 802.3bt (PoE++ / 4PPoE) Compliant, IP67 Waterproof, IK10 Vandalproof, Metal Housing

\*CALIFORNIA I ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

For our full product offering—including features visit [intellinetsolutions.com](https://portal.icintracom.com); or call **1.800.881.7325** 5



# UNMANAGED PoE SWITCHES



**5-Port Gigabit Ethernet PoE+ Switch**  
 [561792]\* 40 Watt Power Budget , Four PSE PoE+ Gigabit Ports, One Gigabit Port, PoE, IEEE 802.3at/af Compliant, Desktop, Wall-mount Option



**5-Port Gigabit Ethernet PoE+ Switch with SFP Port**  
 [561822] 90 Watt Power Budget, Desktop Format, Wall-mount Option



**5-Port Gigabit Ethernet PoE+ Switch**  
 [561228]\* 60 Watt Power Budget, Desktop



**5-Port Gigabit Outdoor PoE-Powered Switch with PoE Passthrough / 4-Port PoE+ Extender**  
 [509220] (PoE++ / 4PPoE) PD PoE Port with 90 Watt Power Input, Four IEEE 802.3at/af Compliant PSE PoE ports, Rainproof IP65, for Wall- and Pole-Mounting, Adds up to 100 m (328 ft.) to PoE Range



**5-Port PoE++ Switch with 4 Gigabit Ethernet Ports and 1 RJ45 Gigabit Uplink Port**  
 [562010]\* 140 Watt PoE Power Budget, Unmanaged, Desktop Format, Wall-mount Option



**6-Port Fast Ethernet Switch with 4 PoE Ports, 1 x High-Power PoE**  
 [561686]\* 65 Watt Power Budget, Desktop



**8-Port Gigabit Ethernet PoE+ Switch**  
 [561204]\* 60 Watt Power Budget, Desktop

\*CALIFORNIA | WARNING: Cancer and Reproductive Harm - P65Warnings.ca.gov



# UNMANAGED POE SWITCHES



**8-Port Fast Ethernet PoE+ Switch**  
 [560764] 140 Watt Power Budget, Desktop



**8-Port Gigabit Ethernet PoE+ Switch**  
 [560641]\* 140 Watt Power Budget, Endspan, Desktop, 19" Rackmount



**10-Port PoE+ Switch with 8 Gigabit Ethernet Ports and 2 RJ45 Gigabit Uplink Ports**  
 [562027]\* 58 Watt VLAN and Flow Control Mode, Desktop, Wall-mount Option



**10-Port PoE+ Switch with 8 Fast Ethernet Ports and 2 FE Uplinks**  
 [562102]\* 95 Watt PoE Power Budget, Two 10/100 RJ45 Uplink Ports, Self-Healing Network, VLAN, PoE Extend Mode, Desktop Format, Wall-mount Option



**16-Port Gigabit Ethernet PoE+ Switch**  
 [560993]\* 220 Watt Power Budget, Endspan, 19" Rackmount



**16-Port Gigabit Ethernet PoE+ Switch with 4 RJ45 Gigabit and 2 SFP Gigabit Uplink Ports**  
 [561419]\* 300 Watt Power Budget, Endspan, 19" Rackmount



**24-Port Gigabit Ethernet PoE+ Switch with 4 10G SFP+ Uplinks**  
 [561761]\* 370 Watt Power Budget, 4 x 10G SFP+ Open Slots, 19" Rackmount



**24-Port Gigabit Ethernet PoE+ Switch with 2 SFP Ports**  
 [561891]\* 370 Watt Power Budget, Two 1G SFP Open Slots, 19" Rackmount

\*CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

For our full product offering—including features visit [intellinetsolutions.com](https://intellinetsolutions.com); or call **1.800.881.7325** 7



## UNMANAGED SELF HEALING POE SWITCHES



**8-Port Gigabit Ethernet PoE+ Switch with 2 RJ45 Gigabit Uplink Ports**  
 [561402]\* 120 Watt Power Budget, Manual PoE Extend Mode up to 800 feet, Endspan, Desktop



**24-Port Gigabit Ethernet PoE+ Switch with 2 SFP Ports**  
 [561907]\* 370 Watt Power Budget, Two 1G SFP Open Slots, 19" Rackmount



**16-Port Gigabit Ethernet PoE+ Switch with 2 SFP Ports**  
 [561983]\* 250 Watt PoE Power Budget, Two 1G SFP Slots, Self-Healing Network, 19" Rackmount

## UNMANAGED LCD POE SWITCHES



**16-Port Gigabit Ethernet PoE+ Switch with 2 SFP Ports and LCD Display**  
 [561259]\* 370 Watt Power Budget, LCD Display, Endspan, 19" Rackmount



**24-Port Gigabit Ethernet PoE+ Switch with 2 SFP Ports and LCD Display**  
 [561242]\* 370 Watt Power Budget, LCD Display, Endspan, 19" Rackmount

## UNMANAGED POE PASSTHROUGH SWITCHES



**PoE-Powered 5-Port Gigabit Switch with PoE Passthrough**  
 [561082]\* 68 Watt Power Budget, 4 x PSE PoE ports, 1 x PD PoE port, 26 Watt Power Budget with PoE Passthrough



**PoE-Powered 5-Port Gigabit Switch with PoE Passthrough**  
 [561808]\* 4 x PSE PoE ports, 1 x PD PoE port, 65 Watt Power Budget, 65 Watt Power Budget with PoE Passthrough



**8-Port Gigabit Ethernet PoE+ Switch with PoE Passthrough**  
 [561679]\* 85 Watt Power Budget, Desktop, No power adapter included



**8-Port Gigabit Ethernet PoE+ Industrial Switch with PoE Passthrough**  
 [561624]\* 120 Watt Power Budget, or PoE Passthrough up to 85 W, Endspan, Desktop



**PoE-Powered 6-Port Lite Smart Managed PoE+ Switch with 4 GbE Ports / 2 GbE Uplinks and PoE Passthrough**  
 [562034]\* 60 Watt PoE Power Budget, Self-Healing Network, Desktop Format, Wall-mount Option

\*CALIFORNIA | WARNING: Cancer and Reproductive Harm - P65Warnings.ca.gov

8 For our full product offering—including features visit [intellinetsolutions.com](https://intellinetsolutions.com); or call 1.800.881.7325





# UNMANAGED 2.5 PoE SWITCHES



### 6-Port PoE++ Switch with 5 x 2.5G Ethernet Ports and 1 SFP+ Uplink

[562133]\* 70 Watt PoE Power Budget, Four PSE PoE++ Ports (up to 60 W per port), 10/100/1000/2500 Mbps on all RJ45 Ports, One 10G SFP+ Open Slot, Desktop Format, Wall-mount Option



### 9-Port PoE++ Switch with 8 x 2.5G Ethernet Ports and 1 SFP+ Uplink

[562140]\* 100 Watt PoE Power Budget, Eight PSE PoE++ Ports (up to 60 W per port) with 10/100/1000/2500 Mbps, One 10G SFP+ Open Slot, Desktop Format, Wall-mount Option

# MANAGED PoE SWITCHES



### 8-Port Gigabit Ethernet PoE+ Web-Managed Switch with 2 SFP Ports

[561167]\* 140 Watt Power Budget, Endspan, Desktop, 19" Rackmount with ears




### 10-Port L2+ Fully Managed PoE++ Switch with 8 Gigabit Ethernet Ports and 2 SFP Uplinks

[562003]\* 242 Watt PoE Power Budget, Layer 2+ / Layer 3 Lite, Two 1G SFP Open Slots, Desktop Format, Includes Optional 19" Rackmount Brackets




### 16-Port Gigabit Ethernet PoE+ Web-Managed Switch with 2 SFP Ports

[561341]\* 220 Watt Power Budget, Endspan, 19" Rackmount



### 16-Port Gigabit Ethernet PoE+ Web-Managed Switch with 2 SFP Ports

[561198]\* 374 Watt Power Budget, Endspan, 19" Rackmount



\*CALIFORNIA | ⚠️ WARNING: Cancer and Reproductive Harm - P65Warnings.ca.gov

For our full product offering—including features visit [intellinetsolutions.com](https://intellinetsolutions.com); or call **1.800.881.7325** 9



# MANAGED PoE SWITCHES

domotz  
COMPATIBLE



### 24-Port Gigabit Ethernet PoE+ Web-Managed Switch with 2 SFP Ports

[560559] 240 Watt Power Budget, Endspan, 19" Rackmount




domotz  
COMPATIBLE



### 24-Port Gigabit Ethernet PoE+ Web-Managed Switch with 4 Gigabit Combo RJ45 Base-T/SFP Ports

[561426]\* 370 Watt Power Budget, Endspan, 19" Rackmount



domotz  
COMPATIBLE



### 28-Port L2+ Fully Managed PoE+ Switch with 24 Gigabit Ethernet Ports and 4 SFP+ Uplinks

[561846]\* 370 Watt Power Budget, Endspan, 19" Rackmount




domotz  
COMPATIBLE



### 54-Port L2+ Fully Managed PoE+ Switch with 48 Gigabit Ethernet Ports and 6 SFP+ Uplinks

[561969]\* 450 Watt Power Budget, Six 10G SFP+ Open Slots, Self-Healing Network, 19" Rackmount




**Domotz Pro Box**  
[561631] Unified System for Remote Monitoring and Cloud Management of Networks and IP Devices

**NEW**

domotz  
COMPATIBLE



### 54-Port L3 Fully Managed PoE+ Switch with 48 Gigabit Ethernet Ports and 6 SFP+ Uplinks

[562041]\* 850 Watt PoE Power Budget, Layer 3, Six 10G SFP+ Open Slots, Self-Healing Network, Desktop or 19" Rackmount



\*CALIFORNIA | WARNING: Cancer and Reproductive Harm - P65Warnings.ca.gov



# INDUSTRIAL SWITCHES



### 4-Port Gigabit Ethernet Industrial Switch with 2 SFP Ports

[508247]\* 10/100/1000 auto-sensing ports that automatically detect optimal network speeds. IP40 slim-type metal housing to withstand harsh industrial conditions

### 4-Port Gigabit Ethernet PoE+ Industrial Switch with 2 SFP Ports

[508254]\* 120 Watt Power Budget, IP40-Rated Metal Housing, Endspan, DIN-Rail Mount



### 8-Port Gigabit Ethernet Industrial Switch with 2 SFP Ports

[508827]\* IP40-Rated Metal Housing, Endspan, DIN-Rail Mount



### 8-Port Gigabit Ethernet PoE+ Industrial Switch with 2 SFP Ports

[508261]\* 240 Watt Power Budget, IP40-Rated Metal Housing, Endspan, DIN-Rail Mount



### 8-Port Gigabit Ethernet Layer 2+ Web-Managed Industrial Switch with 2 SFP Ports

[508834]\* IP30-Rated Metal Housing, Endspan, DIN-Rail Mount



### 8-Port Gigabit Ethernet PoE+ Web-Managed Industrial Switch with 2 SFP Ports

[508278]\* 240 Watt Power Budget, IP30-Rated Metal Housing, Endspan, DIN-Rail Mount



### Industrial 4-Port Gigabit Ethernet PoE++ Switch with 2 SFP Ports

[508995]\* 240 Watt PoE Power Budget, Output up to 95 W per Port, IP40-Rated Metal Housing, DIN-Rail Mount

\*CALIFORNIA | ⚠️ WARNING: Cancer and Reproductive Harm - P65Warnings.ca.gov

For our full product offering—including features visit [intellinetsolutions.com](https://portal.icintracom.com); or call **1.800.881.7325** 11



# INDUSTRIAL INJECTORS/SPLITTERS/EXTENDERS/SFPS



**Industrial Gigabit High-Power PoE+ Injector 30 Watt**  
 [561365]\* IEEE 802.3at/af Compliant, Metal Housing



**Industrial Gigabit Ultra PoE Injector 60 Watt**  
 [561389]\* IEEE 802.3at/af Power over Ethernet (Ultra POE/PoE+/PoE), Metal Housing



**Industrial Gigabit PoE++ Injector 84 Watt**  
 [508919]\* Port, IP30-Rated Metal Housing, DIN-Rail Mount



**Industrial Gigabit Media Converter and PoE++ Injector**  
 [509107]\* 10/100/1000Base-TX to SFP Slot, PoE Injector Function, 90 W, IEEE 802.3bt (4PPoE) Compliant, IP30-rated Metal Housing, DIN-rail Mount



**Industrial Gigabit PoE++ Splitter**  
 [508940]\* 60 Watt Input, 12 V / 4.25 A DC Output, IP30-rated Metal Housing, DIN-rail Mount



**Industrial Gigabit PoE++ Extender**  
 [508957]\* 80 Watt Port, Extends PoE up to 100 m (328 ft.), IEEE 802.3bt (4PPoE) Compliant, IP30-rated Metal Housing, DIN-rail Mount



**Industrial Gigabit Fiber SFP Optical Transceiver Module**  
 [509084]\* 1000Base-LX (LC) Single-Mode Port, 40 km (25 mi.), Wavelength 1550 nm, MSA-compliant for Maximum Compatibility



**Industrial Gigabit Fiber SFP Optical Transceiver Module**  
 [508568]\* 1000Base-LX (LC) Single-Mode Port, 10 km (6.2 mi.), MSA-compliant for Maximum Compatibility



**Industrial Gigabit Fiber SFP Optical Transceiver Module**  
 [508551]\* 1000Base-SX (LC) Multi-Mode Port, 550 m, MSA-compliant for Maximum Compatibility

\*CALIFORNIA | WARNING: Cancer and Reproductive Harm - P65Warnings.ca.gov



## INDUSTRIAL POWER SUPPLY



### Industrial DIN-Rail Mount Power Supply Unit 120 Watt

[508728]\* Highly reliable, energy-efficient PSU for industrial applications and more. Single output with 120 W and 48 VDC at 2.5 A.



### Industrial DIN-Rail Mount Power Supply Unit 240 Watt

[508360]\* Highly reliable, energy efficient PSU for industrial applications and more. Single output with 240 W and 48.0 VDC at 5 A.



### Industrial DIN-Rail Mount Power Supply Unit (PSU) 480 Watt

[509091]\* Single Output, 48 VDC at 10 A, Complete Protection Functions, Universal AC Input

### Adjustable 19" Rackmount DIN Rail Kit, 2U

[716345]

- Rack-mountable chassis with top hat DIN rail to easily install any 35 mm (0.79") equipment in a 19" network or server cabinet
- Depth-adjustable on eight levels from 48 to 174 mm (1.89 to 6.85") to accommodate a wide range of products
- Ideal for DIN-rail equipment like industrial PoE switches, media converters, power supplies, circuit breakers, terminal blocks and more



\*CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

For our full product offering—including features visit [intellinetsolutions.com](https://intellinetsolutions.com); or call **1.800.881.7325** 13



# DATA SWITCHES



### 5-Port Fast Ethernet Switch

[523301]\* Desktop Size, Metal, IEEE 802.3az (Energy Efficient Ethernet)

### 8-Port Fast Ethernet Switch

[523318]\* 8-Port Desktop Size, Metal, IEEE 802.3az (Energy Efficient Ethernet)

### 5-Port Fast Ethernet Switch

[561723]\* Desktop Size, Plastic, IEEE 802.3az (Energy Efficient Ethernet)

### 8-Port Fast Ethernet Switch

[561730]\* Desktop Size, Plastic, IEEE 802.3az (Energy Efficient Ethernet)



### 5-Port Gigabit Ethernet Switch

[530378]\* Desktop Size, Metal Housing

### 8-Port Gigabit Ethernet Switch

[530347]\* Desktop Size, Metal Housing

### 5-Port Gigabit Ethernet Switch

[561747]\* Desktop Size, Plastic, IEEE 802.3az (Energy Efficient Ethernet)

### 8-Port Gigabit Ethernet Switch

[561754]\* Desktop Size, Plastic, IEEE 802.3az (Energy Efficient Ethernet)



### 5-Port Switch with 4 x 2.5G Ethernet Ports and 1 SFP+ Uplink

[562058]\* One 10G SFP+ Open Slot, Unmanaged, Desktop Format, Wall-mount Option



### 9-Port Switch with 8 x 2.5G Ethernet Ports and 1 SFP+ Uplink

[562096]\* One 10G SFP+ Open Slot, Unmanaged, Desktop Format, Wall-mount Option

\*CALIFORNIA | WARNING: Cancer and Reproductive Harm - P65Warnings.ca.gov



# DATA SWITCHES

### 16-Port Gigabit Ethernet Switch

[561068]\* 16-Port, 10" and 19" Rackmount with ears included, Desktop



### 16-Port Gigabit Ethernet Switch

[561815]\* 16-Port, 19" Rackmount with ears included, Desktop



### 24-Port Gigabit Ethernet Switch

[561273]\* 24-Port, 19" Rackmount with ears included, Desktop



### 24-Port Web-Managed Gigabit Ethernet Switch with 2 SFP Ports

[560917]\* 2 x SFP Ports, 19" Rackmount, Metal



### 24-Port Gigabit Ethernet Switch with 2 SFP Ports

[561044]\* 2 x SFP Ports, 19" Rackmount, Metal



### 24-Port Gigabit Ethernet Switch with 2 SFP Ports

[561877]\* 24 x 10/100/1000 Mbps RJ45 Ports + 2 x SFP, IEEE 802.3az (Energy Efficient Ethernet), 19" Rackmount



### 48-Port Gigabit Ethernet Web-Managed Switch with 4 SFP Ports

[561334]\* 4 x SFP Ports, 19" Rackmount, Metal



\*CALIFORNIA | ⚠️ WARNING: Cancer and Reproductive Harm - P65Warnings.ca.gov

For our full product offering—including features visit [intellinetsolutions.com](https://intellinetsolutions.com); or call **1.800.881.7325** 15



# OPEN SLOT SFP MEDIA CONVERTERS



**Gigabit Ethernet to SFP Media Converter**  
 [510493]\* 10/100/1000Base-TX to SFP slot, empty

- Combine with 545006 (pg. 20) SFP for Multi-Mode
- Combine with 506724 (pg. 21) SFP for Single-Mode

**10GBase-T to 10GBase-R Media Converter**

[508193]\* One 10 GB RJ45 port – maximum distance of 100 m (300 ft.). One 10 GB SFP+ port. Supports IEEE802.3u, 10GBase-T and 10GBase-FL

- Combine with 507462 (pg. 20) SFP+ for Multi-Mode
- Combine with 507479 (pg. 20) SFP for Single-Mode



**Gigabit PoE+ Media Converter**

[508216]\* One 10/100/1000 RJ45 port, maximum distance of 100 m (300 ft.). One SFP port distance up to 120 km (75 mi.)

- Combine with 545006 (pg. 20) SFP for Multi-Mode
- Combine with 506724 (pg. 21) SFP for Single-Mode

**Industrial Gigabit Media Converter and PoE++ Injector**

[509107]\* 10/100/1000Base-TX to SFP Slot, PoE Injector Function, 90 W, IEEE 802.3bt (4PPoE) Compliant, IP30-rated Metal Housing, DIN-rail Mount



**Outdoor Vandalproof Gigabit Media Converter and PoE+ Injector**

[509213]\* PoE Injector Function, 30 W, IEEE 802.3at/af Compliant, IP67 Waterproof, IK10 Vandal-proof, Metal Housing, Wall-mount Option

\*CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov

16 For our full product offering—including features visit [intellinetsolutions.com](https://intellinetsolutions.com); or call **1.800.881.7325**





## MULTI-MODE MEDIA CONVERTERS



### SFP to SFP Gigabit Ethernet Media Converter

[509183]\* Two Empty SFP Slots, Converts Different Wavelengths, Multi-Mode to Single-Mode and Vice Versa, Metal Housing



### Gigabit Ethernet Media Converter

[508315]\* 10/100/1000Base-T to 1000Base-SX (ST) Multi-Mode, 550 m (1,800 ft.), Autonegotiation



[506519]

### Fast Ethernet Multi-Mode Media Converter

[506502]\* 10/100Base-TX to 100Base-FX (SC) Multi-Mode, 2 km (1.24 mi)  
[506519]\* 10/100Base-TX to 100Base-FX (ST) Multi-Mode, 2 km (1.24 mi)



### Gigabit Ethernet Media Converter

[508544]\* 10/100/1000Base-T to 1000Base-SX (SC) Multi-Mode, 550 m (1,800 ft.), Autonegotiation



### 14-Slot Media Converter Chassis

[507356]\* Includes redundant power supply, 19" rackmountable, 2U

\*CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

For our full product offering—including features visit [intellinetsolutions.com](https://www.intellinetsolutions.com); or call **1.800.881.7325** 17



# SINGLE MODE MEDIA CONVERTERS

The **Intellinet Network Solutions Media Converter** was specifically designed to offer the network designer a device for migration from copper-based Ethernet to Fiber Ethernet.

## Gigabit Ethernet WDM Bi-Directional Single Mode Media Converter

[545068]\* 10/100/1000Base-TX to 1000Base-LX (SC) Single Mode, 20 km (12.4 mi.), WDM RX1550/TX1310  
 [545075]\* 10/100/1000Base-TX to 1000Base-LX (SC) Single Mode, 20 km (12.4 mi.), WDM RX1310/TX1550



**Gigabit Ethernet Single Mode Media Converter**  
 [507349]\* 10/100/1000Base-T to 1000Base-LX (SC) Single Mode, Wavelength 1310 nm, 20 km (12.4 mi)



**Fast Ethernet Single Mode Media Converter**  
 [507332]\* 10/100Base-TX to 100Base-FX (SC) Single Mode, 20 km (12.4 mi)

## Fast Ethernet WDM Bi-Directional Single Mode Media Converter

[510530]\* 10/100Base-TX to 100Base-FX (SC) Single Mode, 20 km (12.4 mi.), WDM RX1310/TX1550  
 [510547]\* 10/100Base-TX to 100Base-FX (SC) Single Mode, 20 km (12.4 mi.), WDM RX1550/TX1310



\*CALIFORNIA | WARNING: Cancer and Reproductive Harm - P65Warnings.ca.gov



## INDUSTRIAL MEDIA CONVERTERS

OUR INDUSTRIAL MEDIA CONVERTERS  
ARE MADE FOR HARSH ENVIRONMENTS

NEW



### Fast Ethernet Industrial Media Converter

[508322]\* 100Base-TX to 100Base-FX (SC)  
Single-mode, 20 km (12.4 mi.), IP40-rated  
Metal Housing, DIN-rail Mount

NEW



### Gigabit Industrial Media Converter

[508346]\* 10/100/1000Base-TX to 1000Base-LX  
(SC) Single-mode, 20 km (12.4 mi.), IP40-rated  
Metal Housing, DIN-Rail Mount



### Industrial Gigabit Media Converter and PoE+ Injector\*

[508988]\* 10/100/1000Base-TX to SFP Slot, PoE  
Injector Function, 30 W, IEEE 802.3at/af Compli-  
ant, IP40-rated Metal Housing, DIN-rail Mount

The actual appearance of this product may vary.



### Industrial Gigabit Media Converter

[508971]\* 10/100/1000Base-TX to SFP Slot,  
IP40-rated Metal Housing, DIN-rail Mount

The actual appearance of this product may vary.



### Industrial Fast Ethernet Media Converter

[508964]\* 10/100Base-TX to 100Base-FX (SC)  
Multi-Mode, 2 km (1.24 mi.), Wavelength 1310 nm,  
IP40-rated Metal Housing, DIN-rail Mount

\*CALIFORNIA I ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

For our full product offering—including features visit [intellinetsolutions.com](https://intellinetsolutions.com); or call **1.800.881.7325** 19



# SFP/GBICS

The line of Intellinet Network Solutions **Small Form Factor Pluggable (SFP) Transceivers** provides customers with a combination of performance and affordability.

## 10G GBICS



**10 Gigabit Copper SFP+ Transceiver Module**  
[508179] 10GBase-T (RJ45) Port, 30 m (98 ft.), up to 10 Gbps Data-Transfer Rate with Cat6a Cabling; Compatible with Cisco Part Number SFP-10G-T



**10 Gigabit Fiber SFP+ Optical Transceiver Module**  
[508766]\* 10GBase-SR (LC) Multi-Mode Port, 300 m (984 ft.), *HPE-compatible Hewlett Packard Enterprise Compatible- Equivalent to the HPE J9150A / J9150D / JD092A / JD092B transceiver*



**10 Gigabit Fiber SFP+ Optical Transceiver Module**  
[507462] 10GBase-SR (LC) Multi-Mode Port, 300 m (984 ft.); Compatible with Cisco Part Number SFP-10G-SR  
[507479] 10GBase-LR (LC) Single-Mode Port, 10 km (6.2 mi.); Compatible with Cisco Part Number SFP-10G-LR



**10 Gigabit Fiber SFP+ Optical Transceiver Module**  
[508759]\* 10GBase-LR (LC) Single-Mode Port, 10 km (6.2 mi.), *HPE-compatible Hewlett Packard Enterprise Compatible- Equivalent to the HPE J9151A / J9151D / JD094A / JD094B transceiver*

## GIG GBICS



**Gigabit RJ45 Copper SFP Transceiver Module**  
[523882] 1000Base-T (RJ-45) , 100 m (328 ft.); Compatible with Cisco Part Number GLC-T



**Gigabit Fiber SFP Optical Transceiver Module**  
[545006] 1000 Base-SX (LC) Multi-Mode Port, 550 m (1,804 ft.); Compatible with Cisco Part Number GLC-SX-MM

\*CALIFORNIA | WARNING: Cancer and Reproductive Harm - P65Warnings.ca.gov

20 For our full product offering—including features visit [intellinetsolutions.com](http://intellinetsolutions.com); or call **1.800.881.7325**



SFP/GBICS

GBICS

**Gigabit Fiber SFP**

**[506724]** 1000Base-LX (LC) **Single-Mode** Port, 20 km (12.4 mi.); Compatible with Cisco Part Number GLC-LH-SM

**[545013]** 1000Base-LX (LC) **Single-Mode** Port, 10 km (6.2 mi.); Compatible with Cisco Part Number GLC-LH-SM



**Gigabit Fiber SFP Optical Transceiver Module**

**[508742]\*** 1000Base-SX (LC) **Multi-Mode** Port, 550 m (1,800 ft.), *HPE-compatible Hewlett Packard Enterprise Compatible- Equivalent to the HPE J4858A / J4858B / J4858C / J4858D transceiver*



MUST BE USED TOGETHER



**Gigabit Fiber WDM Bi-Directional SFP Optical Transceiver Module**

**[507486]** 1000Base-LX (LC) **Single-Mode** Port, 10 km (6.2 mi.), WDM (RX1310/TX1550); Compatible with Cisco Part Number GLC-BX-D

**[507509]** 1000Base-LX (LC) **Single-Mode** Port, 10 km (6.2 mi.), WDM (RX1550/TX1310); Compatible with Cisco Part Number GLC-BX-U



\*CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

For our full product offering—including features visit [intellinetsolutions.com](https://portal.icintracom.com/productcatalogs); or call **1.800.881.7325** 21



## SFP+ TWINAX CABLE



# SFP+ 10G PASSIVE DAC TWINAX CABLE

The Direct Attach Copper (DAC) cable is becoming increasingly popular in the network industry. Our passive SFP+ 10G DAC Twinax cable is an energy-efficient, low-latency and cost-effective alternative to fiber optic and RJ45 cabling. It's an excellent choice for short-distance structured cabling between switches and routers on one end and servers or storage on the other, be it in Top of Rack (ToR), adjacent rack, stacking of 10GbE switches or similar applications.

### MSA-compliant for Maximum Compatibility

[508377]\* SFP+ to SFP+, 0.5 m (1.5 ft.), Direct Attach Copper, AWG 30

[508391]\* SFP+ to SFP+, 1 m (3 ft.), Direct Attach Copper, AWG 30

[508414]\* SFP+ to SFP+, 2 m (7 ft.), Direct Attach Copper, AWG 30

[508438]\* SFP+ to SFP+, 3 m (10 ft.), Direct Attach Copper, AWG 30

[508452]\* SFP+ to SFP+, 5 m (14 ft.), Direct Attach Copper, AWG 24

\*CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

# Outdoor Vandalproof PoE Extender/Repeater



## 2-Port Outdoor Vandalproof Gigabit Ultra PoE Extender/ Repeater

Adds up to 100 m (328 ft.) to PoE Range, Two 30 W Ports, 60 W Power Budget, IEEE 802.3bt/at/af Compliant, IP67 Waterproof, IK10-rated, Metal Housing

- Functional as a PoE-powered 3-port Gigabit switch with PoE passthrough
- Requires no additional power supply; draws power directly from the PoE input
- IP67-rated, dustproof and waterproof plus IK10-rated, vandal-proof  
**[561648]\***

**Ultra PoE**



IP67  
Weather-Proof

**60  
Watts**

Power Budget



\*CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

For our full product offering—including features visit [intellinetsolutions.com](https://intellinetsolutions.com); or call **1.800.881.7325** 23



# PATCH PANELS

The backbone of your network is central to your organization's success. Trust Intellinet to provide Patch Panels that maintain the integrity of your data.



**Cat5e Patch Panel**  
[513555]\* 24-Port, UTP, 1U

**Cat6 Wall-Mount Patch Panel**  
[560269]\* 12-Port, UTP, with wall bracket



**Cat6 Patch Panel**  
[519526]\* 16-Port, UTP, 1U



**Cat6 Patch Panel**  
[560283]\* 48-Port, UTP, 2U



**Cat6 Patch Panel**  
[520959]\* 24-Port, UTP, 1U



**Cat6 Patch Panel**  
[721066]\* 48-Port, UTP, 1U



**Cat6 Patch Panel**  
[721073]\* 24-Port, UTP, 0.5U



**Cat6a Shielded Patch Panel**  
[720922]\* 24-Port, FTP, 19", 0.5 U, 90°



**Unshielded Blank Patch Panel**  
[721097] 48-Port, 1 U, Black



**Blank Patch Panel**  
[720847]\* 24-Port, 1 U, Black



**Cat6 Patch Panel**  
[721080]\* 24-Port, UTP, with LEDs, 1U



**Port Identifier Cat6 Punch-Down Keystone Jack with LED**  
[791274] Transparent, LED Link Indicator, UTP, for Solid Wire, Gold-plated Contacts, 25-Pack



**LED Ethernet Port Detector Tool**  
[780179]\* For RJ45 Keystone Jacks and Patch Panels with LEDs, Locates and Analyzes Port Connections



**Port Identifier Cat6 Toolless Keystone Jack with LED**  
[791267] Transparent, LED Link Indicator, Easy and Quick Snap-in Deployment, UTP, for Solid Wire, Gold-plated Contacts, 25-Pack

*LED indicator allows identification of the connected port when used with the Intellinet LED Port Identifier tool (780179).*

\*CALIFORNIA | WARNING: Cancer and Reproductive Harm - P65Warnings.ca.gov





# WALL BRACKETS



**19" Hinged Wall Bracket, 1U, 5" Depth**  
[402439]\* For use with most 19" patch panels



**19" Hinged Wall Bracket, 2U, 5" Depth**  
[402446]\* For use with most 19" patch panels

## OUR WIDE VARIETY OF

enclosures, installation equipment, and network hardware puts the right tools in reach to help you confidently get jobs done.



6U Open Wall Rack with Front Swing Gate (716185)



1U Cable Management Panel with Cover (714679)\*



8 Port PoE Switch, 120 W (561402)\*



1U Blank Panel (712675)\*



1U Vented Shelf with 13.8" Depth (714891)\*



9U Double Section Wall Mount Cabinet (711845)\*



48-Port Cat6 Patch Panel, 2U (560283)\*



M6 Cage Nut Set, 50pc. Jar (711081)\*  
10/32 Cage Nut Set, 50pc. Jar (715171)\*

\*CALIFORNIA I ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

For our full product offering—including features visit [intellinetsolutions.com](https://intellinetsolutions.com); or call **1.800.881.7325** 25



## TOOLS AND TESTERS



### Universal Modular Plug Crimping Tool and Tester

[780124]\* 2-in-1 Crimper and Cable Tester—Cuts, Strips, Terminates and Tests



### Universal Modular Plug Crimping Tool

[211048]\* For RJ45, RJ12 and RJ11 Modular Plugs. Cuts and strips both round and flat cable



### 4-Piece Network Tool Kit

[780070]\* 4 Tool Network Kit Composed of LAN Tester, LSA punch down tool, Crimping Tool and Cutter/Stripper Tool



### FastCrimp Modular Plug Crimping Tool

[790352]\* For Intellinet FastCrimp RJ45 Modular Plugs and Compatible Plugs



### Terminal Block Impact Tool

[211055]\* For 110/88 Terminal Blocks. Adjustable impact pressure control

\*CALIFORNIA I ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov



## TOOLS AND TESTERS

### 4-in-1 Cable Tester

**[351911]** Tests patch cables and installed wiring. 600 ft. test distance. LEDs indicate connections and faults.



### 5-in-1 Cable Tester

**[780094]** Versatile cable tester. For Cat5/6 network and ISDN connection tests. USB AB- and IEEE1394 6-pin FireWire cable tester.



### Net Toner and Probe Kit

**[515566]** Two position switch for single or multi-tone signal. LEDs for line polarity, continuity and voltage.



### Modular Plug Crimp Tool

**[211062]** For RJ45 Plugs, Strips and Cuts



### Multifunction Cable Tester

**[351898]** Tests RJ11 and RJ45. Cable type: UTP/STP/FTP. LEDs indicate connections and faults

\*CALIFORNIA I ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

For our full product offering—including features visit [intellinetsolutions.com](https://intellinetsolutions.com); or call **1.800.881.7325** 27



## VERTICAL WALL RACK

### Vertical Wall Mount Rack Bracket for 19" Equipment, 2U

*Hinged Swing Frame, 17.7" Depth, Flat Pack*  
[716352]

- Allows space-saving vertical rackmount installations ideal for network equipment like patch panels, PDUs, switches, and more
- Mountable flush with the wall, great for network areas with limited floor space (wall-mounting hardware included)
- Open frame for good airflow and easy access to equipment and cabling
- Maximum load capacity of 135 lbs. (61 kg)



### Vertical Wall Mount Rack Bracket for 19" Equipment, 4U

[716369]

- Allows space-saving vertical rackmount installations ideal for network equipment like patch panels, PDUs, switches, and more
- Mountable flush with the wall, great for network areas with limited floor space (wall-mounting hardware included)
- Open frame for good airflow and easy access to equipment and cabling
- Maximum load capacity of 135 lbs. (61 kg)



### Vertical Wall Mount Rack Bracket for 19" Equipment, 6U

[716376]

- Allows space-saving vertical rackmount installations ideal for network equipment like patch panels, PDUs, switches, and more
- Mountable flush with the wall, great for network areas with limited floor space (wall-mounting hardware included)
- Open frame for good airflow and easy access to equipment and cabling
- Maximum load capacity of 135 lbs. (61 kg)



\*CALIFORNIA I ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov



## FRONT SWINGING RACKS



### 19" Wall Mount 2-Post Open Frame Network Rack, 6U

*Hinged Swing Frame, 17.7" Depth, Flat Pack*

[716178]

- Front-hinged design that lets the frame swing open for even easier access to panels
- Sturdy, high-quality, cold-rolled SPCC steel construction with antistatic powder coating
- Includes 20 cage nut sets
- Useable depth 15.75"
- Reversible front door. Opens left to right or right to left



### 19" Wall Mount 2-Post Open Frame Network Rack, 9U

*Hinged Swing Frame, 17.7" Depth, Flat Pack*

[716185]

- Sturdy, high-quality, cold-rolled SPCC steel construction with antistatic powder coating
- Includes 20 cage nut sets
- Useable depth 15.75"
- Reversible front door. Opens left to right or right to left



### 19" Wall Mount 2-Post Open Frame Network Rack, 12U

*Hinged Swing Frame, 17.7" Depth, Flat Pack*

[716192]

- Sturdy, high-quality, cold-rolled SPCC steel construction with antistatic powder coating
- Includes 20 cage nut sets
- Useable depth 15.75"
- Reversible front door. Opens left to right or right to left

\*CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

For our full product offering—including features visit [intellinetsolutions.com](https://intellinetsolutions.com); or call **1.800.881.7325** 29



## FRONT SWINGING RACKS

### 19" Wall Mount 2-Post Open Frame Network Rack, 15U

*Hinged Swing Frame, 17.7" Depth, Flat Pack*  
[716208]

- Sturdy, high-quality, cold-rolled SPCC steel construction with antistatic powder coating
- Includes 20 cage nut sets
- Useable depth 15.75"
- Max load capacity 88 lbs.



## REAR SWINGING RACKS

### 19" Wall Mount 4-Post Open Frame Network Rack, 6U

*Hinged Swing Frame, 23.8" Depth, Assembled*  
[716031]

- Sturdy, high-quality, cold-rolled PCC steel construction with antistatic powder coating
- Includes 20 cage nut sets
- Useable depth 21.26"
- Max load capacity 88 lbs.



\*CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



## REAR SWINGING RACKS



### 19" Wall Mount 4-Post Open Frame Network Rack, 9U

*Hinged Swing Frame, 23.8" Depth, Assembled*  
[716048]

- Sturdy, high-quality, cold-rolled SPCC steel construction with antistatic powder coating
- Sturdy, high-quality, cold-rolled PCC steel construction with antistatic powder coating
- Includes 20 cage nut sets
- Useable depth 21.26"
- Max load capacity 88 lbs.



### 19" Wall Mount 4-Post Open Frame Network Rack, 12U

*Hinged Swing Frame, 23.8" Depth, Assembled*  
[716055]

- Sturdy, high-quality, cold-rolled SPCC steel construction with antistatic powder coating
- Includes 20 cage nut sets
- Useable depth 21.26"
- Max load capacity 88 lbs.



### 19" Wall Mount 4-Post Open Frame Network Rack, 15U

*Hinged Swing Frame, 23.8 in. Depth, Assembled*  
[716161]

- Sturdy, high-quality, cold-rolled SPCC steel construction with antistatic powder coating
- Includes 20 cage nut sets
- Useable depth 21.26"
- Max load capacity 88 lbs.

\*CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

For our full product offering—including features visit [intellinetsolutions.com](https://www.intellinetsolutions.com); or call **1.800.881.7325** 31



# OPEN FRAME RACKS

## 19" 2-Post Open Frame Network Rack, 42U



Can be bolted to the floor, 9.84" Depth, Flat Packed [716390]

- Open frame for easy access to equipment from all sides and for maximum airflow with efficient heat dissipation
- Heavy-duty construction with 2 mm (0.08 in.) thick, cold-rolled SPCC steel and powder coating
- Two posts with numbered rackmount space height units
- Maximum load capacity of 770 lbs. (350 kg)
- Can be secured to the floor with four bolts



## 19" Double-Sided Cantilever Shelf

[714877]\* 2U, Double-Sided Shelf for 19" Rack, 450 mm (17.71 in.) Depth, Vented. Supports a maximum static load of 55 lbs. [25 kg]

## 19" 4-Post Open Frame Network Rack, 45U



Can be bolted to the floor, Flat Pack, Depth-Adjustable 22.2 to 40.4 in [716406]

- Open frame for easy access to equipment from all sides and for maximum airflow with efficient heat dissipation
- Heavy-duty construction with 2 mm (0.08 in.) thick, cold-rolled SPCC steel and powder coating
- Two posts with numbered rackmount space height units
- Maximum load capacity of 770 lbs. (350 kg)
- Can be secured to the floor with four bolts



\*CALIFORNIA | WARNING: Cancer and Reproductive Harm - P65Warnings.ca.gov





## CABINETS

# PRO LINE NETWORK CABINETS with INTEGRATED FANS and SHELVING

19" network rack enclosure with plenty of included accessories

**23.6" Depth and Width, Comes with Casters and Leveling Feet, Roof-mounted Two-Fan Ventilation Unit, Reversible Front Door, Assembled Models:**


**INC-FSPRO-24X24-12U (716215)  
2 Vented Shelves and Blank Panels**

**INC-FSPRO-24X24-18U (716222)  
3 Shelves and Blank Panels**

**INC-FSPRO-24X24-27U (716239)  
5 Shelves and Blank Panels**

**INC-FSPRO-24X24-38U (716246)  
7 Shelves and Blank Panels**

**INC-FSPRO-24X24-42U (716253)  
9 Shelves and Blank Panels**



\*CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov



For our full product offering—including features visit [intellinetsolutions.com](https://intellinetsolutions.com); or call **1.800.881.7325** 33



# CABINETS


## PLENTY OF INCLUDED ACCESSORIES

Removable vented 2U cantilevered shelves and blank panels are included as standard. The inclusion of conveniently positioned top and bottom ports facilitates the seamless routing of cables.



### Pre-installed fans

Roof-mounted, two-fan ventilation unit to help keep equipment cool and air flowing. These fans efficiently dissipate heat up to 149°F (65°C).



### Numbered Rackmount Space Height

Each rack space is numbered for easy reference.

\*CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

34 For our full product offering—including features visit [intellinetsolutions.com](https://intellinetsolutions.com); or call **1.800.881.7325**



# CABINETS

**Intellinet Network Solutions** Double-Section wallmount cabinets offer you a flexible solution for your network installations.



**19" Wallmount Cabinet**  
[711715]\* 6U, Flatpack, Black



**19" Double Section Wallmount Cabinet**  
[711845]\* 9U, Double Section, Assembled



**2-Fan Ventilation Unit for 19" Wallmount Cabinets**  
[712415]

- Roof-mount ventilation unit for reliable, energy-efficient cooling in wall-mount cabinets from Intellinet Network Solutions and other brands
- 6 ft. power cord with US NEMA 5-15P plug
- Efficient heat dissipation for a wide operating temperature up to 122°F
- Quiet fans with a noise level of only 24.9 db (A)
- Ground kit included

## FLATPACKED CABINETS

MODEL#	DESCRIPTION
711715*	19" Wallmount Cabinet, 6U, 17.7" Depth, Usable depth: 10.24", Flatpacked
711777*	19" Wallmount Cabinet, 9U, 17.7" Depth, Usable depth: 10.24", Flatpacked
711869*	19" Wallmount Cabinet, 12U, 17.7" Depth, Usable depth: 10.24", Flatpacked
713825*	19" Double Section Wallmount Cabinet, 6U, 23.6" Depth, Usable depth: 15.16", Flatpacked
713849*	19" Double Section Wallmount Cabinet, 9U, 23.6" Depth, Usable depth: 15.16", Flatpacked
713863*	19" Double Section Wallmount Cabinet, 12U, 23.6" Depth, Usable depth: 15.16", Flatpacked
713887*	19" Double Section Wallmount Cabinet, 15U, 23.6" Depth, Usable depth: 15.16", Flatpacked

## ASSEMBLED CABINETS


711845*	19" Double Section Wallmount Cabinet, 9U, 19.7" Depth, Usable depth: 16.73", Assembled
716277	19" Double Section Wallmount Cabinet, 12U, 21.7" Depth, Usable depth: 16.73", Assembled
712019*	19" Double Section Wallmount Cabinet, 15U, 23.6" Depth, Usable depth: 16.73", Assembled

\*CALIFORNIA I ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

For our full product offering—including features visit [intellinetsolutions.com](https://intellinetsolutions.com); or call **1.800.881.7325** 35



# SHELVES



### 19" Double-Sided Cantilever Shelf

[714877]\* 2U, Double-Sided Shelf for 19" Rack, 450 mm (17.71 in.) Depth, Vented. Supports a maximum static load of 55 lbs. [25 kg]



### 19" Cantilever Shelf

[715072]\* 1U, 300 mm (11.8 in.) Shelf Depth, Non-Vented Supports a maximum static load of 55 lbs. [25 kg]  
 [715102]\* 1U, 350 mm (13.8 in.) Shelf Depth, Non-Vented Supports a maximum static load of 55 lbs. [25 kg]



### 19" Cantilever Shelf

[714884]\* 1U, 300 mm (11.8 in.) Shelf Depth, Vented, Supports a maximum static load of 55 lbs. [25 kg]  
 [714891]\* 1U, 350 mm (13.8 in.) Shelf Depth, Vented, Supports a maximum static load of 55 lbs. [25 kg]



### 19" Cantilever Shelf

[712507]\* 2U, 2-Point Front Mount, 250 mm Depth (9.8 in.), Vented, Supports a maximum static load of 55 lbs. [25 kg]  
 [712514]\* 2U, 2-Point Front Mount, 400 mm Depth (15.7 in.), Vented, Supports a maximum static load of 55 lbs. [25 kg]



### 19" Fixed Extending Shelf

[714389]\* 1U, adjustable depth of 20" - 40" (55.88 - 101.6 cm), Vented, Supports a maximum static load of 90 lbs. [45 kg]

\*CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov



PANELS



**19" Blank Panel**  
[712675]\* 1U



**19" Cable Management Panel**  
[711050]\* 1U, 4 short plastic rings



**19" Cable Entry Panel**  
[712767]\* 1U, with Brush Insert  
[712774]\* 2U, with Brush Insert



**19" Cable Management Panel**  
[716062]\* 2U, with cover




**19" Cable Management Panel, 1U**  
[714679]\* 19" Rackmount Cable Manager, with Cover



**19" Vented Blank Panel, 1U**  
[716307] Rackmount Spacer Panel with Perforated Venting



**19" Vented Blank Panel, 2U**  
[716314] Rackmount Spacer Panel with Perforated Venting, RAL 9005



**19" Vented Blank Panel, 4U**  
[716321] Rackmount Spacer Panel with Perforated Venting, RAL 9005



**19" Blank Panel 2U**  
[716468] Rackmount Spacer Panel, Black RAL 9005



**19" Blank Panel 3U**  
[716475] Rackmount Spacer Panel, Black RAL 9005



**19" Blank Panel 4U**  
[712699]\* Covers unused positions in the cabinet. Antistatic powder coating. 1.2 mm steel thickness

\*CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

For our full product offering—including features visit [intellinetsolutions.com](https://intellinetsolutions.com); or call **1.800.881.7325** 37



## ACCESSORIES

### 2-Fan Ventilation Unit for 19" Wallmount Cabinets

[712415]

- Roof-mount ventilation unit for reliable, energy-efficient cooling in wall-mount cabinets from Intellinet Network Solutions and other brands
- 6 ft. power cord with US NEMA 5-15P plug
- Efficient heat dissipation for a wide operating temperature up to 122°F
- Quiet fans with a noise level of only 24.9 db (A)
- Ground kit included
- Compatible with wallmount cabinets, flatpacked and assembled



### 6-Outlet 19" Rackmount Managed Metered Power Distribution Unit

[120234]\* Monitored PDU with Six Metered US NEMA 5-15R Outlets, One Additional Non-Metered Outlet, 2160 Joule Surge Protection, Remote Monitoring and Control



### 19" Intelligent 8-Port PDU

[163682]\* 19" Rackmountable Intelligent Power Distribution Unit; Monitors Power, Temperature and Humidity



### 10-32 Screws

[715171]\* 50 10-32 Cage Nuts, Screws and Washers, Jar

[715218]\* 50 10-32 Screws, Bag

### 12-24 Screws

[715157]\* 50 12-24 Cage Nuts with Screws and Washers, Jar

[715188]\* 50 12-24 Screws, Bag



### Cage Nut Set, M6


[712194]\* 20 pcs., Silver, Bag

[711081]\* 50 pcs., Silver, Jar

[713658]\* 100 pcs., Silver, Jar

[716437] 50 pcs., Black, Jar

\*CALIFORNIA | WARNING: Cancer and Reproductive Harm - P65Warnings.ca.gov



⚙️ Copper  
 ⚙️ Impedance Matched

⚙️ Gold Plated Contacts  
 ⚙️ Unique PVC Jacket

⚙️ Snag Free Boots  
 ⚙️ Strain Relief  
 ⚙️ Standards Tested

# Cat6 UTP Cables



Length	Grey	White	Black	Red	Orange	Yellow	Green	Blue	Pink	Purple
<b>Cat6 UTP Unshielded</b>										
0.5 ft. (0.15 m)	347174	347372	347389	347396	347402	347419	347426	347433	392730	392990
1 ft. (0.3 m)	340526	347501	343312	343329	347518	344920	344845	343282	329743	393102
1.5 ft. (0.5 m)	340427	341936	342032	342131	342230	342339	342469	342568	392754	393119
2 ft. (0.6 m)	739948	739986	738309	739955	739979	739962	738323	738316	737005	739993
3 ft. (1.0 m)	340373	341943	342049	342148	342247	342346	342476	342575	392761	393126
5 ft. (1.5 m)	340380	341950	342056	342155	342254	342353	342483	342582	392778	393133
7 ft. (2.0 m)	334112	341967	342063	342162	342261	342360	342490	342599	392785	393140
10 ft. (3.0 m)	334129	341974	342070	342179	342278	342377	342506	342605	392792	393157
14 ft. (5.0 m)	336765	343732	343350	343367	343749	343725	343718	343305	392808	393164
25 ft. (7.5 m)	336758	341998	342094	342193	342292	342391	342520	342629	392815	393171
35 ft. (10.5 m)	740234	740272	740203	740241	740265	740258	740227	740210	740289	740296
50 ft. (15.0 m)	336772	342001	342100	342209	342308	342407	342537	342438	392822	393188
75 ft. (22.5 m)	740333	740371	740302	740340	740364	740357	740326	740319	740388	740395
100 ft. (30.0 m)	340557	342025	342124	342223	342322	342452	342551	342414	392846	393201



**Cat6 Bulk Cable, Solid, 23 AWG**

[334136]\* UTP, 305 m (1,000 ft.), CM Rated, Plastic Reel, Gray, Copper

\*CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

For our full product offering—including features visit [intellinetsolutions.com](https://www.intellinetsolutions.com); or call **1.800.881.7325**



## CAT6 UTP SLIM PATCH CABLES



- ✓ 100% Copper
- ✓ Cat6 compliant
- ✓ Snag-free boots to protect connectors
- ✓ 30 AWG

Length	Black	Blue	Orange	Red	Yellow	White	Gray	Green
0.5 ft. (0.15 m)	744386*	744379*	745734	745703	745727	744447*	745697	745710
1 ft. (0.3 m)	742443	742436	743556*	743501*	743457*	751490*	751568*	743402*
1.5 ft. (0.5m)	742078	742139	744171*	744157*	744133*	751506*	751575*	744119*
3 ft. (1 m)	742085	742146	743563*	743518*	743464*	751513*	751582*	743419*
5 ft. (1.5 m)	742092	742153	743570*	743525*	743471*	751520*	751599*	743426*
7 ft. (2 m)	742108	742160	743587*	743532*	743488*	751537*	751605*	743433*
10 ft. (3 m)	742115	742177	743594*	743549*	743495*	751544*	751612*	743440*
14 ft. (5 m)	742122	742184	744188*	744164*	744140*	751551*	751629*	744126*

## CAT6A S/FTP PATCH CABLES

- ✓ 100% Copper
- ✓ Augmented Category 6 (Cat6a)
- ✓ Screened fully-shielded twisted pair cable
- ✓ Snag-free boots to protect connectors
- ✓ 26 AWG
- ✓ PiMF (aluminum-mylar foil)



Length	Black	Blue	Gray	Green	White	Yellow
1 ft. (0.3 m)	313834	315982	743129*	743334*	743198*	743266*
3 ft. (1 m)	741521	741477	743136*	743341*	743204*	743273*
5 ft. (1.5 m)	742191	742207	743143*	743358*	743211*	743280*
7 ft. (2 m)	741538	741484	743150*	743365*	743228*	743297*
10 ft. (3 m)	741545	741491	743167*	743372*	743235*	743303*
14 ft. (5 m)	741552	741507	743174*	743389*	743242*	743310*
25 ft. (7.5 m)	741569	741514	74318*	743396*	743259*	743327*
50 ft.	742689	742696	N/A	N/A	N/A	N/A
100 ft.	742702	742719	N/A	N/A	N/A	N/A


\*CALIFORNIA | ⚠️ WARNING: Cancer and Reproductive Harm - P65Warnings.ca.gov

40 For our full product offering—including features visit [intellinetsolutions.com](https://intellinetsolutions.com); or call **1.800.881.7325**





# CAT6A U/UTP SLIM NETWORK PATCH CABLES



- ✓ 100% Copper
- ✓ Fully backward compatible with all the previous cable categories, including Category 6, 5e and 5
- ✓ Snag-free boots to protect connectors
- ✓ 30 AWG



## 10G, 500 MHZ


Length	Black	Blue	Gray	White
.5 ft. [0.15 m]	745758	745765	745772	745789
1 ft. [0.3 m]	743891*	743945*	743990*	744041*
3 ft. [1 m]	743907*	743952*	744003*	744058*
5 ft. [1.5 m]	743914*	743969*	744010*	744065*
7 ft. [2 m]	743921*	743976*	744027*	744072*
10 ft. [3 m]	743938*	743983*	744034*	744089*

\*CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

For our full product offering—including features visit [intellinetsolutions.com](https://intellinetsolutions.com); or call **1.800.881.7325** 41



# CAT8.1 S/FTP PATCH CABLES



- ✓ 100% Copper
- ✓ Cat8 compliant
- ✓ Snag-free boots to protect connectors
- ✓ 24/7 AWG

Length	Black	Blue	White
1 ft. (0.3 m)	743044*	742962*	742726*
3 ft. (1 m)	743051*	742979*	742733*
5 ft. (1.5 m)	743068*	742986*	742740*
7 ft. (2 m)	743075*	742993*	742757*
10 ft. (3 m)	743082*	743006*	742764*
14 ft. (5 m)	743099*	743013*	742771*
25 ft. (7.5 m)	743105*	743020*	742788*
50 ft.	743112*	743037*	742795*



\*CALIFORNIA | ⚠️ WARNING: Cancer and Reproductive Harm - P65Warnings.ca.gov

42 For our full product offering—including features visit [intellinetsolutions.com](https://intellinetsolutions.com); or call **1.800.881.7325**



## WALL PLATES




### Keystone Wall Plate

- [772464]\* Flush Mount, 1-Outlet, Ivory
- [772563]\* Oversized, Flush Mount, 1-Outlet, Ivory
- [772419]\* Flush Mount, 1-Outlet, White
- [772518]\* Oversized, Flush Mount, 1-Outlet, White




### Keystone Wall Plate

- [772570]\* Oversized, Flush Mount, 2-Outlet, Ivory
- [772426]\* Flush Mount, 2-Outlet, White
- [772525]\* Oversized, Flush Mount, 2-Outlet, White



### Keystone Wall Plate

- [772488]\* Flush Mount, 3-Outlet, Ivory
- [772587]\* Oversized, Flush Mount, 3-Outlet, Ivory
- [772433]\* Flush Mount, 3-Outlet, White
- [772532]\* Oversized, Flush Mount, 3-Outlet, White




### Keystone Wall Plate

- [772495]\* Flush Mount, 4-Outlet, Ivory
- [772594]\* Oversized, Flush Mount, 4-Outlet, Ivory
- [772440]\* Flush Mount, 4-Outlet, White
- [772549]\* Oversized, Flush Mount, 4-Outlet, White

### Keystone Wall Plate

- [772501]\* Flush Mount, 6-Outlet, Ivory
- [772600]\* Oversized, Flush Mount, 6-Outlet, Ivory
- [772457]\* Flush Mount, 6-Outlet, White
- [772556]\* Oversized, Flush Mount, 6-Outlet, White



\*CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

For our full product offering—including features visit [intellinetsolutions.com](https://intellinetsolutions.com); or call **1.800.881.7325** 43



# MODULAR PLUGS



Category	Type	Fast Crimp	Cable Type	Content	Package	Description	Model#
Cat6	UTP		2-prong for stranded wire	100 pcs	Jar	15µ gold plated	502344*
Cat6	UTP		3-prong for solid & stranded wire	100 pcs	Jar	15µ gold plated	791281
Cat6	UTP		3-prong for solid wire with Liners & Sleds	80 pcs	Jar	50µ gold plated	790536*
Cat6	UTP		2-prong for stranded wire with Liners	90 pcs	Jar	50µ gold plated	790611 *
Cat6	UTP	Yes	3-prong for Solid & Stranded Wire	50 pcs	Bag	3µ gold plated	790383
Cat6	UTP	Yes	3-prong for Solid & Stranded Wire	100 pcs	Jar	3µ gold plated	791090


# RJ45 COMPONENTS



2-Port Modular Distributor  
504195\*



Cat6 Inline Coupler, Keystone Type  
505147\*



Cat6 Inline Coupler, Keystone Type  
504898\*



Cat6 Modular Inline Coupler  
505130\*



HDMI Inline Coupler, Keystone Type  
771351\*



Cat6a Outdoor Modular Inline Coupler  
791120



RJ45 8P8C Coupler  
504225\*

\*CALIFORNIA I ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

44 For our full product offering—including features visit [intellinetsolutions.com](http://intellinetsolutions.com); or call **1.800.881.7325**




# KEYSTONE JACKS

## Cat6

Model#	Type & Color
210591*	UTP, White
210720*	UTP, Black
210737*	UTP, Blue
210638*	UTP, Green
210614*	UTP, Red
210775*	UTP, Orange
210607*	UTP, Ivory

## Cat6a

Model#	Type & Color
771986	UTP, Silver



# FASTPUNCH KEYSTONE JACKS

## Cat6

To be used with these products



**Port Identifier Cat6 Punch-Down Keystone Jack with LED** NEW

[791274] Transparent, LED Link Indicator, UTP, for Solid Wire, Gold-plated Contacts, 25-Pack



**Port Identifier Cat6 Toolless Keystone Jack with LED**


[791267] Transparent, LED Link Indicator, Easy and Quick Snap-in Deployment, UTP, for Solid Wire, Gold-plated Contacts, 25-Pack

*LED indicator allows identification of the connected port when used with the Intellinet LED Port Identifier tool (780179).*



**Cat6 Patch Panel**

[721080]\* 24-Port, UTP, with LEDs, 1U



**LED Ethernet Port Detector Tool**

[780179]\* For RJ45 Keystone Jacks and Patch Panels with LEDs, Locates and Analyzes Port Connections

\*CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

For our full product offering—including features visit [intellinetsolutions.com](https://intellinetsolutions.com); or call **1.800.881.7325** 45



# FIBER OPTIC CABLES

Length	OM1 Multimode
<b>Duplex Jumper LC/LC 62.5/125µm</b>	
3 ft. (1.0 m)	471206*
7 ft. (2.0 m)	471213*
10 ft. (3.0 m)	471220*
14 ft. (5.0 m)	471237*
33 ft. (10.0 m)	471244*
<b>Duplex Jumper LC/SC 62.5/125µm</b>	
3 ft. (1.0 m)	471251*
7 ft. (2.0 m)	471268*
10 ft. (3.0 m)	471275*
14 ft. (5.0 m)	471282*
33 ft. (10.0 m)	471299*
<b>Duplex Jumper LC/ST 62.5/125µm</b>	
3 ft. (1.0 m)	471305*
7 ft. (2.0 m)	471312*
10 ft. (3.0 m)	471329*
14 ft. (5.0 m)	471336*
33 ft. (10.0 m)	471343*
<b>Duplex Jumper SC/SC 62.5/125µm</b>	
3 ft. (1.0 m)	515818*
7 ft. (2.0 m)	515825*
10 ft. (3.0 m)	511308*
14 ft. (5.0 m)	510332*
33 ft. (10.0 m)	515832*
<b>Duplex Jumper ST/SC 62.5/125µm</b>	
3 ft. (1.0 m)	515788*
7 ft. (2.0 m)	515795*
10 ft. (3.0 m)	510349*
14 ft. (5.0 m)	510356*
33 ft. (10.0 m)	515801*
<b>Duplex Jumper ST/ST 62.5/125µm</b>	
3 ft. (1.0 m)	515757*
7 ft. (2.0 m)	515764*
10 ft. (3.0 m)	511216*
14 ft. (5.0 m)	510325*
33 ft. (10.0 m)	515771*
100 ft. (30 m)	751223*

Length	OM2 Multimode
<b>Duplex Jumper SC/SC 50/125µm</b>	
33 ft. (10.0 m)	470049*
<b>Duplex Jumper ST/ST 50/125µm</b>	
10 ft. (3.0 m)	470094*
<b>Duplex Jumper LC/LC 50/125µm</b>	
66 ft. (20.0 m)	472753*
<b>Duplex Jumper LC/SC 50/125µm</b>	
66 ft. (20.0 m)	472814*
<b>Duplex Jumper LC/ST, 50/125 µm</b>	
14 ft. (5.0 m)	470438*
33 ft. (10.0 m)	470445*
66 ft. (20.0 m)	472692*
<b>Duplex Jumper ST/SC 50/125 µm</b>	
70 ft. (20.0 m)	472586*
<b>Duplex Jumper SC/SC, 50/125 µm</b>	

Length	OS2 Singlemode
<b>Duplex Jumper LC/LC 9/125µm</b>	
3 ft. (1.0 m)	516785*
7 ft. (2.0 m)	750004*
10 ft. (3.0 m)	471893*
14 ft. (5.0 m)	516792*
33 ft. (10.0 m)	516815*
66 ft. (20.0 m)	750967*
<b>Duplex Jumper SC/SC 9/125µm</b>	
3 ft. (1.0 m)	470605*
7 ft. (2.0 m)	470612*
10 ft. (3.0 m)	470629*
14 ft. (5.0 m)	470636*
33 ft. (10.0 m)	470643*
<b>Duplex Jumper LC/SC 9/125µm</b>	
3 ft. (1.0 m)	473965*
7 ft. (2.0 m)	473972*
10 ft. (3.0 m)	472050*
14 ft. (5.0 m)	473729*
33 ft. (10.0 m)	473996*
<b>Duplex Jumper LC/ST 9/125µm</b>	
3 ft. (1.0 m)	474016*
7 ft. (2.0 m)	750011*
10 ft. (3.0 m)	516952*
14 ft. (5.0 m)	516976*
33 ft. (10.0 m)	474047*
66 ft. (20.0 m)	516990*
<b>Duplex Jumper ST/SC, 9/125 µm</b>	
3 ft. (1.0 m)	751315*
7 ft. (2.0 m)	751322*
10 ft. (3.0 m)	751339*
14 ft. (5.0 m)	751346*
33 ft. (10.0 m)	751308*
<b>Duplex Jumper ST/ST, 9/125 µm</b>	
3 ft. (1.0 m)	751254*
7 ft. (2.0 m)	751261*
10 ft. (3.0 m)	751278*
14 ft. (5.0 m)	751285*
33 ft. (10.0 m)	751292*




\*CALIFORNIA | WARNING: Cancer and Reproductive Harm - P65Warnings.ca.gov



## FIBER OPTIC CABLES

Length	OM3 Multimode	OM4 Multimode
<b>Duplex Jumper LC/LC 50/125µm</b>		
3 ft. (1.0 m)	750868*	750875*
7 ft. (2.0 m)	750134*	750882*
10 ft. (3.0 m)	750066*	751162*
14 ft. (5.0 m)	750080*	750899*
33 ft. (10.0 m)	750097*	751032*
<b>Duplex Jumper LC/SC 50/125µm</b>		
3 ft. (1.0 m)	750912*	751049*
7 ft. (2.0 m)	750158*	750929*
10 ft. (3.0 m)	750165*	750936*
14 ft. (5.0 m)	751094*	751056*
33 ft. (10.0 m)	750523*	751179*
66 ft. (20.0 m)	750943*	751186*
<b>Duplex Jumper LC/ST 50/125µm</b>		
3 ft. (1.0 m)	751117*	
7 ft. (2.0 m)	751001*	
10 ft. (3.0 m)	751124*	
14 ft. (5.0 m)	751131*	
33 ft. (10.0 m)	751148*	
<b>Duplex Jumper SC/SC 50/125µm</b>		
3 ft. (1.0 m)	751025*	
7 ft. (2.0 m)	750837*	
10 ft. (3.0 m)	751100*	
14 ft. (5.0 m)	750844*	
33 ft. (10.0 m)	750851*	
66 ft. (20.0 m)	751070*	
<b>Duplex Jumper ST/SC 50/125µm</b>		
3 ft. (1.0 m)	751421*	
7 ft. (2.0 m)	751438*	
10 ft. (3.0 m)	751445*	
14 ft. (5.0 m)	751452*	
33 ft. (10.0 m)	751469*	
<b>Duplex Jumper ST/LC 50/125µm</b>		
66 ft. (20.0 m)	751155	



## NETWORK CARDS

**Gigabit PCI Express Network Card**  
 [522533]\* 10/100/1000 Mbps PCI Express Ethernet Card



\*CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

For our full product offering—including features visit [intellinetsolutions.com](https://intellinetsolutions.com); or call **1.800.881.7325** 47



# INDEX

Model #	Page #	Model #	Page #	Model #	Page #	Model #	Page #	Model #	Page #	Model #	Page #
120234.....	38	508728.....	13	561204.....	6	562133.....	9	716352.....	28		
163682.....	38	508742.....	21	561211.....	4	562140.....	9	716369.....	28		
210591.....	45	508759.....	20	561228.....	6	711050.....	37	716376.....	28		
210607.....	45	508766.....	20	561235.....	5	711081.....	25,38	716390.....	32	Cat6 UTP	
210614.....	45	508827.....	11	561242.....	8	711715.....	35	716406.....	32	Patch Cables ...	39
210638.....	45	508834.....	11	561259.....	8	711777.....	35	716437.....	38		
210720.....	45	508919.....	12	561266.....	4	711845.....	25,35	716468.....	37	Cat6 U/UTP Slim	
210737.....	45	508940.....	4,12	561273.....	15	711869.....	35	716475.....	37	Patch Cables ...	40
210775.....	45	508957.....	12	561334.....	15	712019.....	35	720847.....	24		
211048.....	26	508964.....	19	561341.....	9	712194.....	38	720922.....	24	Cat6A S/FTP	
211055.....	26	508971.....	19	561365.....	12	712415.....	35,38	721066.....	24	Patch Cables ...	40
211062.....	27	508988.....	19	561389.....	12	712507.....	36	721073.....	24		
334136.....	39	508995.....	11	561402.....	25	712514.....	36	721080.....	45	Cat6A U/UTP Slim	
351898.....	27	509084.....	12	561419.....	7	712675.....	25,37	721097.....	24	Patch Cables ....	40
351911.....	27	509091.....	13	561426.....	10	712699.....	37	771351.....	44		
402439.....	25	509107.....	12,16	561495.....	5,23	712767.....	37	771986.....	45	Cat8 S/FTP	
402446.....	25	509183.....	17	561518.....	5	712774.....	37	772419.....	43	Patch Cables ...	42
502344.....	44	509213.....	16	561570.....	5	713658.....	38	772426.....	43		
504195.....	44	509220.....	6	561600.....	4	713825.....	35	772433.....	43	Fiber Optic	
504225.....	44	510493.....	16	561617.....	4	713849.....	35	772440.....	43	Cables .....	46,47
504898.....	44	510530.....	18	561624.....	8	713863.....	35	772457.....	43		
505130.....	44	510547.....	18	561631.....	10	713887.....	35	772464.....	43		
505147.....	44	513555.....	24	561648.....	4,23	714389.....	36	772488.....	43		
506502.....	17	515566.....	27	561679.....	8	714679.....	25,37	772495.....	43		
506519.....	17	519526.....	24	561686.....	6	714877.....	32,36	772501.....	43		
506724.....	21	520959.....	24	561723.....	14	714884.....	36	772518.....	43		
507356.....	17	522533.....	47	561730.....	14	714891.....	25,36	772525.....	43		
507332.....	18	523301.....	14	561747.....	14	715072.....	36	772532.....	43		
507349.....	18	523318.....	14	561754.....	14	715102.....	36	772549.....	43		
507462.....	20	523882.....	20	561761.....	7	715157.....	38	772556.....	43		
507479.....	20	524179.....	5	561778.....	5	715171.....	25,38	772563.....	43		
507486.....	21	530347.....	14	561785.....	5	715188.....	38	772570.....	43		
507509.....	21	530378.....	14	561792.....	6	715218.....	38	772587.....	43		
508179.....	20	545006.....	20	561808.....	8	716031.....	30	772594.....	43		
508193.....	16	545013.....	21	561815.....	15	716048.....	31	772600.....	43		
508216.....	16	545068.....	18	561822.....	6	716055.....	31	780070.....	26		
508247.....	11	545075.....	18	561846.....	10	716062.....	37	780094.....	27		
508254.....	11	560269.....	24	561877.....	15	716161.....	31	780124.....	26		
508261.....	11	560283.....	25	561891.....	7	716178.....	29	780179.....	24,45		
508278.....	11	560443.....	4	561907.....	8	716185.....	25,29	790352.....	26		
508315.....	17	560559.....	10	561945.....	5	716192.....	29	790383.....	44		
508322.....	19	560566.....	5	561952.....	3	716208.....	30	790536.....	44		
508346.....	19	560641.....	7	561969.....	10	716215.....	33	790611.....	44		
508360.....	13	560764.....	7	561983.....	8	716222.....	33	791090.....	44		
508377.....	22	560917.....	15	562003.....	9	716239.....	33	791120.....	44		
508391.....	22	560962.....	4	562010.....	6	716246.....	33	791267.....	24,45		
508414.....	22	560993.....	7	562027.....	7	716253.....	33	791274.....	24,45		
508438.....	22	561044.....	15	562034.....	8	716277.....	35	791281.....	44		
508452.....	22	561068.....	15	562041.....	10	716307.....	37				
508544.....	17	561082.....	8	562058.....	14	716314.....	37				
508551.....	12	561167.....	9	562096.....	14	716321.....	37				
508568.....	12	561198.....	9	562102.....	7	716345.....	13				

© 2025 IC Intracom. All rights reserved. Intellinet Network Solutions is a trademark of IC Intracom, registered in the U.S. and other countries. Other trademarks and trade names are the property of their respective owners.

\*CALIFORNIA | WARNING: Cancer and Reproductive Harm - P65Warnings.ca.gov

48 For our full product offering—including features visit [intellinetsolutions.com](https://intellinetsolutions.com); or call **1.800.881.7325**