



2025



manhattanproducts.com
550 Commerce Blvd. • Oldsmar, FL 34677 • 813.855.0550



Celebrating over
30+ Years of
Market Experience



Superior
Warranty



Global Expertise,
Global Mentality



Retail Ready



High-Quality
Products



Strength In
Connectivity



**REGISTER HERE TO
BECOME A DEALER**



TABLE OF CONTENTS

TV Mounts.....	3-7
Ceiling Mounts.....	8
Projector Mounts.....	8
TV Carts.....	9
Monitor Mounts.....	10-14
Stands.....	14
HDMI Extenders.....	15
HDMI Splitters.....	16
HDMI Switches.....	17
KVM & Network Switches.....	18
HDMI Adapters & Couplers.....	19
HDMI Converters & Repeaters.....	20
HDMI Cables.....	21-22
USB Cables.....	23-26
DVI/Power Cables.....	26
Displayport/Mini Displayport Cables.....	27
VGA Cables.....	28
Docking Stations.....	29
USB Hubs.....	30-31
USB to Serial Converters.....	31
USB Adapters & Converters.....	32-36
Mini Displayport Adapters & Converters.....	37
DVI Adapters & Converters.....	38
SATA Adapters & Converters.....	38
S/VGA Adapters & Converters.....	39
Card Readers.....	40
Barcode Scanners.....	41
Chargers.....	42
Headphones & Headsets.....	43
Mice.....	44-45
Speakers.....	46
Keyboards.....	46-47
Notebook Sleeves.....	48
Laptop Locks.....	48
Tote Bag.....	48
Notebook Cases.....	49
Cleaning.....	50
Cards & Components.....	51
Tool Kits.....	51

© 2025 IC Intracom. All rights reserved. Manhattan is a trademark of IC Intracom, registered in the U.S. and other countries. Other trademarks and trade names are the property of their respective owners.



TV MOUNTS



Part #	# of Displays	Size	Weight Limit (per display)	Tilt	Swivel	Rotation	Single or Double Arm	Mount Style
423670	1	13" to 27"	33 lbs / 15 kg	±15°	180°		Double	Wall
461382	1	13" to 27"	44 lbs / 20 kg	+5° to -12°	±90°		Double	Wall
461399	1	13" to 42"	44 lbs / 20 kg	+5° to -12°	±90°		Single	Wall
461405	1	13" to 42"	44 lbs / 20 kg	+5° to -12°	±45°		Double	Wall
423755	1	23" to 42"	44 lbs / 20 kg	±15°	180°		Single	Wall
461320	1	32" to 55"	77 lbs / 35 kg	+10° to -15°	±90°		Single	Wall
460941	1	32" to 55"	77 lbs / 35 kg	0° to -14°			Single	Wall
461344	1	32" to 55"	88 lbs / 40 kg	-15° to 5°	±60°		Single	Wall
461474	1	32" to 55"	176 lbs / 80 kg	-10° to 5°				Wall
460934	1	32" to 55"	88 lbs / 40 kg					Wall
461290	1	37" to 90"	165 lbs / 75 kg	-15° to 5°	±60°			Wall
462426	1	37" to 70"	77 lbs / 35 kg	+3 to -15°	±60°			Wall
423625	1	37" to 70"	110 lbs / 50 kg	0° to -15°	360°			Ceiling
461283	1	37" to 70"	110 lbs / 50 kg	-20 to +10°	180°			Wall
424752	1	37" to 70"	165 lbs / 75 kg	0° to -10°				Wall
461986	1	37" to 70"	110 lbs / 50 kg					Wall
461979	1	37" to 70"	77 lbs / 35 kg	0° to 8°				Wall
461351	1	37" to 70"	88 lbs / 40 kg	-15° to 5°	±60°			Wall
461238	1	37" to 70"	110 lbs / 50 kg	±10°				Cart
461481	1	37" to 80"	176 lbs / 80 kg	-10° to +5°				Wall
461665	1	37" to 100"						Cart
462020	1	43" to 80"	154 lbs / 70 kg	+3 to -12°				Wall
461863	1	43" to 90"	165 lbs / 75 kg	+5° to -10°	±5°			Wall
461221	1	60" to 100"	176 lbs / 80 kg	-15° to 5°	±45°			Wall
461672	1	60" to 100"	220 lbs / 100 kg	-10° to +5°				Cart
461993	1	60" to 100"	220 lbs / 100 kg					Wall
461917	1	60" to 120"	264 lbs / 120 kg				Single	Wall
461931	1	60" to 120"	264 lbs / 120 kg	±10°			Single	Wall

*CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

For our full product offering—including features visit manhattanproducts.com; or call **1.800.881.7325**

3



FIXED TV MOUNTS



Universal Flat-Panel TV Low-Profile Wall Mount

[460934]

- Supports **32" to 55"** Television up to 40 kg (88 lbs.)
- Meets VESA standards 200 x 200, 300 x 200, 400 x 200, 300 x 300, 400 x 300, 400 x 400
- Low-profile, fixed installation



Heavy-Duty Low-Profile TV Wall Mount

[461986]

- Holds **37" to 70"** Flat-Panel up to 50 kg (110 lbs.)
- Meets VESA standards: 200x200, 300x300, 400x200, 400x400, 600x400
- Low-profile, fixed installation



Heavy-Duty Low-Profile Large-Screen TV Wall Mount

[461993]

- Holds **60" to 100"** TV up to 100 kg (220 lbs.).
- Meets VESA standards: 200x200, 300x300, 400x200, 400x400, 600x400, 800x400, 800x600, 900x600
- Fixed, ultra slim design, extends only 32 mm (1.3 in.) from wall.



Heavy-Duty Low-Profile Large-Screen Fixed TV Wall Mount

[461917]

- Supports **60" to 120"** Television up to 120 kg (264 lbs.).
- Meets VESA standards: 50x50, 75x75, 100x100, 100x150, 150x100, 100x200, 200x100, 150x150, 200x200, 200x300, 300x200, 200x400, 400x200, 300x300, 300x400, 400x300, 600x200, 400x400, 600x300, 400x600, 600x400, 700x400, 800x400, 600x600, 800x500, 800x600, 900x600
- Holds TV only 35 mm (1.4 in.) from wall for a nearly flush, close-to-the-wall installation



Wall Mount for Streaming Boxes and Media Players

[462075]

- Holds a streaming device (Apple TV®, Roku®, Xiaomi, Raspberry Pi, TiVo® and more) up to 5 kg (11 lbs.)
- Extendable 47 - 76 mm (1.85" - 2.99"); usable depth 39 - 68 mm (1.53" - 2.68")
- Integrated tool-free thumbscrews for safe and convenient depth adjustment
- Open design for easy access to ports, buttons and cables on either side



*CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov



TILTING TV MOUNTS

Universal Flat-Panel TV Tilting Wall Mount

[460941]

- Securely holds one flat-panel television **32" to 55"** up to 35 kg (77 lbs.);
- Meets VESA standards: 200 x 200, 300 x 300, 400 x 200 & 400 x 400
- Optimize views with 0° to -14° tilt adjustment
- Extends 25 mm (0.98 in.)



Universal Flat-Panel TV Tilting Wall Mount with Post-Leveling Adjustment

[461481]

- Supports **37" to 80"** Television up to 80 kg (176 lbs.)
- Meets VESA standards: 200 x 200, 400 x 200, 300 x 300, 400 x 400, 600 x 400
- Optimize views with -10° to +5° tilt adjustment
- Extension: 53 mm (2.08 in.)



Universal Flat-Panel TV Tilting Wall Mount with Post-Leveling Adjustment

[461474]

- Supports **32" to 55"** television up to 80 kg (176 lbs.)
- Meets VESA standards: 200 x 200, 400 x 200, 300 x 300, 400 x 400
- Optimize views with -10° to 5° tilt adjustment, Extension: 53 mm (2.08 in.)



Low-Profile Tilting TV Wall Mount

[462020]

- Supports one flat or curved **43" to 100"** TV up to 70 kg (154 lbs.)
- Meets VESA standards: 200x200 to 800x400 e.g. 200x200, 300x200, 400x200, 300x300, 400x300, 400x400, 600x400, 800x400
- Optimized views with +3 to -12° tilt and tool-free adjustment



Universal Flat-Panel TV Tilting Wall Mount

[424752]

- Holds One **37" to 70"** Television up to 75 kg (165 lbs.)
- Meets VESA standards: 200 x 200, 400 x 200, 300 x 300, 400 x 400, 600 x 400
- Optimize views with 0° to -10° tilt adjustment
- Extends 46 mm (1.8 in.)



Heavy-Duty Large-Screen Tilting TV Wall Mount

[461931]

- Supports one flat or curved **60" to 120"** TV up to 120 kg (264 lbs.)
- Meets VESA standards: 50x50, 75x75, 100x100, 100x150, 150x100, 100x200, 200x100, 150x150, 200x200, 200x300, 300x200, 200x400, 400x200, 300x300, 300x400, 400x300, 600x200, 400x400, 600x300, 400x600, 600x400, 700x400, 800x400, 600x600, 800x500, 800x600, 900x600
- Optimize views +10° to -10° tilt and tool-free adjustment



Low-Profile TV Wall Mount

[461979]

- Supports **37" to 70"** Flat-Panel up to 35 kg (77 lbs.)
- Meets VESA standards: 200 x 200, 400 x 200, 300 x 300, 400 x 400, 600 x 400
- Optimize views with 0° to -8° tilt adjustment
- Extends 21 mm (0.83 in.)



Anti-Theft Tilting TV Wall Mount with Extension

[461863]

- Supports **43" to 90"** flat or curved up to 75 kg (165 lbs.)
- Meets VESA standards: 200x200, 200x300, 300x200, 200x400, 400x200, 300x300, 300x400, 400x300, 600x200, 400x400, 600x300, 600x400, 800x400
- Optimized views with +5 to -10° tool-free tilt, +/-5° swivel, and +/-6 mm post-installation leveling adjustment



*CALIFORNIA | ⚠️ WARNING: Cancer and Reproductive Harm - P65Warnings.ca.gov

For our full product offering—including features visit manhattanproducts.com; or call **1.800.881.7325**

5



FULL MOTION MOUNTS



Universal Flat-Panel TV Articulating Wall Mount

[423670]


- Supports TVs from 13" to 27" up to 33 lbs.
- Meets VESA standard: 75 x 75, 100 x 100
- Optimize views with $\pm 15^\circ$ tilt and 180° swivel adjustments



Universal Flat-Panel TV Articulating Wall Mount

[461405]

- Double Arm, Supports One 13" to 42" TV or Monitor up to 20 kg (44 lbs.)
- Meets VESA standards 75 x 75, 100 x 100, 200 x 100 or 200 x 200
- Optimize views with $+5^\circ$ to -12° tilt, $\pm 45^\circ$ swivel and $\pm 3^\circ$ level adjustment
- Extends TV up to 27.3 cm (10.75 in.) from wall



Universal Flat-Panel TV Articulating Wall Mount

[461382]

- Double Arm; Supports One 13" to 27" TV or Monitor up to 20 kg (44 lbs.)
- Meets VESA standards: 75 x 75, 100 x 100
- Optimize views with $+5^\circ$ to -12° tilt, $\pm 90^\circ$ swivel and $\pm 3^\circ$ level adjustment,
- Extends TV up to 35.4 cm (13.9 in.) from wall



Universal Flat-Panel TV Articulating Wall Mount

[423755]

- Double Arm supports 23" to 42" TV up to 20 kg (44 lbs.)
- Optimize views with $\pm 15^\circ$ tilt and 180° swivel adjustments
- Meets VESA standards: 100 x 100, 200 x 100 or 200 x 200,
- Extends TV up to 40 cm (15.75 in.) from wall



Universal Flat-Panel TV Articulating Wall Mount

[461399]

- Single Arm supports 13" to 42" TV or Monitor up to 20 kg (44 lbs.)
- Meets VESA standards: 75 x 75, 100 x 100, 200 x 100 or 200 x 200
- Optimize views with $+5^\circ$ to -12° tilt, $\pm 90^\circ$ swivel and $\pm 3^\circ$ level adjustment
- Extends TV up to 19 cm (7.5 in.) from wall



Universal Basic LCD Full-Motion Wall Mount

[461320]

- Securely holds one flat-panel or curved television 32" to 55" Flat-Panel or Curved TV up to 35 kg (77 lbs.);
- Meets VESA standards: 200x200, 300x300, 400x200, 400x400
- Extends TV up to 42.7 cm (16.81 in.) from wall,
- Optimize views with $+10^\circ$ to -15° tilt, $\pm 90^\circ$ swivel, $\pm 3^\circ$ level adjustment

*CALIFORNIA | WARNING: Cancer and Reproductive Harm - P65Warnings.ca.gov



FULL MOTION MOUNTS



Universal Basic LCD Full-Motion Wall Mount

[461344]

- Holds One **32" to 55"** Flat-Panel or Curved TV up to 40 kg (88 lbs.);
- Meets VESA standards: 200x200, 300x300, 400x200, 400x400
- Optimize views with -15° to 5° tilt, ±60° swivel, ±3° level Adjustment



Full-Motion TV Wall Mount with Post-Leveling Adjustment

[462426]

- Supports one flat or curved **37" to 70"** TV up to 35 kg (77 lbs.)
- Meets VESA standards from 100x100, 100x150, 150x100, 100x200, 200x100, 150x150, 200x200, 300x200, 400x200, 300x300, 400x300, 400x400, 600x300, 600x400
- Optimize views with +3 to -15° tilt, +/-60° swivel and +/-3° post-installation leveling adjustment



Universal Basic LCD Full-Motion Wall Mount

[461351]

- Holds One **37" to 70"** Flat-Panel or Curved TV up to 40 kg (88 lbs.)
- Optimize views with -15° to 5° tilt, ±60° swivel and ±3° level adjustment, Extends TV up to 46.4 cm (18.26 in.) from wall
- Meets VESA standards. 200x200, 300x200, 400x200, 300x300, 400x300, 400x400, 600x400



Universal Flat-Panel TV Full-Motion Wall Mount

[461283]

- Single Arm supports **37" to 70"** television up to 50 kg (110 lbs.).
- Meets VESA standards: 200 x 200, 400 x 200, 300 x 300, 400 x 400, 600 x 400.
- Optimize views with full-motion -20 to +10° tilt and 180° swivel adjustments



Universal LCD Full-Motion Large-Screen Wall Mount

[461290]


- Holds One **37" to 90"** Flat-Panel or Curved TV up to 75 kg (165 lbs.)
- Meets VESA standards 200 x 200, 300 x 300, 400 x 200, 400 x 400, 600 x 400, 800 x 400
- Optimize views with -15° to 5° tilt, 60° swivel and ±3° level adjustment



Universal LCD Full-Motion Large-Screen Wall Mount

[461221]

- Holds one **60" to 100"** Flat-Panel or Curved TV up to 80 kg (176 lbs.)
- Meets VESA standards: 200 x 200, 300 x 300, 400 x 200, 400 x 400, 600 x 400, 800 x 400 & 900 x 600
- Optimize views with -15° to 5° tilt, ±45° swivel, ±3° level adjustment



*CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

For our full product offering—including features visit manhattanproducts.com; or call **1.800.881.7325**

7



CEILING MOUNTS



Universal Flat-Panel TV Ceiling Mount

[423625]

- Supports One 37" to 70" Television up to 50 kg (110lbs.)
- Meets VESA standards: 200x200, 400x200, 300x300, 400x400, 600x400, 800x400
- Optimize views with 0° to -15° tilt and 360° swivel adjustments
- Extension pole: adjusts 41 to 61 in.

PROJECTOR MOUNTS



Universal Projector Wall or Ceiling Mount

[461207]

- Securely holds most projectors up to 20 kg (44 lbs.)
- Optimize views with $\pm 15^\circ$ tilt, $\pm 8^\circ$ swivel
- Securely Extension rod: adjusts 43 - 65 cm (16.9" to 25.6")
- Multi-purpose design for mounting to wall or ceiling
- Easy installation ideal for home, office and commercial applications

*CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov



TV CARTS

Cart for Projectors and Laptops

[461726]

- Adjustable cart/trolley with two trays for projectors and notebooks up to 10 kg (22 lbs.) each
- Up to 360° swivel and -35 to 35° tilt each for optimized views
- Height-adjustable: upper tray from 850 to 1100 mm (33.5 to 43.3 in.); lower tray from 700 to 950 mm (27.6 to 37.4 in.)
- Integrated tool-free thumbscrews for safe, convenient tilt and height adjustment
- Four heavy-duty casters, two with brakes



Universal Economy Multimedia TV Cart

[461238]

- Holds 37" to 70" TVs; +/- 10° tilt; removable camera and AV shelf
- Adjustable component shelf for more storage space
- Heavy-duty casters with reinforced design to support equipment weight and allow for swift maneuverability
- Meets VESA standards: 200 x 200, 300 x 300, 400 x 200, 400 x 400 & 600 x 400, 600 x 400
- Rated loads: Screen-50kg/110lbs; Shelf-10kg/22lbs

Ultra Heavy-Duty Height-Adjustable TV Cart

[461665]

- Holds 37" to 100" TVs up to 150 kg (330 lbs.), AV Shelves Multifunctional TV cart/trolley
- Offers A/V component shelf for more storage space
- Provides support shelf for equipment or material storage
- Includes commercial-grade locking casters for stability and a firm lock for parking
- Meets VESA standards 200x200, 300x200, 300x300, 400x200, 400x300, 400x400, 600x400, 800x400, 800x600



Heavy-Duty Premium Multimedia TV Cart

[461672]

- Holds 60" to 100" TVs; -10 to 5° tilt, Height-Adjustable, Camera and AV Shelves, Silver and Black
- Multifunctional TV cart/trolley for one 60" to 100" TV up to 100 kg (220 lbs.)
- Height-adjustable from 1200 to 1685 mm (47.2" to 66.3")
- Audio/Video component shelf 335 x 430 mm (13.2" x 17") space and a rated load of 5 kg (11 lbs.)
- Top-mount camera shelf, ideal for video conferences
- Meets VESA standards: 400x400, 600x400, 800x400, 800x600, 1000x600

*CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

For our full product offering—including features visit manhattanproducts.com; or call 1.800.881.7325

9



MONITOR MOUNTS



Part #	# of Displays	Size	Weight Limit (per display)	Tilt	Swivel	Rotation	Single or Double Arm	Mount Style
432351*	1	13" to 22"	26 lbs / 12 kg	±90°	±90°	360°	Single	Wall
461542	1	13" to 32"	17 lbs / 8 kg	±45°		360°	Double	Clamp
461528	2	13" to 32"	17 lbs / 8 kg	±45°		±180°	Double	Clamp
461559	2	13" to 32"	17 lbs / 8 kg	±45°		±180°	Double	Stand
461566	4	13" to 32"	17 lbs / 8 kg	±45°		±180°	Double	Clamp
462136	1	13" to 32"	17 lbs / 8 kg	+90° / -35°	±180°	360°	Single	Clamp
461658	3	13" to 27"	15.4 lbs / 7 kg	±45°		±180°	Triple	Clamp
461382	1	13" to 27"	44 lbs / 20 kg	+5° to -12°	±90°		Double	Wall
461399	1	13" to 42"	44 lbs / 20 kg	+5° to -12°	±90°		Single	Wall
461405	1	13" to 43"	44 lbs / 20 kg	+5° to -12°	±45°		Double	Wall
461603	1	17" to 32"	17 lbs / 8 kg	±35°	±90°	±180°	Single	Wall
461597	2	17" to 32"	17 lbs / 8 kg	±35°	±90°	±180°	Single	Clamp
461627	2	17" to 32"	17 lbs / 8 kg	±35°	±90°	±180°	Single	Wall
461887	2	17" to 32"	19 lbs / 9 kg	±45°	±180°		Double	Clamp
462570	1	17" to 49"	44 lbs / 20 kg	+50° to -20°	±180°		Single	Clamp

*CALIFORNIA | WARNING: Cancer and Reproductive Harm - P65Warnings.ca.gov



SINGLE MONITOR MOUNTS



Universal Flat-Panel Articulating Wall Mount

[461382]

- Double Arm Supports One 13" to 27" TV or Monitor up to 20 kg (44 lbs.)
- Meets VESA standards 75 x 75, 100 x 100
- Optimize views with +5° to -12° tilt, ±90° swivel and ±3° level adjustment
- Extends mount up to 35.4 cm (13.9") from wall

Monitor Wall Mount

[432351]*

- Supports Monitors 13" to 32" and 12 kg (26 lbs.)
- Meets VESA standards 75 x 75, 100 x 100
- Optimizes views with ±90° tilt, ±90° swivel and 360° rotation
- Arm length: 10 cm (4")



Universal Flat-Panel Articulating Wall Mount

[461399]

- Single Arm Supports One 13" to 43" TV or Monitor up to 20 kg (44 lbs.)
- Meets VESA standards: 75 x 75, 100 x 100, 200 x 100,
- Optimize views with +5° to -12° tilt, ±90° swivel and ±3° level adjustment
- Extends TV up to 19 cm (7.5") from wall

Universal Gas Spring Monitor Wall Mount

[461603]

- Single Gas-Spring Arm supports one 17" to 32" monitor up to 8 kg (17.64 lbs.)
- Meets VESA standards: 75 x 75, 100 x 100
- Optimize views with Tilt: ±35°, Swivel: ±90°, Rotate: ±180°
- Extends monitor 71 mm (2.8") to 304 mm (11.97") from wall




*CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

For our full product offering—including features visit manhattanproducts.com; or call 1.800.881.7325

11



SINGLE MONITOR MOUNTS



Heavy-Duty Aluminum Mechanical Spring Single Monitor Desk Mount

[462570]

- Articulating double-link swing arm to support one 17" to 49" flat or curved monitor from 2 to 20 kg (4.4 to 44 lbs.)
- Optimized views with +50 to -20° tilt, 180° swivel and 232 to 508 mm (9.1 to 20 in.) height adjustment
- Mechanical spring for light-touch viewing adjustment
- Supports 360° rotation for landscape or portrait display orientation

Universal Monitor Mount with Double-Link Swing Arm

[461542]

- Holds One 13" to 32" LCD Monitor up to 8 kg (17 lbs)
- Meets VESA standards 75 x 75, 100 x 100
- Double-link swing arm with ±45° tilt and 360° rotation
- Installs on horizontal surfaces from 10 – 85 mm (3.3") thick



Universal Flat-Panel Articulating Wall Mount

[461405]

- Securely holds one TV or monitor 13" to 42" TV up to 20 kg (44 lbs.)
- Meets VESA standards: 75x75, 100x100, 200x100, 200x200
- Optimize views with +5° to -12° tilt, ±45° swivel and ±3° level adjustment



Desktop Combo Mount with Monitor Arm and Laptop Stand

[462136]*

- Desk-mount 2-in-1 ergonomic workspace optimizer that raises your display and notebook off your desk
- VESA-compliant mount on double-link swing arm for one 13" to 32" monitor up to 8 kg (17 lbs.)
- Tray for one 10" to 17" laptop up to 8 kg (17 lbs.)
- Offers 180° swivel, +90° / -35° tilt and height adjustment along the 800 mm (31 in.) pole for optimized views
- Supports 360° rotation for landscape or portrait display orientation

*CALIFORNIA | WARNING: Cancer and Reproductive Harm – P65Warnings.ca.gov



DUAL MONITOR MOUNTS

Universal Monitor Mount with Double-Link Swing Arm

[461528]

- Holds Two 13" to 32" LCD Monitors up to 8 kg (17 lbs)
- Meets VESA standards: 75 x 75, 100 x 100
- Double-link swing arms with separate $\pm 45^\circ$ tilt, $\pm 180^\circ$ rotation and variable height adjustments
- Installs on horizontal surfaces from 10 – 85 mm (0.4" – 3.3") thick



Universal Monitor Mount with Double-Link Swing Arm

[461559]

- Holds One 13" to 32" LCD Monitor up to 8 kg (17 lbs.)
- Meets VESA standards 75 x 75, 100 x 100
- Double-link swing arms with separate $\pm 45^\circ$ tilt, $\pm 180^\circ$ rotation and variable height adjustments
- Arm width (extended): 798 mm (31.4")

Universal Gas Spring Dual Monitor Mount

[461597]

- Two Gas-Spring Jointed Arms Supports Two 17" to 32" TVs or Monitors up to 8 kg (17.64 lbs.)
- Meets VESA standards: 75 x 75 and 100 x 100
- Built-in tension adjustment, Tilt: $\pm 35^\circ$, Swivel: $\pm 90^\circ$, Rotate: $\pm 180^\circ$



SINGLE HAND ADJUSTMENTS WITH GAS SPRING

Dual Monitor Desk Mount with 8-in-1 Docking Station


[461887]

- Full-Motion Arms Supporting Two 17" to 32" Monitors up to 9 kg (19.8 lbs.)
- Meets VESA standards 75 x 75, 100 x 100
- Optimized views with $+45^\circ/-45^\circ$ tilt, 180° swivel and 210 to 490 mm. (8.3" to 19.3") height adjustment
- Excellent Docking Station Ports for a Clean Setup: Built-in Gigabit Ethernet port, two HDMI 2.0 4K@60Hz ports, three USB 3.1 Gen1 (5V / 0.9A) ports, a 100 W PD charging port
- One Gigabit Ethernet (10/100/1000) port for faster downloads, media streaming and gaming

Universal Gas Spring Dual Monitor Mount

[461627]

- Two Gas-Spring Jointed Arms Supports Two 17" to 32" flat & curved up to 8 kg (17.64 lbs.)
- Meets VESA standards: 75 x 75 and 100 x 100
- Extends monitor 71 mm (2.8") to 464 mm (18.27") from wall,
- Tilt: $\pm 35^\circ$, Swivel: $\pm 90^\circ$, Rotate: $\pm 180^\circ$



*CALIFORNIA | ⚠️ WARNING: Cancer and Reproductive Harm - P65Warnings.ca.gov

For our full product offering—including features visit manhattanproducts.com; or call 1.800.881.7325

13



TRIPLE MONITOR MOUNTS

LCD Monitor Mount with Center Mount and Double-Link Swing Arms

[461658]

- Supports Three LCD Monitors 13"-27" up to 7 kg (15.43 lbs.)
- Meets VESA standards: 75 x 75 and 100 x 100
- Double-link swing arms with separate $\pm 45^\circ$ tilt, $\pm 180^\circ$ rotation and height adjustments.
- Installs on horizontal surfaces from 10 mm - 85 mm (0.40" - 3.3") thick



QUAD MONITOR MOUNT

Universal Four Monitor Mount with Double-Link Swing Arms

[461566]

- Holds Four 13" to 32" LCD Monitors up to 8 kg (17 lbs.),
- Meets VESA standards: 75 x 75, 100 x 100
- Double-link swing arms with separate $\pm 45^\circ$ tilt, $\pm 180^\circ$ rotation and height adjustments



STANDS

Lockable Desk Stand and Wall Mount Holder for Tablet and iPad

[462112]

- Secure, anti-theft kiosk stand that adjusts to suit all tablet brands and sizes from 7.9" to 10.5"
- For use as a free-standing base that can be bolted to a desk or a holder that can be mounted to a wall with included hardware
- Full 360° rotation for landscape or portrait display orientation
- Optimized views with $\pm 70^\circ$ tilt and 330° swivel
- Secured with key lock, two keys included



Universal Credit Card POS Terminal Stand

[462242]

- Point-of-Sale stand with adjustable clamp to suit all brands of credit card readers that are 69 to 109 mm (2.7 to 4.2 in.) wide
- Free-standing base that bolts securely to countertop
- Easy accessibility with lockable $+60$ to -70° tilt and 360° swivel
- Internal cable management to keep cords concealed inside the pole
- Durable, premium-quality aluminum construction

*CALIFORNIA | WARNING: Cancer and Reproductive Harm - P65Warnings.ca.gov



HDMI EXTENDERS



1080p Compact HDMI over Ethernet Extender Kit

[207539] Extends Distances of 1080p@60Hz Signal up to 60 m (196 ft.) with a Single Cat6 Ethernet Cable, Transmitter and Receiver, Ultra Slim Design



1080p HDMI over Ethernet Extender Kit

[207584]* Extends HDMI connection up to 50 m (164 ft.) between an HDMI source and an HD monitor or projector using one Ethernet cable. Supports 1080p resolution and 6.75 Gbps data throughput

*CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

For our full product offering—including features visit manhattanproducts.com; or call 1.800.881.7325

15



HDMI SPLITTERS



1080p 2-Port HDMI Splitter
 [207652] USB Powered, Black ; Cascadable up to three levels to expand signal distribution to more displays



4K 2-Port HDMI Splitter
 [207669] 4K@30Hz, AC Powered, Black; AC powered, Plug and play; 4K@30Hz resolution, full 3D video and Deep Color



4K 4-Port HDMI Splitter
 [207515] 4K@30Hz, AC Powered, Black; Replicates an Ultra-High-Definition (UHD) digital audio/video signal for up to four UHD HDMI displays



4K Bi-Directional 2-Port HDMI Splitter/Switch
 [207850] 4K@60Hz, Manual Selection, Passive (No Power Required), Black, Splits an Ultra-High-Definition (UHD) digital audio/video signal to one of two UHD HDMI displays or allows switching between two sources at one display



4K Compact 4-Port HDMI Splitter
 [207706] 4K@30Hz, AC Powered, Black; Replicates an Ultra-High-Definition (UHD) digital audio/video signal for up to four UHD HDMI displays



2-Port HDMI Splitter with Downscaling
 [207614]* 4K@60Hz, Splits One HDMI Input to Two HDMI Outputs (1x2), 18G, EDID Switch for Downscaling



4-Port HDMI Splitter with Downscaling
 [208369] 4K@60Hz, Splits One HDMI Input to Four HDMI Outputs (1x4), 18G, EDID Switch for Downscaling,

*CALIFORNIA | WARNING: Cancer and Reproductive Harm - P65Warnings.ca.gov



HDMI SWITCHES



1080p 2-Port HDMI Switch

[207416] Automatic and Manual Switching, Black; 1080p resolution, 3D, Deep Color; Supports 3D video and 8-bit (24-bits total)



4K 3-Port HDMI Switch

[207874] 4K@60Hz, USB Powered, Integrated Cable, Black; Connects up to three Ultra-High-Definition (UHD) video sources to a single HDMI display



4K Compact 3-Port HDMI Switch

[207676] 4K@60Hz, AC Powered, Remote Control, Black Supports source switching via remote control or manual switching with the push of a button



8K@60Hz 2-Port HDMI Switch

[207942] Switches between two HDMI audio/video source signals on a single display. Supports 8K@60Hz, 4K@120Hz, 1440p@144Hz (WQHD) and 1080p@240Hz resolutions. Dynamic HDR for superior contrast and brilliant colors

*CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

For our full product offering—including features visit manhattanproducts.com; or call **1.800.881.7325**

17



KVM & NETWORK SWITCHES



2-Port Compact KVM Switch

[151252]* USB, with Cables and Audio Support



2-Port Mini KVM Switch

[151245]* 2-Port USB, Audio Support



4-Port Compact KVM Switch

[151269]* USB, with Cables and Audio Support



Fast Ethernet Switch

[560672]* 5-Port Desktop Size, Plastic
[560689]* 8-Port Desktop Size, Plastic



8-Port Compact KVM Switch

[152785]* Eight HDMI and Eight USB-B Ports, Full HD,
set of eight USB cables included



Gigabit Ethernet Switch

[560696]* 5-port Desktop Size, Plastic
[560702]* 8-port Desktop Size, Plastic

*CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov



HDMI ADAPTERS & COUPLERS



Passive DisplayPort to HDMI Adapter
 [151993]* DisplayPort Male to HDMI Female, Dongle Adapter, 1080p, Black; Supports Deep Color, high-bandwidth 10.8 Gbps applications and resolutions of up to 1920 x 1200



HDMI Coupler
 [353465]* HDMI A Female to A Female, straight connection; Connects 2 HDMI cables; Supports 4K resolution



USB-C to HDMI Adapter Adapter
 [153706]* USB 3.2 Type-C Male to HDMI Female Converter, Active, Aluminum. Resolutions up to Ultra-High-Definition (UHD) 4K@60Hz (3840x2160)



USB-C to HDMI Adapter Cable
 [152235] 1 m (3 ft.) [151764] 2 m (6 ft.)
 Converts a DP Alt Mode Signal to an HDMI 4K Output; Delivers clear, sharp resolution up to 3840x2160 @30Hz; supports 4K Ultra HD video aspect ratio of 21:9



HDMI Adapter
 [353502]* Connects an HDMI cable to another HDMI cable or display. Supports 4K@60Hz resolution. HDMI A Female to A Male, downward 90° Angle



HDMI Adapter
 [353519]* Connects an HDMI cable to another HDMI cable or display. Supports 4K@60Hz resolution. HDMI A Female to A Male, upward 90° Angle.



Passive DisplayPort to HDMI Adapter
 [151634]* DisplayPort Male to HDMI Female, Cable Adapter, 1080p@60Hz



4K@60Hz USB-C to HDMI Adapter
 [153973] USB 3.2 Type-C Male to HDMI Female Converter, Active

*CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov



HDMI CONVERTERS & REPEATERS

4K HDMI Repeater

[207621] Active, Distances up to 40 m (131 ft.), Black
Supports video amplifier bandwidth up to 6.0 Gbps
(for 4K@60Hz)



DisplayPort to Dual HDMI - MST Hub

[152716] DisplayPort Male to Two HDMI
Females; Mirror, Extended and Video-Wall
Modes Supported; 4K@30Hz; USB Powered



USB-C HDMI Docking Converter

[152037]
USB 3.1 C Male to HDMI, USB A and USB C Females,
Multiport Converter. Supports video resolutions up
to 3840x2160p@30Hz, 4K, Full UHD



HDMI to VGA Converter

[151436]* Retail Packaging
[151467]* Bag
HDMI Male to VGA Female, Optional USB
Micro-B Power Port



HDMI to VGA Converter with Audio

[151450]* Retail Packaging
[151559]* Bag
HDMI Male to VGA Female, with Audio, Optional USB
Micro-B Power Port

*CALIFORNIA I ⚠️ WARNING: Cancer and Reproductive Harm - P65Warnings.ca.gov



HDMI CABLES

High-Definition Multimedia Interface (HDMI) has become the standard interface for most home audio/video systems and is a common interface for business applications. These digital cables simultaneously transfer uncompressed video and both compressed and uncompressed audio from a digital source. They connect devices like Blu-ray players, game consoles or laptops to digital displays like monitors, projectors or HD TVs.

4K@60Hz UHD, HEC, ARC, 3D, 18 Gbps Bandwidth, Shielded Certified Premium High Speed HDMI Cable with Ethernet



Model #	Length	Package	Connection
354837	3 ft./1 m	Bag	Male/Male
355346	6 ft./1.8 m	Bag	Male/Male
355353	10 ft./3 m	Bag	Male/Male
355360	15 ft./5 m	Bag	Male/Male
355377	30 ft./9 m	Bag	Male/Male



4K@60Hz, HEC, ARC, 3D, In-wall Rated (CL3), 18 Gbps Bandwidth, Shielded - High Speed HDMI Cable with Ethernet

Model #	Length	Package	Connection
353922	3 ft./1 m	Bag	Male/Male
353939	6 ft./2 m	Bag	Male/Male
353946	10 ft./3 m	Bag	Male/Male
354479	15 ft./4.5 m	Bag	Male/Male
353960	26 ft./8 m	Bag	Male/Male
353977	33 ft./10 m	Bag	Male/Male
354486	50 ft./15 m	Bag	Male/Male



4K@30Hz, HEC, ARC, 3D, Shielded - High Speed HDMI Cable with Ethernet

Model #	Length	Package	Connection
323192	3 ft./1 m	Bag	Male/Male
323215	6.6 ft./2 m	Bag	Male/Male
323222	10 ft./3 m	Bag	Male/Male
323239	16.5 ft./5 m	Bag	Male/Male
323260	50 ft./15 m	Bag	Male/Male



4K@30Hz, 3D, Shielded - High Speed HDMI Cable

Model #	Length	Package	Connection
304955	6 ft./1.8 m	Bag	Mini Male/Male



8K@60Hz, 4K@120Hz, 48G, Dynamic HDR, HEC, eARC, Gold-plated Contacts, Certified Ultra High Speed HDMI Cable with Ethernet

Model #	Length	Package	Connection
355933	3 ft./1m	Bag	Male/Male
355957	10 ft./3 m	Bag	Male/Male



*CALIFORNIA | WARNING: Cancer and Reproductive Harm - P65Warnings.ca.gov

For our full product offering—including features visit manhattanproducts.com; or call **1.800.881.7325**



HDMI CABLES

4K@30Hz, 3D, Shielded - High Speed HDMI Cable



Model #	Length	Package	Connection
308816	3 ft./1 m	Bag	Male/Male
306119	6 ft./1.8 m	Bag	Male/Male
306126	10 ft./3 m	Bag	Male/Male
306133	15 ft./5 m	Bag	Male/Male
308434	50 ft./15 m	Bag	Male/Male

1080p DisplayPort to HDMI Cable



Model #	Length	Package	Connection
152662	3 ft./1 m	Bag	DP Male/HDMI Male
152679	6 ft./1.8 m	Bag	DP Male/HDMI Male
153188	10 ft./3 m	Bag	DP Male/HDMI Male

1080p, Shielded - High Speed HDMI Cable



Model #	Length	Package	Connection
308441	25 ft./7.5 m	Bag	Male/Male
322539	33 ft./10 m	Bag	Male/Male
308458	75 ft./22.5 m	Bag	Male/Male

4K@60Hz Mini DisplayPort to HDMI Cable



Model #	Length	Package	Connection
153270	3 ft./1 m	Bag	Mini DP Male/HDMI Male
153287	6 ft./1.8 m	Bag	Mini DP Male/HDMI Male
153294	10 ft./3 m	Bag	Mini DP Male/HDMI Male

HDMI to DVI-D Dual Link Cable



Model #	Length	Package	Connection
354592*	8 in./20 cm	Bag	HDMI Male/DVI-D 24+1 Female
322782*	3 ft./1 m	Bag	HDMI Male/DVI-D 24+1 Male
372503	6 ft./1.8 m	Bag	HDMI Male/DVI-D 24+1 Male
372510	10 ft./3 m	Bag	HDMI Male to DVI-D 24+1 Male
372527	15 ft./5 m	Bag	HDMI Male/DVI-D 24+1 Male

1080p Mini DisplayPort to HDMI Cable



Model #	Length	Package	Connection
153232	6 ft./1.8 m	Bag	Mini DP Male/HDMI Male
153249	10 ft./3 m	Bag	Mini DP Male/HDMI Male

4K@60Hz DisplayPort to HDMI Cable



Model #	Length	Package	Connection
153195	3 ft./1 m	Bag	DP Male/HDMI Male
153201	6 ft./1.8 m	Bag	DP Male/HDMI Male
153218	10 ft./3 m	Bag	DP Male/HDMI Male

SuperSpeed USB 3.1 C Male to HDMI Male Adapter Cables, 4K



Model #	Length	Package	Connection
152235	3 ft./1 m	Bag	USB-C Male/HDMI Male
151764	6 ft./2 m	Bag	USB-C Male/HDMI Male

*CALIFORNIA | WARNING: Cancer and Reproductive Harm - P65Warnings.ca.gov



USB CABLES

Universal Serial Bus (USB) is one of the most common and inexpensive standards for connecting computers to peripherals like keyboards, mice, printers, cameras and smartphones. These cables are most frequently used to sync and charge smartphones because they facilitate data communication and supply electrical power.



SuperSpeed USB-C 3.2 Gen 1 C Male to A Female Device Cable

Model #	Length	Package	Color
353540	6 in./15 cm	Bag	Blue



SuperSpeed+ USB 3.1 Gen 2 C Male to C Male 3A Device Cable

Model #	Length	Package	Color
354899	20 in./50 cm	Bag	Black
353526	3 ft./1 m	Bag	Black



SuperSpeed USB 3.1 Gen 1 C Male to C Male Device Cable

Model #	Length	Package	Color
354905	6 ft./2 m	Bag	Black



SuperSpeed+ USB 3.1 Gen 2 C Male to C Female Extension Cable

Model #	Length	Package	Color
355230	1.5 ft./0.5 m	Bag	Black



SuperSpeed USB 3.1 Gen 1 C Male to A Female Device Cables

Model #	Length	Package	Color
355285	6 in./15 cm	Bag	Black



Hi-Speed USB 2.0 C Male to C Male Cables, 3A

Model #	Length	Package	Color
354882	10 ft./3 m	Bag	Black
354875	6 ft./2 m	Bag	Black



Hi-Speed USB 2.0 C Male to C Male Cables, 5A

Model #	Length	Package	Color
355247	6 ft./2 m	Bag	Black

*CALIFORNIA I ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

For our full product offering—including features visit manhattanproducts.com; or call **1.800.881.7325**



USB CABLES

SuperSpeed USB 3.1 C Male to HDMI Male Adapter Cables, 4K



Model #	Length	Package	Connection
152235	3 ft./1 m	Bag	USB-C Male/HDMI Male
151764	6 ft./2 m	Bag	USB-C Male/HDMI Male

SuperSpeed USB 3.0 A Male to A Male Device Cable



Model #	Length	Package	Color
354295*	6 ft./1.8 m	Bag	Blue

SuperSpeed+ USB 3.1 Gen 2 A Male to C Male Device Cables



Model #	Length	Package	Color
353373	3 ft./1 m	Bag	Black

SuperSpeed USB 3.0 A Male to A Female Active Extension Cable



Model #	Length	Package	Color
150712*	16 ft./5 m	Bag	Black

SuperSpeed USB 3.1 Gen 1 A Male to C Male Device Cables



Model #	Length	Package	Color
354974	6 ft./2 m	Bag	Black
354981	10 ft./3 m	Bag	Black

SuperSpeed USB 3.0 A Male to A Female Extension Cables



Model #	Length	Package	Color
322379*	6.5 ft./2 m	Bag	Blue
322447*	10 ft./3 m	Bag	Blue

Hi-Speed USB 2.0 A Male to C Male Cables



Model #	Length	Package	Color
353298	3 ft./1 m	Bag	Black
354929	6 ft./2 m	Bag	Black
354936	10 ft./3 m	Bag	Black

SuperSpeed USB 3.0 A Male to Micro B SuperSpeed Male Device Cables



Model #	Length	Package	Color
354318*	1.5 ft./0.5 m	Bag	Blue

Hi-Speed USB 2.0 A Male to A Male Device Cables

Model #	Length	Package	Color
353885	1.5 ft./0.5 m	Bag	Black
353892	3 ft./1 m	Bag	Black
306089	6 ft./1.8 m	Bag	Black
353915	10 ft./3 m	Bag	Black



*CALIFORNIA | WARNING: Cancer and Reproductive Harm - P65Warnings.ca.gov



USB CABLES

Hi-Speed USB 2.0 A Male to A Female Active Extension Cables, Daisy-Chainable



Model #	Length	Package	Color
519779*	16 ft./5 m	Box	Translucent Silver
150248*	33 ft./10 m	Box	Black
151573*	33 ft./10 m	Bag	Black
150958*	65 ft./20 m	Box	Black

Hi-Speed USB 2.0 A Male to B Male Active Cable



Model #	Length	Package	Color
510424	36 ft.	Bag	Translucent Silver

Hi-Speed USB 2.0 A Male to A Female Extension Cables



Model #	Length	Package	Color
308519	3 ft./1 m	Bag	Black
338653	6 ft./1.8 m	Bag	Black
336314	6 ft./1.8 m	Bag	Translucent Silver
340496	10 ft./3 m	Bag	Translucent Silver
340502	15 ft./4.5 m	Bag	Translucent Silver

Hi-Speed USB 2.0 A Male to Micro-B Male Device Cables



Model #	Length	Package	Color
325677	1.5 ft./0.5 m	Bag	Black
307161	3 ft./1 m	Bag	Black
323987	3 ft./1 m	Bag	White
307178	6 ft./1.8 m	Bag	Black
324069	6 ft./1.8 m	Bag	White
325684	10 ft./3 m	Bag	Black

Hi-Speed USB 2.0 A Male to B Male Device Cables



Model #	Length	Package	Color
306218	3 ft./1 m	Bag	Black
333368	6 ft./1.8 m	Bag	Black
333405	6 ft./1.8 m	Bag	Translucent Silver
333382	10 ft./3 m	Bag	Black
340458	10 ft./3 m	Bag	Translucent Silver
337779	15 ft./5 m	Bag	Black
345408	16 ft./5 m	Bag	Translucent Silver

Hi-Speed USB 2.0 A Male to Mini-B Male Device Cables



Model #	Length	Package	Color
333375	6 ft./1.8 m	Bag	Black
333412	6 ft./1.8 m	Bag	Translucent Silver

*CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

For our full product offering—including features visit manhattanproducts.com; or call **1.800.881.7325**

25



USB CABLES



USB 2.0 Type-C EPR Charging Cable 240 W / PD 3.1
 [356367] USB-C Male to USB-C Male, 2 m (7 ft.), Hi-Speed USB, 480 Mbps, Power Delivery 3.1 Backward Compatible with 140/100/65 W



USB4 / Thunderbolt 4 Type-C 40 Gbps 8K Video and 240 W EPR Charging Cable / PD 3.1
 [356374] USB-C Male to USB-C Male, 1 m (3 ft.), USB4 Gen 3x2, 8K@60Hz Single-Display / 4K@60Hz Dual-Display, Thunderbolt 3 Compatible, Power Delivery 3.1 Backward Compatible with 140/100/65 W

DVI/POWER CABLES



DVI Cable

Model #	Length	Package	Connection
355322	6 ft./2m	Bag	Male/Male, Single Link



HDMI to DVI-D Cable

Model #	Length	Package	Connection
372503	6 ft./2m	Bag	Male to DVI-D 24+1 Male, Dual Link



Power Cable (External)

Model #	Length	Package
300179	6 ft./2m	Bag

- Connects most desktop computers to North American and other similar outlets
- EC 60320 C13 socket to NEMA 5-15 plug
- Molded connections with strain relief

*CALIFORNIA I ⚠ WARNING: Cancer and Reproductive Harm - P65Warnings.ca.gov



DISPLAYPORT CABLES

DisplayPort and Mini DisplayPort (DP/Mini DP) is an independent standard of audio/video cables much like HDMI. DisplayPort also carries digital audio and video signals to a large-format display from a digital source. Unlike HDMI, DisplayPort also carries other forms of data, such as USB. Where HDMI is associated (but not exclusive) with home applications, the DisplayPort standard is associated with professional applications.

DisplayPort Monitor Cables 4K@60Hz



Model #	Length	Package	Connection
306935*	3.3 ft./1 m	Bag	Male/Male
307116*	6.6 ft./2 m	Bag	Male/Male
307093	10 ft./3 m	Bag	Male/Male
354127	25 ft./7.5 m	Bag	Male/Male

DisplayPort to VGA Active Converter Cable



Model #	Length	Package	Connection
151962*	6 in./15 cm	Bag	DP Male to VGA HDI 5 Female

DisplayPort Monitor Cables 1080p



Model #	Length	Package	Connection
393799	6.6 ft./2 m	Blister	Male/Male

4K@60Hz DisplayPort to HDMI Cables



Model #	Length	Package	Connection
153195	3 ft./1 m	Bag	DP Male/HDMI Male
153201	6 ft./1.8 m	Bag	DP Male/HDMI Male
153218	10 ft./3 m	Bag	DP Male/HDMI Male

1080p DisplayPort to HDMI Cables



Model #	Length	Package	Connection
152662	3 ft./1 m	Bag	DP Male/HDMI Male
152679	6 ft./1.8 m	Bag	DP Male/HDMI Male
153188	10 ft./3 m	Bag	DP Male/HDMI Male

MINI DISPLAYPORT CABLES

Mini DisplayPort to DisplayPort Monitor Cables



Model #	Length	Package	Connection
324724	3.3 ft./1 m	Bag	Mini DP Male/DP Male
324748	6.6 ft./2 m	Bag	Mini DP Male/DP Male
324830	10 ft./3 m	Bag	Mini DP Male/DP Male

1080p Mini DisplayPort to HDMI Cable



Model #	Length	Package	Connection
153232	6 ft./1.8 m	Bag	Mini DP Male/HDMI Male
153249	10 ft./3 m	Bag	Mini DP Male/HDMI Male

4K@60Hz Mini DisplayPort to HDMI Cable



Model #	Length	Package	Connection
153270	3 ft./1 m	Bag	Mini DP Male/HDMI Male
153287	6 ft./1.8 m	Bag	Mini DP Male/HDMI Male
153294	10 ft./3 m	Bag	Mini DP Male/HDMI Male

*CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

For our full product offering—including features visit manhattanproducts.com; or call **1.800.881.7325**

27



VGA CABLES



SVGA Monitor Cables with Ferrite Cores

Model #	Length	Package	Connection
317757	6 ft./1.8m	Bag	HD15 Male/HD15 Male
317733	10 ft./3m	Bag	HD15 Male/HD15 Male
317696	30 ft./10 m	Bag	HD15 Male/HD15 Male



SVGA Y Cable

Model #	Length	Package	Connection
304559*	6 in./15 cm	Bag	HD15 Male/2xHD15 Female



SVGA Monitor Cables

Model #	Length	Package	Connection
311731	6 ft./1.8m	Bag	HD15 Male/HD15 Male
311748	10 ft./3m	Bag	HD15 Male/HD15 Male
312721	15 ft./ 4.5 m	Bag	HD15 Male/HD15 Male
313629	50 ft./15 m	Bag	HD15 Male/HD15 Male
337342	100 ft. / 30 m	Bag	HD15 Male/HD15 Male



VGA Monitor Cables

Model #	Length	Package	Connection
300735*	6 ft./1.8 m	Bag	HD15 Male/HD15 Male
300926*	10 ft./3 m	Bag	HD15 Male/HD15 Male



SVGA Extension Cables

Model #	Length	Package	Connection
313612	50 ft./15 m	Bag	HD15 Male/HD15 Female

What is the difference between VGA and SVGA?

Type	Description	Resolution
VGA	Video Graphics Array	640 x 480
SVGA	Super Video Graphics Array	800 x 600

*CALIFORNIA I ⚠️ WARNING: Cancer and Reproductive Harm - P65Warnings.ca.gov



DOCKING STATIONS



USB-C PD 12-in-1 Triple-HDMI Monitor Docking Station with MST

[130660]* USB 3.2 Gen 1 Type-C Male to Three HDMI Ports (up to 4K@60Hz), Four USB-A Ports (up to 5 Gbps), USB-C Power Delivery Port (100 W), USB-C Data Port (5 Gbps), Gigabit RJ45 Port and SD/microSD Card Reader



USB-C PD 10-in-1 Dual Monitor 8K Docking Station / Multiport Hub

[130714] USB 3.2 Gen 2 Type-C Male to Two HDMI Ports (up to 8K@30Hz / 4K@60Hz), Five USB-A Ports (up to 10 Gbps), USB-C Power Delivery Port (100 W), USB-C Data Port (10 Gbps) and Gigabit RJ45 Port



USB-C 11-in-1 Triple-Monitor Docking Station with MST

[153478] USB 3.2 Type-C Male to HDMI, DP and VGA Females, Two USB 3.2 Gen 1, SuperSpeed (5 Gbps) Type-A Ports, USB 2.0 Type-A Port, USB-C PD Port, Gigabit RJ45 Port, SD/MicroSD Card Reader and 3.5 mm Audio Port



USB-C 8-in-1 Docking Station with Power Delivery

[130615]* USB 3.2 Gen 1 Type-C Male to HDMI (4K@30Hz), Three USB-A (up to 5 Gbps), Gigabit RJ45 and USB-C PD (100 W) Females, SD/microSD Card Reader, Aluminum



USB-C PD 7-in-1 4K Docking Station/Multiport Hub

[153966] USB 3.2 Gen 2 Type-C Male to HDMI Port (4K@60Hz), Two USB-A Ports (10 Gbps), USB-C Power Delivery Port (100 W), Gigabit RJ45 Port and SD/microSD Card Reader



USB-C 7-in-1 Docking Station with Power Delivery

[153928] USB 3.2 Gen 1 Type-C Male to HDMI (4K@30Hz), Two USB-A (5 Gbps), Gigabit RJ45 and USB-C PD (87 W) Females, SD/microSD Card Reader



SuperSpeed USB-C to 7-in-1 Docking Station

[152808] USB 3.2 Type-C Male to HDMI or Mini DP or VGA, Three USB 3.0 Type-A Ports, USB-C PD Port, Gigabit RJ45 Port, SD/MicroSD Card Reader, and 3.5 mm Audio Port



USB-C PD 6-in-1 4K Docking Station/Multiport Hub

[153959] USB 3.2 Gen 1 Type-C Male to HDMI Port (4K@60Hz), Three USB-A Ports (5 Gbps), USB-C Power Delivery Port (100 W) and Gigabit RJ45 Port



USB-C to HDMI 3-in-1 Docking Converter with Power Delivery

[130707] USB 3.2 Type-C Male to HDMI (4K@30Hz), USB-A (5 Gbps) and USB-C PD (100 W) Females, Multiport Converter with Pass-through Charging Port, Aluminum



USB-C Docking Station with 100 W PD / 4K HDMI 5-in-1 Multiport USB Hub

[130721] USB 3.2 Gen 1 Type-C Male to One HDMI Port (4K@30Hz), Two USB-A Ports (up to 5 Gbps), USB-C Power Delivery Port (100 W) and USB-C Data Port (5 Gbps)

*CALIFORNIA I ⚠️ WARNING: Cancer and Reproductive Harm - P65Warnings.ca.gov



USB HUBS



7-Port USB 3.0 Type-A Hub
 [168403] USB-A Male to Seven USB-A Females, 5 Gbps SuperSpeed USB (USB 3.2 Gen 1), Bus Powered



SuperSpeed USB-C 3.1 Gen 1 C Hub
 [162746] 4 A Ports, Bus Power, Connects C device to four SuperSpeed USB, 3.1 Gen 1, A ports for additional peripherals



7-Port USB 3.0 Type-C Hub
 [168410] USB-C Male to Seven USB-A Females, 5 Gbps SuperSpeed USB (USB 3.2 Gen 1), Bus Powered



Hi-Speed USB 2.0 Ultra Hub
 [161039]* 7 Ports, Dual Power, Multiple Transaction Translator



Smart Video Power Delivery Charging Hub
 [130554]* One HDMI Port, One USB-C Power Delivery Port up to 45 W, One USB-C Port up to 5 V/1 A, Two USB 3.2 Gen 1 Type-A Ports, Detachable Power Cable



4-Port SuperSpeed USB 3.0 Hubs
 [162296]* Bus Power, Black
 [162302]* AC/Bus Powered



10-Port Hi-Speed USB Desktop Hub
 [161572]* USB 2.0 Type-A Ports, Bus or AC Power



4-Port USB 3.2 Gen 1 Hub
 [164924] USB-C Male to Four USB-A Females, 5 Gbps Transfer Speeds, Bus Powered



[180894] USB-A Male with Attachable USB-C Male Adapter to RJ45 Female and Three USB-A Females, 5 Gbps SuperSpeed USB (USB 3.2 Gen 1), Bus Powered

*CALIFORNIA 1 ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov



USB HUBS



NEW

Transparent 4-Port USB 3.0 Type-C / Type-A Combo Hub


[181013] Clear/Black

[181020] Clear/Teal

USB-C Male and USB-A Male to Four USB-A Ports, 5 Gbps SuperSpeed USB (USB 3.2 Gen 1), Bus Powered, Detachable USB-A to USB-C Cable As Carry Loop

USB TO SERIAL CONVERTERS

Easily expand a single USB port to connect and support serial modems, barcode scanners, digital cameras, card readers, Ham/Amateur Radios, GPS, CNC machines, telescopes, embroidery machines, fuel injection controllers, PDUs, network switches and other devices.

 Converts a USB port into Serial/RS232/COM/DB9 ports

 Windows® Compatible

 Plug and Play



205146


Prolific PL-2303RA Chipset

Model #	# of Serial Devices	USB Connection	Packaging	Length
205153*	1	A Male	Bag	18 in.
205146*	1	A Male	Box	18 in.



FTDI FT232RL Chipset

Model #	# of Serial Devices	USB Connection	Packaging	Length
151856*	1	A Male	Bag	1 ft.

*CALIFORNIA |  **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov



USB ADAPTERS & CONVERTERS



2-Piece Set: USB-C to USB-A & USB-A to USB-C Adapters

[356329] USB 3.0 (USB 3.2 Gen 1) Type-A/Type-C Male/Female Conversions, 5 Gbps SuperSpeed USB, 3 A



SuperSpeed+ USB C Adapter

[354714]* USB 3.1, Gen 2, Type-A Male to Type-C Female, 10 Gbps



SuperSpeed USB C Cable Adapter

[354646]* USB 3.1, Gen 1, Type-C Male to Type-A Female, 5 Gbps



USB 2.0 Type-C to Type-A Adapter

[354653]* Type-C Female to Type-A Male



USB-C to HDMI Adapter Cable

[152235] 1m/3 ft.

[151764] 2m/6 ft.

Converts a DP Alt Mode Signal to an HDMI 4K Output

*CALIFORNIA I ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov



USB ADAPTERS & CONVERTERS

USB-C to DVI Converter with Power Delivery Port

[153423]* Supports up to 1920x1200@60Hz Resolution, Power Delivery (PD) up to 60 W (20 V / 3 A)



USB-C to VGA Converter with Power Delivery Port

[153430]* USB-C to VGA Converter with Power Delivery Port Supports up to 1080p Resolution, Power Delivery (PD) up to 60 W (20 V / 3 A)



USB-C to Dual DisplayPort Adapter - MST Hub

[152952] USB-C Male to Two DP Ports; Mirror, Extended and Video-Wall Modes Supported; 4K@30Hz



USB-C to Gigabit Network Adapter with Power Delivery Port

[153454]* Gigabit (10/100/1000 Mbps) Ethernet port, Power Delivery up to 60 W (20 V / 3 A)



*CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

For our full product offering—including features visit manhattanproducts.com; or call 1.800.881.7325

33



USB ADAPTERS & CONVERTERS



SuperSpeed+ USB-C 3.1 to VGA Converter

[151771]* USB 3.2 Gen 1, Type-C Male to VGA Female



Hi-Speed USB to SATA/IDE Adapter

[179195]* 3-in-1 with One-Touch Backup



Full-Speed USB to DB25 Parallel Printer Converter

[336581]* USB-A Male to DB25 Female, 1.8 m (6 ft.)



Full-Speed USB to Cen36 Parallel Printer Converter

[317474]* USB-A Male to Cen36 Male, 1.8 m (6 ft.)



Hi-Speed USB 3-D Sound Adapter

[150859]* Improves audio access and performance RJ45 Port, SD Card Reader



Hi-Speed USB 3D 7.1 Sound Adapter

[152341]* Compact High-Speed USB 2.0 External Sound Card with 3.5 mm Audio and Microphone Ports, 7.1-Channel Virtual 3D Surround Sound, Internal Amplifier and Volume Controls

*CALIFORNIA I ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov



USB ADAPTERS & CONVERTERS



USB-C to 5GBASE-T Ethernet Adapter
 [153461]* SuperSpeed USB 3.2 Gen 1 with 5 Gbps USB & Multi-Gigabit Ethernet Connection Speeds



USB-C to 2.5GBASE-T Ethernet Adapter
 [153300]* SuperSpeed USB 3.2 Gen 1; 10/100/1000 Mbps & 2.5 Gbps, Multi-Gigabit Ethernet



Type-C to Gigabit Network Adapter
 [507585]* SuperSpeed USB 3.1 Gen 1 (5 Gbps); 10/100/1000 Mbps Gigabit Ethernet



USB 3.0 to Gigabit Network Adapter
 [506847]* 10/100/1000 Mbps Gigabit Ethernet, SuperSpeed USB 3.0



USB 2.0 Fast Ethernet Adapter
 [506731]* 10/100 Mbps Fast Ethernet, Hi-Speed USB 2.0



[180894] USB-A Male with Attachable USB-C Male Adapter to RJ45 Female and Three USB-A Females, 5 Gbps SuperSpeed USB (USB 3.2 Gen 1), Bus Powered

*CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov




USB ADAPTERS & CONVERTERS



USB-C HDMI Docking Converter
 [152037] USB 3.1 C Male to HDMI, USB A and USB C Females, Multiport Converter



Passive DisplayPort to HDMI Adapter
 [151993]* DisplayPort Male to HDMI Female, Dongle Adapter, 1080p@60Hz



1080p Passive DisplayPort to HDMI Adapter
 [151634]* DisplayPort Male to HDMI Female, Cable Adapter, 1080p@60Hz,



DisplayPort 1.2a to DVI-D Adapter
 [152228] DisplayPort 1.2a Male to DVI-D Female, Active, 23 cm (9 in.)



Mini DisplayPort to DisplayPort Adapter
 [354141] Mini DisplayPort Male to DisplayPort Female, Adapter



DisplayPort to Dual HDMI - MST Hub
 [152716] DisplayPort Male to Two HDMI Females; Mirror, Extended and Video-Wall Modes Supported; 4K@30Hz; USB Powered



USB Line Extender
 [179300]* Extends the distance to any USB device Up to 60 m (196 ft.)



VGA and USB to HDMI Converter
 [152426]* Converts Analog VGA Video and USB Audio to a Digital HDMI Signal

*CALIFORNIA | WARNING: Cancer and Reproductive Harm - P65Warnings.ca.gov



MINI DISPLAYPORT ADAPTERS & CONVERTERS



Active Mini DisplayPort to DVI-I Adapter

[152549]* Mini DisplayPort Male to DVI-I Dual-Link Female



Active Mini DisplayPort to HDMI Adapter

[152570]* Mini DisplayPort Male to HDMI Female, 4K@60Hz



Passive Mini DisplayPort to HDMI Adapter

[151399]* Retail Packaging

[322461]* Bag

Mini DisplayPort Male to HDMI Female, 1080p



Mini DisplayPort to DisplayPort Adapter

[354141] Mini DisplayPort Male to DisplayPort Female, Adapter

*CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

For our full product offering—including features visit [manhattanproducts.com](https://www.manhattanproducts.com); or call **1.800.881.7325**

37



DVI ADAPTERS & CONVERTERS



Active Mini DisplayPort to DVI-I Adapter

[152549]* Mini DisplayPort Male to DVI-I Dual-Link, Female

DisplayPort 1.2a to DVI-D Adapter

[152228] DisplayPort 1.2a Male to DVI-D Female, Active, 23 cm (9 in.)



SATA ADAPTERS & CONVERTERS



SuperSpeed USB to SATA Adapter

[130424]* USB 3.0 to SATA 2.5" Adapter

*CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

For our full product offering—including features visit manhattanproducts.com; or call **1.800.881.7325**



S/VGA ADAPTERS & CONVERTERS



SuperSpeed+ USB-C 3.1 to VGA Converter
 [151771]* Converts a USB-C signal to a VGA display



SuperSpeed USB-C VGA Docking Converter
 [152044] USB 3.1 C Male to VGA, USB A and USB C Females, Multiport Converter



USB-C to VGA Converter with Power Delivery Port
 [153430]* USB-C to VGA Converter with Power Delivery Port Supports up to 1080p Resolution, Power Delivery (PD) up to 60 W (20 V / 3 A)



HDMI to VGA Converter
 [151436]* Retail Packaging
 [151467]* Bag
 HDMI Male to VGA Female, Optional USB Micro-B Power Port



HDMI to VGA Converter
 [151450]* Retail Packaging
 [151559]* Bag
 HDMI Male to VGA Female, with Audio, Optional USB Micro-B Power Port



USB-C to HDMI & VGA 4-in-1 Docking Converter with Power Delivery
 [130691] USB 3.2 Type-C Male to HDMI (4K@30Hz), VGA (1080p@60Hz), USB-A (5 Gbps) and USB-C PD (87 W) Females, Pass-through Charging

*CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

For our full product offering—including features visit manhattanproducts.com; or call **1.800.881.7325**



CARD READERS



NEW

USB-C to Multi-Card Reader/Writer

[102681] USB 2.0 Type-C Male to microSD, SD/MMC, MS, xD, and CF Slots, Hi-Speed USB, 480 Mbps, Bus Powered



Smart Card Reader

[102049]* USB, Contact Reader, External. Ideal for transactions and applications requiring secure information exchanges



Mini USB 2.0 Multi-Card Reader/Writer

[101677]* Hi-Speed USB, Mobile, 24-in-1



Mini Multi-Card Reader/Writer

[101981]* SuperSpeed USB 3.0, External Card Reader & Writer, 24-in-1, Mobile



Multi-Card Reader/Writer

[101998]* Hi-Speed USB, Slim, Compatible with 79 card formats

*CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov



BARCODE SCANNERS & ACCESSORIES



Wireless 2D Barcode Scanner
[179768]* 250 mm Scan Width, USB



Contact CCD Barcode Scanner
[401517]* 80 mm Scan Width, USB



Long Range CCD Barcode Scanner
[177672]* 50 cm Scan Depth, USB



Long Range CCD Barcode Scanner
[460835]* 50 cm Scan Depth, USB




Barcode Scanner Stand
[460842]* Gooseneck with base

*CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

For our full product offering—including features visit manhattanproducts.com; or call **1.800.881.7325**



CHARGERS



Power Delivery Wall Charger with Built-in USB-C Cable, 60 W
 [180245]* White
 USB-C Power Delivery Connector (up to 60 W)
 USB-A Charging Port (up to 2.4 A)



4-Port GaN USB Power Delivery Charging Station - 240 W / PD 3.1
 [102667] Four USB-C PD Ports with up to 140 W per Port, 240 W Total Output, Power Delivery 3.1



10-Port USB Power Delivery Charging Station - 120 W
 [180856]* Three USB-C PD Ports up to 18 W per Port, Seven USB-A Ports up to 12 W/2.4 A per Port, 120 W Total Output



Fast-Wireless Charging Pad - 15 W
 [406024]* White
 [102186]* Black
 Qi™-Certified, 10 W, 7.5 W and 5 W Charging; Round Charging Base



USB-C Power Delivery Laptop Charger - 100 W
 [180900] AC to Type-C Power Adapter, Universal Voltage Compatible with Most Notebooks, Ideal as Replacement Power Supply and for Docking Stations, Includes Detachable AC US Power Cable and Built-in USB-C PD Cable



2-Port Power Delivery Mini Car Charger
 [102414]* USB-C Power Delivery Port up to 25 W, USB-A QC 3.0 Charging Port up to 18 W



Universal AC Laptop Charger - 65 W
 [180979] Power Adapter with Nine Plug Tips and Universal Voltage, Compatible with Most Notebooks, Ideal as Replacement Power Supply, Includes Detachable AC US Power Cable

*CALIFORNIA | WARNING: Cancer and Reproductive Harm - P65Warnings.ca.gov

For our full product offering—including features visit manhattanproducts.com; or call 1.800.881.7325



HEADPHONES & HEADSET



Stereo Headphones
[177481]* Lightweight and adjustable with cushioned earpads



Classic Stereo Headset
[175555]* Quality audio with flexible microphone boom



Stereo Audio Cable
[334594]* 3.5 mm Stereo Male to Male, Black, 1.8 m (6 ft.)




Stereo Headset
[164429]* Lightweight design with microphone and in-line volume control



Stereo Headset
[175517]* Easily adjustable with flexible microphone boom



Stereo USB Headset
[179898]* Lightweight On-ear Design, Wired, USB-A Plug, Adjustable Microphone



Stereo Headset
[179317]* Lightweight Over-ear Design, Two 3.5 mm Plugs, Built-in Adjustable Microphone



Mono USB Headset
[179867]* Single-sided On-ear Design, Wired, USB-A Plug, In-line Volume Control, Adjustable Microphone

*CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

For our full product offering—including features visit manhattanproducts.com; or call **1.800.881.7325**



MICE



Transparent 4D Mouse

[190268]* Black
[190282]* Orange
[190275]* White
800-1200/1600 DPI, on/off switch



Vertical Ergonomic Wireless USB Mouse

[190336] USB-A Nano Receiver, Six Buttons with Scroll Wheel, 800/1200/1600 dpi, Wrist-Friendly Angle,



Edge Optical USB Mouse

[177801]* Blue
USB, Wired, Three Buttons with Scroll Wheel, 1000 dpi



Curve Wireless Optical Mouse

[179294]* Blue/Black
[179379]* Gray/Black
USB, Five Button with Scroll Wheel, 1600 dpi



Success Wireless Optical Mouse

[179393]* Green/Black
[179409]* Orange/Black
[179416]* Blue/Black
USB, Three Buttons with Scroll Wheel, 1000 dpi



MW6200 Wireless Optical USB Mouse

[190343] USB-A Nano Receiver, Six Buttons with Scroll Wheel, 800/1200/1600 dpi

MW6185 Wireless Optical USB Mouse

[190350] White
[190367] Black
Nano Receiver, Six Buttons with Scroll Wheel, 800/1200/1600 dpi, Wrist-Friendly Contour



*CALIFORNIA | WARNING: Cancer and Reproductive Harm - P65Warnings.ca.gov



MICE



NEW
RGB LED Wired Optical USB Mouse

[190381] USB-A, Five Buttons with Scroll Wheel, 12800 dpi, 1.5 m (5 ft.) Cable, Adjustable Color-LED Lighting Modes



NEW
MW3075 Wireless Optical USB Mouse

[190374] USB-A, Five Buttons with Scroll Wheel, 12800 dpi, 1.5 m (5 ft.) Cable, Adjustable Color-LED Lighting Modes



NEW
MW3050 Wireless Optical USB Mouse

[190312] Black
[190329] White
USB-A Nano Receiver, Three Buttons with Scroll Wheel, 1200 dpi, Ambidextrous



Silhouette Optical Mouse

[177627]* White
[177658]* White
USB, Three Buttons with Scroll Wheel, 1000 dpi



Wrist-Rest Mouse Pad

[434362]* Black
[434386]* Blue
Gel material promotes proper hand and wrist position

Dual Mode MOUSE

[179645]* Bluetooth® 4.0, 2.4 GHz Wireless, 800/1200/1600 dpi, Three Buttons With Scroll Wheel, Black & White

Great features include:

- Conveniently located mode-switch button
- Included nano receiver and on-board storage to prevent loss & damage
- Wireless range up to 33 ft.
- Auto-power management for a longer-lasting battery
- Windows, Mac OS X, iOS, iPadOS and Android compatible



*CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

For our full product offering—including features visit manhattanproducts.com; or call **1.800.881.7325**



SPEAKERS



2600 Series Speaker System

[161435]* Stereo sound and compact size. Easily connects to notebook computers and other USB-equipped devices

KEYBOARDS



Enhanced Keyboard

[155113]* USB Streamlined, durable design ideal for new systems and replacement applications



Enhanced Keyboard

[175708]* USB, Streamlined, durable design ideal for new systems and replacement applications




Wired Office Keyboard

[180689]* The keyboard offers a robust key structure, highly responsive keys, an easy-access navigation panel, and a full-sized numeric keypad that provide the immediate familiarity of the modern keyboard.



Ultra Slim Dual-Mode Wireless Keyboard

[180559]* Bluetooth® 3.0 and 2.4 GHz wireless USB-A receiver to connect to a PC, tablet and smartphone. Pairs with up to three devices at the same time and easily switches between them .



Wireless Keyboard and Optical Mouse Set

[178990]* Black
[180634]* White
One 2.4 GHz USB-Dongle Connection for Both



*CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm – P65Warnings.ca.gov



KEYBOARDS



Dual-Mode Multipoint Wireless Keyboard and Mouse Combo Set

[180580] Both Devices Support Bluetooth® 5.0 and 2.4 GHz Wireless, One Single USB-A Nano Receiver for Both, Sleek Wireless Keyboard with 12 Multimedia/Function Keys, Ambidextrous Optical Mouse with Three Buttons and Scroll Wheel, 1200 dpi



MWK7350 Wireless USB Keyboard and Mouse Combo Set

[180771] One Single USB-A Nano Receiver for Both, Full-Size Wireless Keyboard with 12 Multimedia/Function Keys, Ambidextrous Optical Mouse with Three Buttons and Scroll Wheel, 1200 dpi



MWK7400 Wireless USB Keyboard and Mouse Combo Set

[180788] One Single USB-A Nano Receiver for Both, Full-Size Wireless Keyboard, Ambidextrous Optical Mouse with Three Buttons and Scroll Wheel, 1200 dpi,



Slim Wired USB Mini Keyboard

[180702] 12 Multimedia/Function Keys, Built-in 1.5 m (5 ft.) USB-A Cable, Compact, Low-Profile Format, for PC and Laptop



Slim Wireless USB Mini Keyboard

[180764] 12 Multimedia/Function Keys, USB-A Nano Receiver, Compact, Low-Profile Format, for PC and Laptop



Numeric Keypad

[176354]* USB, Wired, 18 Full-Size Keys
[178846]* USB, Wireless, 18 Full-Size Keys

*CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

For our full product offering—including features visit manhattanproducts.com; or call **1.800.881.7325**



NOTEBOOK SLEEVE

Seattle NOTEBOOK SLEEVE



Premium Quality Notebook Sleeve with a Stylish Touch

The Manhattan Seattle Notebook Sleeve 15.6" is the stylish travel companion to your Ultrabook™, laptop or Macbook®. Its extra-soft interior and water-resistant, durable exterior offer premium protection for your device against weather, spills, bumps and scratches. The additional zippered front pocket has plenty of space for small items such as chargers or headphones.

[439930] Pink

[440462] Blue

[440479] Olive Green

[439817] Grey

LAPTOP TOTE

Venice Laptop Tote Bag

[440615] Top Load, Fits Most Notebooks Up To 15.6", Water-Repellent, Durable Vegan Leather, Detachable Shoulder Strap and Carry Handles, Zippered Interior, Multiple Pockets, Tablet Compartment



LAPTOP LOCKS



Laptop Combination Lock for Nano Security Slot

[440493] Secure Anti-theft Notebook Lock, Resettable 4-digit Combo, 1.8 m (6 ft.) Steel Cable, Translucent Black PVC Jacket



Keyed Laptop Lock For Nano Security Slot

[440486] Secure Anti-theft Notebook Lock, Two Included Keys, 1.8 m (6 ft.) Steel Cable, Translucent Black PVC Jacket

*CALIFORNIA | WARNING: Cancer and Reproductive Harm - P65Warnings.ca.gov



NOTEBOOK CASES



Empire Notebook Computer Briefcase

[421560]* Top Load, Fits Most Widescreens Up To 17", Multiple compartments



London Notebook Computer Briefcase

[439862]* Top Load; Fits Most Widescreens Up To 12.5"



London Notebook Computer Briefcase

[438889]* Top Load; Fits Most Widescreens Up To 15.6"



London Notebook Computer Briefcase

[439909]* Top Load; Fits Most Widescreens Up To 17.3"



Cambridge Clamshell Notebook Bag

[439992]* Full Clamshell Opening, Fits Most Laptops Up To 17.3"

*CALIFORNIA | ⚠️ **WARNING:** Cancer and Reproductive Harm - P65Warnings.ca.gov

For our full product offering—including features visit manhattanproducts.com; or call 1.800.881.7325



CLEANING



LCD Mini Cleaning Kit

[421010] Alcohol-free, Includes Cleaning Solution, Brush and Microfiber Cloth, 60 ml (2 oz.)

Air Duster

[425148] Gently removes dust and debris from sensitive electronics without scratching or residue. Case of Twelve 8-oz. Cans

LCD Cleaning Kit

[421027] Alcohol-free, Includes Cleaning Solution, Brush and Microfiber Cloth, 200 ml (6.75 oz.)



PHONE SANITIZER WITH Qi™ WIRELESS CHARGER



[102407]

- 2-in-1 device: UVC sanitizer box and 10 W Qi™ -Certified Wireless Charger
- Cleans smartphones, earbuds, keys, credit cards, and more
- UVC technology kills the germs and bacteria - offers safe cleaning without heat, liquids or chemicals

*CALIFORNIA | ⚠️ WARNING: Cancer and Reproductive Harm - P65Warnings.ca.gov



CARDS & COMPONENTS



CPU Thermal Grease

[701662]* 1.5 g (0.05 oz.)

TOOL KITS

Universal Tool Kit

- Contains: Mini vacuum cleaner with attachments, Soldering iron - solder wick and solder, Ratchet driver 57 interchangeable ends, Assorted crimp-on wire connectors, Hammer, Flashlight, Allen wrench set - 9 pieces, Brush, 6 sizes of precision screw drivers (Phillips and flat head), Precision hobby knife, Wire ties, Wire cutters, Needle nose pliers with built in wire cutter, Wire stripper, Crimper, Anti-static chip inserter, Anti-static chip extractor, Anti-static three prong parts & chip retriever/extractor, Anti-static chip tweezers, (2) AA batteries, Magnetic telescoping pick-up tool and Electric voltage tester

[530217]*



Technician Tool Kit

- Soldering iron, solder wick and solder
- Anti-static chip inserter, anti-static chip extractor, anti-static three-prong parts and chip retriever/extractor, anti-static chip tweezers
- Needle nose pliers
- Extra parts tube
- 1/4" nut-driver
- 3/16" nut-driver
- T10 & T15 torque screwdriver
- (2) Phillips head screwdrivers, small and standard
- (2) Slotted/flat screwdrivers, small and standard

[530071]*





INDEX

Model #	Page #	Model #	Page #	Model #	Page #	Model #	Page #	Model #	Page #	Model #	Page #
101677	40	153270	22,27	180788	47	317733	28	354318	24	440493	48
101981	40	153287	22,27	180856	42	317757	28	354479	21	460835	41
101998	40	153294	22,27	180894	30,35	312721	28	354486	21	460842	41
102049	40	153300	35	180900	42	313612	28	354592	22	460934	3,4
102186	42	153423	33	180979	42	313629	28	354646	32	460941	3,5
102407	50	153430	33,39	181013	31	317474	34	354653	32	461207	8
102414	42	153454	33	181020	31	322379	24	354714	32	461221	3,7
102667	42	153461	35	190268	44	322447	24	354837	21	461238	3,9
102681	40	153478	29	190275	44	322461	37	354875	23	461283	3,7
130424	38	153706	19	190282	44	322539	22	354882	23	461290	3,7
130554	30	153928	29	190312	45	322782	22	354899	23	461320	3,6
130615	29	153959	29	190329	45	323192	21	354905	23	461344	3,7
130660	29	153966	29	190336	44	323215	21	354929	24	461351	3,7
130691	39	153973	19	190343	44	323222	21	354936	24	461382	3,6,10,11
130707	29	155113	46	190350	44	323239	21	354974	24	461399	3,6,10,11
130714	29	161039	30	190367	44	323260	21	354981	24	461405	3,6,10,12
130721	29	161435	46	190374	45	323987	25	355230	23	461474	3,5
150248	25	161572	30	190381	45	324069	25	355247	23	461481	3,5
150712	24	162296	30	205146	31	324724	27	355285	23	461528	10,13
150859	34	162302	30	205153	31	324748	27	355322	26	461542	10,12
150958	25	162746	30	207416	17	324830	27	355346	21	461559	10,13
151245	18	164429	43	207515	16	325677	25	355353	21	461566	10,14
151252	18	164924	30	207539	15	325684	25	355360	21	461597	10,13
151269	18	168403	30	207584	15	333405	25	355377	21	461603	10,11
151399	37	168410	30	207614	16	333412	25	355933	21	461627	10,13
151436	20,39	175517	43	207621	20	333368	25	355957	21	461658	10,14
151450	20,39	175555	43	207652	16	333375	25	356329	32	461665	3,9
151467	20,39	175708	46	207669	16	333382	25	356367	26	461672	3,9
151559	20,39	176354	47	207676	17	334594	43	356374	26	461726	9
151573	25	177481	43	207706	16	336581	34	372503	26	461863	5
151634	19,36	177627	45	207850	16	336314	25	372510	22	461887	10,13
151764	22,24,32	177658	45	207874	17	337342	28	372527	22	461917	3,4
151771	34,39	177672	41	207942	17	337779	25	393799	27	461931	3,5
151856	31	177801	44	208369	16	338653	25	401517	41	461979	3,5
151962	27	178846	47	300735	28	340458	25	406024	42	461986	3,4
151993	19,36	178990	46	300926	28	340496	25	421010	50	461993	3,4
152037	20,36	179195	34	304559	28	340502	25	421027	50	462020	3,5
152044	39	179294	44	304955	21	345408	25	421560	49	462075	4
152228	36,38	179300	36	306089	24	353298	24	423625	3,8	462112	14
152235	22,24,32	179317	43	306119	22	353373	24	423670	3,6	462136	10,12
152341	34	179379	44	306126	22	353465	19	423755	3,6	462242	14
152426	36	179393	44	306133	22	353502	19	424752	3,5	462426	3,7
152549	37,38	179409	44	306218	25	353519	19	425148	50	462570	12
152570	37	179416	44	306935	27	353526	23	432351	10,11	506731	35
152662	22,27	179645	45	307093	27	353540	23	434362	45	506847	35
152679	22,27	179768	41	307116	27	353885	24	434386	45	507585	35
152716	20,36	179867	43	307161	25	353892	24	438889	49	510424	25
152785	18	179898	43	307178	25	353915	24	439817	48	519779	25
152952	33	180245	42	308434	22	353922	21	439862	49	530071	51
152808	29	180559	46	308441	22	353939	21	439909	49	530217	51
153188	22,27	180580	47	308458	22	353946	21	439930	48	560672	18
153195	22,27	180634	46	308519	25	353960	21	439992	49	560689	18
153201	22,27	180689	46	308816	22	353977	21	440165	48	560696	18
153218	22,27	180702	47	311731	28	354127	27	440462	48	560702	18
153232	22,27	180764	47	311748	28	354141	37,38	440479	48	701662	51
153249	22,27	180771	47	317696	28	354295	24	440486	48		

*CALIFORNIA | WARNING: Cancer and Reproductive Harm - P65Warnings.ca.gov