

: **PRIMUS**
CABLE:

RESIDENTIAL • COMMERCIAL • INDUSTRIAL



2022

PRODUCT CATALOG

NETWORKING





COMPANY OVERVIEW

Primus Cable is a leading supplier of wire, cable and interconnectivity products, serving the electrical, electronic and communication industries.

As part of our ongoing commitment to providing reliable, high quality products, Primus Cable's merchandise is made in compliance with ISO 9001:2000 standards. All of our products are either UL listed, ETL listed or verified and RoHS compliant. They meet and/or exceed TIA/EIA certification and standards. Over the years, we have developed a solid foundation in the industry that enables us to provide our customers with the finest quality products at very competitive prices. Whether your project is big or small, our trained staff is capable of handling your every need efficiently and effectively while helping you stay under budget.

Please take a moment to browse through our catalog and discover all the product lines we have to offer. Our new catalog is easier to read and more functional than ever. With a cleaner look and many new product options available, we're confident that your next shopping experience will be a great one!

Thank you for doing business with Primus Cable.
Your #1 source for wire and cable!

TRY OUR FEATURED PRODUCT LINE





OUR MISSION

Our mission is to have the ability to consistently offer our customers the top of the line products that we carry, distribute and supply. We strive to provide our customers the best factory direct savings on the highest caliber products possible. We will work hard to exceed your needs for any size project while helping you stay under budget.

With the most competitive pricing in the market, we take pride in our ability to consistently offer you top of the line products that we have helped develop. Why do we do this? We know that when product costs effectively exceed your expectations, you will be back, and there is nothing more rewarding than forging loyal, long-term relationships with our customers.

OUR PHILOSOPHY

Our overall business philosophy focuses on the needs of our customers. We are a company that focuses on providing value without compromising on quality. We provide an unparalleled service and strive to add value to a customer's project.

We equip our employees with the tools needed to support you the customer. Our company is dedicated to going above and beyond basic fulfillment by creating lasting partnerships with all whom we deal with, this includes the factories we buy from and you the customer.

Getting The Most For Your Money - It's not just about getting the cheapest price. There's no sense in buying a product that doesn't perform or won't last. Quality is a high priority to Primus Cable. Our mission is to simplify IT, A/V and Data connectivity through our dedicated staff, excellent service and innovative solutions.

BOTTOM LINE

We are committed to you.

TABLE OF CONTENTS



NETWORKING

| | |
|---|----|
| Direct Burial Cable/Outdoor Cable | 7 |
| CAT5E Ethernet Cable | 17 |
| CAT6 Ethernet Cable | 22 |
| CAT6A Ethernet Cable..... | 28 |
| CAT7 Ethernet Cable | 31 |
| CAT7A Ethernet Cable..... | 32 |
| CAT8 Ethernet Cable | 32 |
| Composite Cable | 33 |
| CAT5E Keystone Jacks | 35 |
| CAT6 Keystone Jacks..... | 39 |
| CAT6A Keystone Jacks | 42 |
| CAT8 Keystone Jacks..... | 44 |
| Keystone Inserts | 45 |
| Modular Plugs and Boots | 46 |
| CAT5E Patch Panels | 54 |
| CAT6 Patch Panels..... | 56 |
| CAT6A Patch Panels | 59 |
| Blank Keystone Patch Panels | 60 |
| CAT5E Ethernet Patch Cables | 64 |
| CAT6 Ethernet Patch Cables..... | 66 |
| CAT6A Ethernet Patch Cables | 69 |
| CAT7 Ethernet Patch Cables..... | 70 |
| CAT8 Ethernet Patch Cables..... | 70 |
| Server Racks | 71 |
| Rack Management Solutions | 75 |
| Rack Shelves, Drawers, and Trays | 76 |

| | |
|------------------------------------|-----|
| Ethernet Switches | 95 |
| Media Converters | 101 |
| Transceivers..... | 105 |
| Wall Plates | 108 |
| Drywall Brackets & Mud Rings | 112 |
| Surface Mount Boxes | 121 |
| Wire & Cable Management | 126 |
| LAN Stations | 165 |

TOOLS

| | |
|--------------------------------|-----|
| Cable Caddy..... | 168 |
| Compression Tools..... | 169 |
| Crimping Tools..... | 170 |
| Drill Bits & Accessories..... | 173 |
| Tone & Probe Testers..... | 174 |
| LAN Testers..... | 177 |
| Punch Down Tools & Blades..... | 183 |
| Specialty Tools..... | 186 |
| TOGGLER® Products..... | 189 |
| Tool Kits and Accessories..... | 190 |
| Wire Cutters/Blades..... | 196 |
| Wire Strippers..... | 200 |

TELLCO

| | |
|---------------------------|-----|
| Amphenol Type Cables..... | 205 |
| CAT3 Keystone Jacks..... | 206 |
| CAT3 Phone Cable..... | 208 |

| | |
|-------------------------------------|-----|
| Cross Connect Wire..... | 209 |
| Splicing Connectors..... | 210 |
| RJ11, RJ12, RJ22 Modular Plugs..... | 212 |
| Telco Block..... | 213 |
| Ethernet Splitter..... | 217 |
| Telephone Cable..... | 217 |
| Telephone Wall Plate..... | 219 |

NETWORKING

When quality, performance and reliability really matter



Whether you're building a new network or simply expanding an existing network, the chances are you'll need networking cables and accessories. Primus Cable carries a wide selection of networking cable for a variety of purposes. Consider the application for your project as we carry networking cable for a variety of installation, i.e., indoors, outdoors, underground, riser rated, and plenum duct installation applications.

OUTDOOR/DIRECT BURIAL CABLE

SIZE | TYPES

With thin plastic jackets, ordinary Ethernet cable deteriorates rapidly when exposed to the elements. Extreme temperatures and moisture will shorten the networking cable's lifespan. Proper outdoor cables are coated with a heavy duty outdoor jacket to protect them from continuous exposure to weather. Primus Cable specializes in networking cables made for the outdoors. We offer outdoor cables with specialty rated jackets such as UV PVC, PE, LSZH.

Ultraviolet Polyvinyl Chloride (UV PVC) jacketed Ethernet cable is designed to withstand sun and rain. PVC is a thermoplastic material, meaning that it can be melted over and over without losing structural integrity.



Primus Cable's CAT5E CMX Outdoor Cable UTP UV Protection is an Ethernet cabling solution intended for outdoor installations. It is CMX rated, or outside plant cable built to handle the elements. This Cat5E Ethernet cable also features premium quality solid bare copper conductors for maximum signal durability. The unshielded twisted pairs are suitable for high speed data applications up to 350Mhz.

Primus Cable also carries Shielded Aerial Cat5e Cable for Outdoor Networking w/ Messenger Wire which provides better protection for aerial applications. An aerial outdoor cable includes a messenger wire inside the jacketing for support. Similar to CMX rated cable, this shielded aerial cable has a UV rated jacket. The twisted pairs are also foil shielded for excellent attenuation ratings.

While shopping for outdoor cable, also consider our Cat5E Keystone Jacks. These are an integral part of any network, and are used with Ethernet and voice connections. Our Cat5E Keystone Jacks come in multiple styles including H-style, U-style, and MIG+ jacks, just to name a few.

OUTDOOR/DIRECT BURIAL CABLE

SIZE | TYPES



CAT5E Shielded Outdoor Bulk Cable

Shielded, 1000 ft. Pull

FEATURES

- ✓ 24 AWG
- ✓ Solid Bare Copper
- ✓ Tested up to 350 MHz
- ✓ PE Outdoor Jacket, UV Resistant
- ✓ Exceeds TIA 568-C.2, ISO/IEC 11801

Item Number

C5CMXR-1081BK



CAT5E Outdoor Direct Burial Shielded Bulk Cable

FEATURES

- ✓ 24 AWG
- ✓ Solid Bare Copper
- ✓ Tested up to 350 MHz
- ✓ Outdoor Jacket, UV Resistant
- ✓ Exceeds TIA 568-C.2, ISO/IEC 11801, and YD/T1019 Specifications
- ✓ Available in a Pull Box or Spool



| Item Number | Description |
|---------------|-----------------------------|
| C5CMXE-432BK | Shielded, 1000 ft. Pull Box |
| C5CMXE-7803BK | Shielded, 250 ft. Spool |
| C5CMXE-7804BK | Shielded, 500 ft. Spool |
| C5CMXE-5364BK | Shielded, 1000 ft. Spool |



CAT5E Dual Shielded Outdoor/Direct Burial Cable

Shielded, 1000 ft. Spool

FEATURES

- ✓ 24 AWG, Solid Bare Copper
- ✓ Dual Shielded
- ✓ Tested up to 350 MHz
- ✓ Outdoor Jacket, UV Resistant
- ✓ Exceeds TIA 568-C.2, ISO/IEC 11801, and YD/T1019 Specifications

Item Number

C5CMXD-4706BK



OUTDOOR/DIRECT BURIAL CABLE

SIZE | TYPES



CAT5E Unshielded Gel-filled Outdoor/Direct Burial Cable

Unshielded, 1000 ft. Pull Box

FEATURES

- ✓ 24 AWG
- ✓ Solid Bare Copper CMX
- ✓ Tested up to 350 MHz
- ✓ Outdoor Jacket, UV Resistant
- ✓ Exceeds TIA 568-C.2, ISO/IEC 11801, and YD/T1019 Specifications

Item Number

C5CMXF-415BK



CAT5E Shielded Outdoor/Direct Burial Cable w/ Waterblock Tape

FEATURES

- ✓ 24 AWG Solid Bare Copper
- ✓ Tested up to 350 MHz
- ✓ LSZH Outdoor Jacket
- ✓ Exceeds EIA/TIA 568-C.2

| Item Number | Description |
|-----------------|------------------------------------|
| C5CMXT-416BK | Shielded, 1000 ft. Pull Box, Black |
| C5CMXT-2152BKWS | Shielded, 1000 ft. Spool, Black |
| C5CMXT-107WH | Shielded, 1000 ft. Pull Box, White |



CAT5E Shielded Gel-Filled Outdoor/Direct Burial Cable

FEATURES

- ✓ 24 AWG
- ✓ Solid Bare Copper
- ✓ Tested up to 350 MHz
- ✓ Outdoor Jacket, UV Resistant
- ✓ Exceeds EIA/TIA 568-C.2

| Item Number | Description |
|----------------|---------------------------------|
| C5CMXFS-1353BK | Shielded, 500 ft. Spool, Black |
| C5CMXFS-2279BK | Shielded, 1000 ft. Spool, Black |

OUTDOOR/DIRECT BURIAL CABLE

SIZE | TYPES



CAT5E Shielded CMX Outdoor Bulk Cable

Shielded, 1000 ft. Spool

FEATURES

- ✓ 24 AWG
- ✓ Solid Bare Copper
- ✓ Tested up to 350 MHz
- ✓ CMX UV Outdoor Jacket
- ✓ Exceeds EIA/TIA 568 C.2
- ✓ Dry Gel Water Blocking Tape

Item Number

C5CMXT-6630



CAT5E Unshielded CMX Outdoor Bulk Cable

FEATURES

- ✓ 24 AWG
- ✓ Solid Bare Copper
- ✓ Tested up to 350 MHz
- ✓ CMX UV Outdoor Jacket
- ✓ Exceeds EIA/TIA 568 C.2
- ✓ UL/cUL Listed
- ✓ ETL Verified



| Item Number | Description |
|----------------|--------------------------------------|
| C5CMX-414BK | Unshielded, 1000 ft. Pull Box, Black |
| C5CMX-2029BKWS | Unshielded, 1000 ft. Spool, Black |
| C5CMX-2267WH | Unshielded, 1000 ft. Pull Box, White |



CAT5E Shielded Aerial Outdoor Cable w/ Messenger Wire

Shielded, 1000 ft. Spool

FEATURES

- ✓ 24 AWG
- ✓ Solid Bare Copper
- ✓ Tested up to 350 MHz
- ✓ CMX UV Outdoor Jacket
- ✓ Exceeds EIA/TIA 568 C.2

Item Number

C5CMXSM-3203



OUTDOOR/DIRECT BURIAL CABLE

SIZE | TYPES



CAT5E Bulk Ethernet Cable, Indoor/Outdoor, UTP CMX/CMR

Unshielded, 1000 ft. Spool

FEATURES

- ✓ 24 AWG
- ✓ Solid Bare Copper
- ✓ Tested up to 600 MHz
- ✓ Outdoor Jacket, UV Resistant
- ✓ Exceeds EIA/TIA 568-C.2

Item Number

C5CMXR-1063BK



CAT5E Unshielded Aerial Outdoor Cable w/ Messenger Wire

Unshielded, 1000 ft. Spool

FEATURES

- ✓ 24 AWG
- ✓ Solid Bare Copper
- ✓ Tested up to 350 MHz
- ✓ Outdoor Jacket, UV Resistant
- ✓ Exceeds EIA/TIA 568-C.2

Item Number

C5CMXUM-1920



CAT5E Outdoor Bulk Ethernet Cable, Direct Burial Solid Copper UTP CMX, 24 AWG

Unshielded, 1000 ft. Spool

FEATURES

- ✓ 24 AWG
- ✓ Solid Bare Copper
- ✓ Tested up to 350 MHz
- ✓ Outdoor Jacket, UV Resistant
- ✓ Exceeds EIA/TIA 568-C.2

Item Number

C5CMXU-1514BK



Coiled CAT5E Outdoor Bulk Ethernet Cable, Direct Burial Shielded Solid Copper, Water Blocking PVC Layer, UV Resistant LSZH Outer Jacket, Black, 24 AWG 250Feet

250ft coil

FEATURES

- ✓ 24 AWG
- ✓ Solid Bare Copper
- ✓ Tested up to 350 MHz
- ✓ Outdoor Jacket, UV Resistant
- ✓ Exceeds EIA/TIA 568-C.2

Item Number

C5CMXU-1514BK

OUTDOOR/DIRECT BURIAL CABLE

SIZE | TYPES



CAT6 Unshielded CMX Outdoor Bulk Cable

FEATURES

- ✓ 24 AWG
- ✓ Solid Bare Copper
- ✓ Tested up to 350 MHz
- ✓ Outdoor Jacket, UV Resistant
- ✓ Exceeds EIA/TIA 568-C.2

| Item Number | Description |
|--------------|--------------------------|
| C6CMX-1126BK | Shielded, 500 ft. Spool |
| C6CMX-2043BK | Shielded, 1000 ft. Spool |



Item Number

C6CMXR-1069BK



CAT6 Bulk Ethernet Cable, Outdoor Shielded CMX/CMR

Shielded, 1000 ft. Spool

FEATURES

- ✓ 23 AWG
- ✓ Solid Bare Copper
- ✓ UV Outdoor Jacket
- ✓ Exceeds EIA/TIA 568-C.2
- ✓ Suitable For 350MHz High-Speed Data Applications
- ✓ RoHS Compliant
- ✓ UL (CUL) Listed ETL Verified



CAT6 Shielded Outdoor/Direct Burial Cable

FEATURES

- ✓ 23 AWG
- ✓ Solid Bare Copper
- ✓ Tested up to 550 MHz
- ✓ PE Outdoor Jacket, UV Resistant
- ✓ Exceeds TIA 568-C.2, ISO/IEC 11801, and YD/T1019 specifications

| Item Number | Description |
|---------------|--------------------------|
| C6CMXE-1196BK | Shielded, 500 ft. Spool |
| C6CMXE-5365BK | Shielded, 1000 ft. Spool |

OUTDOOR/DIRECT BURIAL CABLE

SIZE | TYPES



CAT6 Gel-Filled Outdoor/Direct Burial Bulk Cable

FEATURES

- ✓ 23 AWG
- ✓ Solid Bare Copper
- ✓ Tested up to 550 MHz
- ✓ PE Outdoor Jacket, UV Resistant
- ✓ Exceeds EIA/TIA 568-C.2

| Item Number | Description |
|---------------|----------------------------|
| C6CMXF-1323BK | Unshielded, 500 ft. Spool |
| C6CMXF-2044BK | Unshielded, 1000 ft. Spool |



CAT6 Shielded Outdoor/Direct Burial Cable w/Dry Gel Tape

FEATURES

- ✓ 23 AWG
- ✓ Solid Bare Copper
- ✓ Dry Gel Tape
- ✓ Tested up to 600 MHz
- ✓ PE Outdoor Jacket, UV Resistant
- Exceeds EIA/TIA 568-C.2

| Item Number | Description |
|---------------|--------------------------|
| C6CMXT-3852BK | Shielded, 500 ft. Spool |
| C6CMXT-2045BK | Shielded, 1000 ft. Spool |



CAT6 Shielded Gel-Filled Outdoor/Direct Burial Cable

Shielded, 1000 ft. Spool

FEATURES

- ✓ 23 AWG
- ✓ Solid Bare Copper
- ✓ Tested up to 600 MHz
- ✓ AL Foil Shielding over Twisted Pairs
- ✓ High-Performance Data Communications Cable
- ✓ Exceeds EIA/TIA 568-C.2

| Item Number |
|----------------|
| C6CMXFS-1864BK |

OUTDOOR/DIRECT BURIAL CABLE

SIZE | TYPES



CAT6 Unshielded Aerial Outdoor Cable w/ Messenger Wire

Unshielded, 1000 ft. Spool

FEATURES

- ✓ 23 AWG
- ✓ Solid Bare Copper
- ✓ Tested up to 600 MHz
- ✓ CMX UV Outdoor Jacket
- ✓ Exceeds EIA/TIA 568-C.2 Standards

Item Number

C6CMXUM-1918



CAT6 Shielded Aerial Outdoor Cable w/ Messenger Wire

Shielded, 1000 ft. Spool

FEATURES

- ✓ 23 AWG
- ✓ Solid Bare Copper
- ✓ Tested up to 600 MHz
- ✓ PE Outdoor Jacket, UV Resistant
- ✓ Exceeds EIA/TIA 568-C.2

Item Number

C6CMXSM-1919



CAT6 Shielded Aerial Outdoor Cable

Shielded, 1000 ft. Spool

FEATURES

- ✓ 23 AWG
- ✓ Solid Bare Copper
- ✓ Tested up to 600 MHz
- ✓ PE Outdoor Jacket, UV Resistant
- ✓ Dual Shielded
- ✓ Exceeds EIA/TIA 568-C.2

Item Number

C6CMXD-6258BK



OUTDOOR/DIRECT BURIAL CABLE

SIZE | TYPES



CAT6A Outdoor Bulk Ethernet Cable, 750MHz, Solid Copper, UTP CMX

Unshielded, 1000 ft. Spool

FEATURES

- ✓ 23 AWG
- ✓ Solid Bare Copper
- ✓ Tested up to 750 MHz
- ✓ UV Rated Jacket
- ✓ Exceeds EIA/TIA 568-C.2
- ✓ UL (CUL) Listed ETL Verified

Item Number

C6AX-1503



CAT6A Outdoor Bulk Ethernet Cable, Direct Burial, Shielded Solid Copper

Shielded, 1000 ft. Spool

FEATURES

- ✓ 23 AWG
- ✓ Solid Bare Copper
- ✓ Tested up to 750 MHz
- ✓ Aluminum Foil Shielded (F/UTP)
- ✓ Exceeds CAT6A TIA 568 C.2 standards
- ✓ ETL Verified

Item Number

C6AXE-1507



CAT6A Outdoor Bulk Ethernet Cable, Waterblock, Shielded Solid Copper

Shielded, 1000 ft. Spool

FEATURES

- ✓ 23 AWG
 - ✓ Solid Bare Copper
 - ✓ Tested up to 750 MHz
 - ✓ Water-block Layer
 - ✓ Aluminum Foil Shielded
 - ✓ ETL Verified
- UV Rated Jacket

Item Number

C6AXT-1505



OUTDOOR/DIRECT BURIAL CABLE

SIZE | TYPES



CAT6A Outdoor Bulk Ethernet Cable, Gel filled, Solid Copper

Unshielded, 1000 ft. Spool

FEATURES

- ✓ 23 AWG
- ✓ Solid Bare Copper
- ✓ Tested up to 750 MHz
- ✓ UV Rated Jacket
- ✓ Gel Filled
- ✓ ETL Verified

Item Number

C6AXF-1504



CAT6A Outdoor Bulk Ethernet Cable, Gel filled, Solid Copper

Shielded, 1000 ft. Spool

FEATURES

- ✓ 23 AWG
- ✓ Solid Bare Copper
- ✓ Tested up to 750 MHz
- ✓ UV Rated Jacket
- ✓ Exceeds EIA/TIA 568 C.2-10
- ✓ ETL Verified

Item Number

C6AXR-1167BK



BULK ETHERNET CABLE

SIZE | TYPES

CAT5E Ethernet Cable

For reliable performance in all of your installations, we offer 4 main varieties of Ethernet cables: choose from our CAT5E Ethernet Cable, CAT6 Ethernet Cable, CAT6A Ethernet Cable and CAT7 Ethernet Cable. To ensure our category cable is the highest quality, we carry both UL Listed & ETL Verified category cables. Our category cables are either UL Listed, ETL Verified or both. We also use third party testing to EIA/TIA standards. Ethernet cables are used to connect different network components within a network. These devices can include printers, modems, monitors, adapters and routers. They're an integral part of both residential and commercial networks.



CAT5E UTP Solid CM Bulk Cable

FEATURES


- ✓ 24 AWG
- ✓ Solid Bare Copper
- ✓ Tested up to 350 MHz
- ✓ Meets or exceeds CAT5E T568-C.2 standards
- ✓ ETL Verified



| Item Number | Description |
|---------------|--|
| C5U-2432BL-5 | Unshielded, 500 ft. Pull Box, Blue |
| C5U-2433WH-5 | Unshielded, 500 ft. Pull Box, White |
| C5U-368GY-50C | Unshielded, 1000 ft. Spool 25 Pair, Grey |
| C5U-373BK | Unshielded, 1000 ft. Pull Box, Black |
| C5U-374BL | Unshielded, 1000 ft. Pull Box, Blue |
| C5U-375GR | Unshielded, 1000 ft. Pull Box, Green |
| C5U-376GY | Unshielded, 1000 ft. Pull Box, Grey |
| C5U-377PR | Unshielded, 1000 ft. Pull Box, Purple |
| C5U-378RD | Unshielded, 1000 ft. Pull Box, Red |
| C5U-379WH | Unshielded, 1000 ft. Pull Box, White |
| C5U-380YL | Unshielded, 1000 ft. Pull Box, Yellow |
| C5U-2447OR | Unshielded, 1000 ft. Pull Box, Orange |

BULK ETHERNET CABLE

SIZE | TYPES



CAT5E UTP Solid CMR Bulk Cable

FEATURES

- ✓ 24 AWG
- ✓ Solid Bare Copper
- ✓ Tested up to 350 MHz
- ✓ Riser Rated (CMR)
- ✓ Meets or exceeds CAT5E T568-C.2 standards
- ✓ UL Listed & ETL Verified



| Item Number | Description |
|-------------|--------------------------------------|
| C5U-4742RK | Unshielded,1000 ft. Pull Box, Black |
| C5U-4743RB | Unshielded,1000 ft. Pull Box, Blue |
| C5U-4744RN | Unshielded,1000 ft. Pull Box, Green |
| C5U-4745RG | Unshielded,1000 ft. Pull Box, Grey |
| C5U-4747RP | Unshielded,1000 ft. Pull Box, Purple |
| C5U-4748RD | Unshielded,1000 ft. Pull Box, Red |
| C5U-4749RW | Unshielded,1000 ft. Pull Box, White |
| C5U-4750RY | Unshielded,1000 ft. Pull Box, Yellow |
| C5U-4746RO | Unshielded,1000 ft. Pull Box, Orange |



CAT5E Shielded Indoor/Outdoor CMX Riser Cable, 24 AWG

Shielded,1000 ft. Pull Box

FEATURES

- ✓ ETL Listed
- ✓ 24 AWG, Shielded
- ✓ Solid Bare Copper
- ✓ 4-Pair Easily Identified Color Striped Pairs
- ✓ Meets or Exceeds EIA/TIA 568-C.2

| Item Number |
|---------------|
| C5CMXR-1081BK |



BULK ETHERNET CABLE

SIZE | TYPES



CAT5E Unshielded Solid CMP Bulk Cable

Unshielded, 1000 ft. Spool

FEATURES

- ✓ 24 AWG
- ✓ Solid Bare Copper
- ✓ Tested up to 350 MHz
- ✓ Meets or Exceeds EIA/TIA 568-C.2
- ✓ UL Listed

Item Number

C5UP-3242BL-50C



CAT5E Unshielded Solid CMP Bulk Cable

FEATURES

- ✓ 24 AWG
- ✓ Solid Bare Copper
- ✓ Tested up to 350 MHz
- ✓ Plenum Rated (CMP)
- ✓ Meets or exceeds CAT5E T568-C.2 standards
- ✓ UL Listed & ETL Verified



| Item Number | Description |
|-------------|---------------------------------------|
| C5UP-5040BK | Unshielded, 1000 ft. Pull Box, Black |
| C5UP-5041BL | Unshielded, 1000 ft. Pull Box, Blue |
| C5UP-5043GY | Unshielded, 1000 ft. Pull Box, Grey |
| C5UP-5045RD | Unshielded, 1000 ft. Pull Box, Red |
| C5UP-5046WH | Unshielded, 1000 ft. Pull Box, White |
| C5UP-5047YL | Unshielded, 1000 ft. Pull Box, Yellow |
| C5UP-5042GR | Unshielded, 1000 ft. Pull Box, Green |
| C5UP-5044PR | Unshielded, 1000 ft. Pull Box, Purple |

BULK ETHERNET CABLE

SIZE | TYPES



CAT5E Shielded Solid CMR Bulk Cable

FEATURES

- ✓ 24 AWG
- ✓ Solid Bare Copper
- ✓ Tested up to 350 MHz
- ✓ Meets or exceeds CAT5E T568-C.2 standards
- ✓ UL Listed & ETL Verified



| Item Number | Description |
|-------------|------------------------------------|
| C5SH-397BK | Shielded,1000 ft. Pull Box, Black |
| C5SH-398BL | Shielded,1000 ft. Pull Box, Blue |
| C5SH-399GR | Shielded,1000 ft. Pull Box, Green |
| C5SH-400GY | Shielded,1000 ft. Pull Box, Grey |
| C5SH-402RD | Shielded,1000 ft. Pull Box, Red |
| C5SH-403WH | Shielded,1000 ft. Pull Box, White |
| C5SH-404YL | Shielded,1000 ft. Pull Box, Yellow |



CAT5E Shielded Solid CMP Bulk Cable

FEATURES

- ✓ 24 AWG
- ✓ Solid Bare Copper
- ✓ Tested up to 350 MHz
- ✓ Plenum Rated (CMP)
- ✓ Meets or Exceeds EIA/TIA 568-C.2
- ✓ ETL Verified



| Item Number | Description |
|--------------|------------------------------------|
| C5PSH-2051BK | Shielded,1000 ft. Pull Box, Black |
| C5PSH-2052BL | Shielded,1000 ft. Pull Box, Blue |
| C5PSH-2053GR | Shielded,1000 ft. Pull Box, Green |
| C5PSH-2054GY | Shielded,1000 ft. Pull Box, Grey |
| C5PSH-2056RD | Shielded,1000 ft. Pull Box, Red |
| C5PSH-2057WH | Shielded,1000 ft. Pull Box, White |
| C5PSH-2058YL | Shielded,1000 ft. Pull Box, Yellow |

BULK ETHERNET CABLE

SIZE | TYPES



CAT5E UTP Stranded cm Bulk Cable

FEATURES

- ✓ 24 AWG
- ✓ Stranded Bare Copper
- ✓ Tested up to 350 MHz
- ✓ Meets or Exceeds EIA/TIA 568-C.2
- ✓ ETL Verified



| Item Number | Description |
|-------------|--------------------------------------|
| C5UST-405BK | Unshielded,1000 ft. Pull Box, Black |
| C5UST-406BL | Unshielded,1000 ft. Pull Box, Blue |
| C5UST-407GR | Unshielded,1000 ft. Pull Box, Green |
| C5UST-408GY | Unshielded,1000 ft. Pull Box, Grey |
| C5UST-409PR | Unshielded,1000 ft. Pull Box, Purple |
| C5UST-410RD | Unshielded,1000 ft. Pull Box, Red |
| C5UST-411WH | Unshielded,1000 ft. Pull Box, White |
| C5UST-412YL | Unshielded,1000 ft. Pull Box, Yellow |
| C5UST-413OR | Unshielded,1000 ft. Pull Box, Orange |



CAT5E UTP Stranded cm Bulk Cable

FEATURES

- ✓ 24 AWG
- ✓ Stranded Bare Copper
- ✓ Tested up to 350 MHz
- ✓ Meets or Exceeds EIA/TIA 568-C.2
- ✓ ETL Verified



| Item Number | Description |
|---------------|------------------------------------|
| C5SHST-2449BK | Shielded,1000 ft. Pull Box, Black |
| C5SHST-3639BL | Shielded,1000 ft. Pull Box, Blue |
| C5SHST-2166GY | Shielded,1000 ft. Pull Box, Grey |
| C5SHST-3641RD | Shielded,1000 ft. Pull Box, Red |
| C5SHST-3642WH | Shielded,1000 ft. Pull Box, White |
| C5SHST-4526GR | Shielded,1000 ft. Pull Box, Green |
| C5SHST-6298YL | Shielded,1000 ft. Pull Box, Yellow |

BULK ETHERNET CABLE

SIZE | TYPES



CAT5E Unshielded Solid CMP Bulk Cable

FEATURES

- ✓ 24 AWG
- ✓ Solid Bare Copper
- ✓ Tested up to 350 MHz
- ✓ Meets or exceeds CAT5E T568-C.2 standards
- ✓ Plenum Rated (CMP)
- ✓ UL Listed & ETL Verified



| Item Number | Description |
|-------------|--------------------------------------|
| C5UP-6295BK | Unshielded,1000 ft. Pull Box, Black |
| C5UP-6291BL | Unshielded,1000 ft. Pull Box, Blue |
| C5UP-6293GY | Unshielded,1000 ft. Pull Box, Grey |
| C5UP-6292OR | Unshielded,1000 ft. Pull Box, Orange |
| C5UP-6296WH | Unshielded,1000 ft. Pull Box, White |
| C5UP-6290GR | Unshielded,1000 ft. Pull Box, Green |
| C5UP-6294YL | Unshielded,1000 ft. Pull Box, Yellow |



CAT5E Unshielded Indoor/Outdoor CMX Riser Cable, 24 AWG

Unshielded,1000 ft. Pull Box

FEATURES

- ✓ ETL Listed
- ✓ 24 AWG, Unshielded
- ✓ Solid Bare Copper
- ✓ 4-Pair Easily Identified Color Striped Pairs
- ✓ Meets or Exceeds EIA/TIA 568-C.2

| Item Number |
|---------------|
| C5CMXR-1063BK |



CAT6 Bulk Stranded Shielded Bare Copper CM Cable, 26 AWG

FEATURES

- ✓ 26 AWG Solid Bare Conductors
- ✓ Stranded Bare Copper
- ✓ Tested up to 600 MHz
- ✓ Foil Shielded Twisted Pair (F/UTP)
- ✓ ETL Verified
- ✓ Exceeds EIA/TIA 568 C.2-1



| Item Number | Description |
|---------------|----------------------------|
| C6SHST-7167BL | Shielded,1000 ft. Pull Box |
| C6SHST-7168GR | Shielded,1000 ft. Pull Box |

BULK ETHERNET CABLE

SIZE | TYPES



MIG+ CAT6 UTP Solid CMR Bulk Cable

FEATURES

- ✓ 23 AWG
- ✓ Solid Bare Copper
- ✓ Tested up to 600 MHz
- ✓ Meets or Exceeds EIA/TIA 568-C.2
- ✓ Riser Rated (CMR)
- ✓ UL Listed
- ✓ ETL Verified

| Item Number | Description |
|-------------|--------------------------------------|
| C6U-5383RK | Unshielded,1000 ft. Pull Box, Black |
| C6U-5015RB | Unshielded,1000 ft. Pull Box, Blue |
| C6U-5384RN | Unshielded,1000 ft. Pull Box, Green |
| C6U-5017RG | Unshielded,1000 ft. Pull Box, Grey |
| C6U-5389RP | Unshielded,1000 ft. Pull Box, Purple |
| C6U-5386RD | Unshielded,1000 ft. Pull Box, Red |
| C6U-5021RW | Unshielded,1000 ft. Pull Box, White |
| C6U-5387RY | Unshielded,1000 ft. Pull Box, Yellow |
| C6U-5385RO | Unshielded,1000 ft. Pull Box, Orange |



CAT6 UTP Solid CMR Bulk Cable

FEATURES

- ✓ 24 AWG
- ✓ Solid Bare Copper
- ✓ Tested up to 600 MHz
- ✓ Riser Rated (CMR)
- ✓ Meets or Exceeds EIA/TIA 568-C.2
- ✓ UL Listed
- ✓ ETL Verified

| Item Number | Description |
|-------------|--------------------------------------|
| C6U-5014RK | Unshielded,1000 ft. Pull Box, Black |
| C6U-5374RB | Unshielded,1000 ft. Pull Box, Blue |
| C6U-5016RN | Unshielded,1000 ft. Pull Box, Green |
| C6U-5375RG | Unshielded,1000 ft. Pull Box, Grey |
| C6U-5019RP | Unshielded,1000 ft. Pull Box, Purple |
| C6U-5020RD | Unshielded,1000 ft. Pull Box, Red |
| C6U-5376RW | Unshielded,1000 ft. Pull Box, White |
| C6U-5022RY | Unshielded,1000 ft. Pull Box, Yellow |
| C6U-5018RO | Unshielded,1000 ft. Pull Box, Orange |

BULK ETHERNET CABLE

SIZE | TYPES



CAT6 Dual Shielded Indoor Riser, CMR

Dual Shielded, 1000 ft. Spool

FEATURES

- ✓ 23 AWG Solid Bare Conductors
- ✓ Stranded Bare Copper
- ✓ Tested up to 600 MHz
- ✓ Overall Tin-Copper Braid Shielded with Individually
- ✓ Foil Shielded Twisted Pairs
- ✓ ETL Verified

Item Number

C6SH-3246WH



CAT6 Shielded Indoor/Outdoor CMP, Plenum Rated Cable, 23 AWG

Shielded, 1000 ft. Pull Box

FEATURES

- ✓ 23 AWG Solid Bare Conductors
- ✓ CAT-6 Foil Shielded Twisted Pair
- ✓ Stranded Bare Copper
- ✓ Tested up to 350 MHz
- ✓ Flame Retardant Jacket
- ✓ ETL Verified

Item Number

C6CMXR-1069BK



CAT6 Unshielded Stranded Indoor CM

Unshielded, 1000 ft. Spool

FEATURES

- ✓ 24 AWG Solid Bare Conductors
- ✓ Stranded Bare Copper
- ✓ Tested up to 600 MHz
- ✓ CM Rated for Indoor
- ✓ ETL Verified

Item Number

C6UST-6641BL



CAT6 Slim 28 AWG Stranded Unshielded Bulk Cable

Unshielded, 1000 ft. Pull Box

FEATURES

- ✓ 28 AWG Solid Bare Conductors
- ✓ Stranded Bare Copper
- ✓ Slim Cable
- ✓ CM Rated for Indoor

Item Number

C6UST-8357BL

BULK ETHERNET CABLE

SIZE | TYPES



Item Number
C6UP-3223BK

CAT6 Plenum Bulk Ethernet Cable, CMP UL Listed, Solid Copper UTP, 23 AWG 1000FT

1000 ft. Pull Box

FEATURES

- ✓ 23 AWG Solid Bare Conductors
- ✓ Solid Bare Copper
- ✓ Tested up to 550 MHz
- ✓ PoE++
- ✓ Plenum Jacket
- ✓ UL Listed CMP-LP (0.5A)



CAT6 Bulk Ethernet Cable, Riser Rated CMR

FEATURES

- ✓ 23 AWG
- ✓ Solid Bare Copper
- ✓ Riser Rated (CMR)
- ✓ Meets or Exceeds EIA/TIA 568-C.2
- ✓ UL Listed
- ✓ ETL Verified

| Item Number | Description |
|-------------|-------------------------------------|
| C6U-2078RB | Unshielded,1000 ft. Pull Box, Blue |
| C6U-1926RN | Unshielded,1000 ft. Pull Box, Green |
| C6U-1553GY | Unshielded,1000 ft. Pull Box, Grey |
| C6U-254RW | Unshielded,1000 ft. Pull Box, White |



CAT6 Bulk Ethernet Cable, CM Rated

FEATURES

- ✓ 23 AWG
- ✓ Solid Bare Copper
- ✓ Tested up to 600 MHz
- ✓ CM Rated
- ✓ ETL Verified

| Item Number | Description |
|-------------|--------------------------------------|
| C6U-417BK | Unshielded,1000 ft. Pull Box, Black |
| C6U-418BL | Unshielded,1000 ft. Pull Box, Blue |
| C6U-420GY | Unshielded,1000 ft. Pull Box, Grey |
| C6U-419GR | Unshielded,1000 ft. Pull Box, Green |
| C6U-423WH | Unshielded,1000 ft. Pull Box, White |
| C6U-424YL | Unshielded,1000 ft. Pull Box, Yellow |

BULK ETHERNET CABLE

SIZE | TYPES



CAT6 Unshielded Indoor Plenum, CMP, ETL LISTED

FEATURES

- ✓ ETL Listed
- ✓ Flame Retardant Jacket
- ✓ 23 AWG Solid Bare Conductors
- ✓ Tested up to 600 MHz
- ✓ Category 6 CMP Rated Cable
- ✓ Exceeds EIA/TIA 568 B.2-1
- ✓ Cat6 Unshielded Twisted Pair

| Item Number | Description |
|-------------|--------------------------------------|
| C6UP-433BK | Unshielded,1000 ft. Pull Box, Black |
| C6UP-434BL | Unshielded,1000 ft. Pull Box, Blue |
| C6UP-435-GR | Unshielded,1000 ft. Pull Box, Green |
| C6UP-436-GY | Unshielded,1000 ft. Pull Box, Grey |
| C6UP-432OR | Unshielded,1000 ft. Pull Box, Orange |
| C6UP-437PR | Unshielded,1000 ft. Pull Box, Purple |
| C6UP-439WH | Unshielded,1000 ft. Pull Box, White |
| C6UP-440YL | Unshielded,1000 ft. Pull Box, Yellow |



CAT6 Shielded Solid CMR Bulk Cable

FEATURES

- ✓ 24 AWG
- ✓ Solid Bare Copper
- ✓ Tested up to 600 MHz
- ✓ Riser Rated (CMR)
- ✓ Meets or Exceeds EIA/TIA 568-C.2
- ✓ UL Listed & ETL Verified

| Item Number | Description |
|-------------|---------------------------------|
| C6SH-4145RK | Shielded,1000 ft. Spool, Black |
| C6SH-4146RB | Shielded,1000 ft. Spool, Blue |
| C6SH-4147RN | Shielded,1000 ft. Spool, Green |
| C6SH-4148RG | Shielded,1000 ft. Spool, Grey |
| C6SH-4149RD | Shielded,1000 ft. Spool, Red |
| C6SH-4150RW | Shielded,1000 ft. Spool, White |
| C6SH-4151RY | Shielded,1000 ft. Spool, Yellow |

BULK ETHERNET CABLE

SIZE | TYPES



CAT6 Shielded Indoor CMP, Plenum Rated Cable, 23 AWG

FEATURES

- ✓ 23 AWG Solid Bare Conductors
- ✓ CAT-6 Foil Shielded Twisted Pair
- ✓ Solid Bare Copper
- ✓ Tested up to 550 MHz
- ✓ Flame Retardant Jacket
- ✓ ETL Verified
- ✓ 4-pair, Identifiable Color-Striped Pairs
- ✓ Exceeds EIA/TIA 568 B.2-1, CSA And ISO/IEC 11801 Specifications

| Item Number | Description |
|--------------|------------------------------------|
| C6PSH-2059BK | Shielded,1000 ft. Pull Box, Black |
| C6PSH-2060BL | Shielded,1000 ft. Pull Box, Blue |
| C6PSH-2061GR | Shielded,1000 ft. Pull Box, Green |
| C6PSH-2062GY | Shielded,1000 ft. Pull Box, Grey |
| C6PSH-2064RD | Shielded,1000 ft. Pull Box, Red |
| C6PSH-2065WH | Shielded,1000 ft. Pull Box, White |
| C6PSH-2066YL | Shielded,1000 ft. Pull Box, Yellow |



CAT6 Unshielded Stranded cm Bulk Cable

FEATURES

- ✓ 24 AWG
- ✓ Stranded Bare Copper
- ✓ Tested up to 600 MHz
- ✓ Exceeds EIA/TIA 568 B.2-1, CSA and ISO/IEC 11801 specifications
- ✓ UL Listed or ETL Verified

| Item Number | Description |
|-------------|--------------------------------------|
| C6UST-449BK | Unshielded,1000 ft. Pull Box, Black |
| C6UST-450BL | Unshielded,1000 ft. Pull Box, Blue |
| C6UST-451GR | Unshielded,1000 ft. Pull Box, Green |
| C6UST-452GY | Unshielded,1000 ft. Pull Box, Grey |
| C6UST-454RD | Unshielded,1000 ft. Pull Box, Red |
| C6UST-455WH | Unshielded,1000 ft. Pull Box, White |
| C6UST-456YL | Unshielded,1000 ft. Pull Box, Yellow |
| C6UST-453PR | Unshielded,1000 ft. Pull Box, Purple |
| C6UST-457OR | Unshielded,1000 ft. Pull Box, Orange |

BULK ETHERNET CABLE

SIZE | TYPES



CAT6 Shielded Stranded cm Bulk Cable

FEATURES

- ✓ 24 AWG Solid Bare Conductors
- ✓ CAT6 Foil Shielded Twisted Pair
- ✓ Stranded Bare Copper
- ✓ Tested up to 600 MHz
- ✓ Flame Retardant Jacket
- ✓ Exceeds EIA/TIA 568 C.2-1, CSA And ISO/IEC 11801 Specifications
- ✓ 4-pair, Identifiable Color-Striped Pairs

| Item Number | Description |
|---------------|--------------------------------|
| C6SHST-3645BL | Shielded,1000 ft. Spool, Blue |
| C6SHST-2390GY | Shielded,1000 ft. Spool, Grey |
| C6SHST-3647RD | Shielded,1000 ft. Spool, Red |
| C6SHST-3853WH | Shielded,1000 ft. Spool, White |
| C6SHST-3304BK | Shielded,1000 ft. Spool, Black |



CAT6A Unshielded Solid CMR Bulk Cable

FEATURES

- ✓ 23 AWG
- ✓ Solid Bare Copper
- ✓ Tested up to 750 MHz
- ✓ 10 Gigabit Ethernet
- ✓ Meets or Exceeds EIA/TIA 568-C.2
- ✓ UL Listed

| Item Number | Description |
|-------------|-----------------------------------|
| C6A-4159RB | Unshielded,1000 ft. Spool, Blue |
| C6A-3156RW | Unshielded,1000 ft. Spool, White |
| C6A-4086RG | Unshielded,1000 ft. Spool, Grey |
| C6A-6070RK | Unshielded,1000 ft. Spool, Black |
| C6A-6071RN | Unshielded,1000 ft. Spool, Green |
| C6A-6073RD | Unshielded,1000 ft. Spool, Red |
| C6A-6074RY | Unshielded,1000 ft. Spool, Yellow |
| C6A-6072RO | Unshielded,1000 ft. Spool, Orange |

BULK ETHERNET CABLE

SIZE | TYPES



CAT6A Shielded Solid Bulk Cable


Shielded, 1000 ft. Spool

FEATURES

- ✓ 23 AWG
- ✓ Solid Bare Copper
- ✓ Tested up to 750 MHz
- ✓ 10 Gigabit Ethernet
- ✓ LSZH Jacket, Indoor/Outdoor
- ✓ Meets or Exceeds EIA/TIA 568-C.2
- ✓ ETL Verified

Item Number

C6AS-3085BL



CAT6A Slim 28 AWG Stranded Unshielded Bulk Cable, 1,000FT

1000 ft. Pull Box

FEATURES

- ✓ 28 AWG
- ✓ Stranded Bare Copper
- ✓ Tested up to 750 MHz
- ✓ 10 Gigabit Ethernet
- ✓ RoHS Compliant
- ✓ Meets or Exceeds EIA/TIA 568-C.2
- ✓ UL Listed

Item Number

C6AU-8293BL



CAT6A Unshielded Solid CMP Bulk Cable

FEATURES

- ✓ 23 AWG
- ✓ Solid Bare Copper
- ✓ 10 Gigabit Ethernet
- ✓ Plenum Rated (CMP)
- ✓ Meets or Exceeds EIA/TIA 568-C.2
- ✓ ETL Listed



| Item Number | Description |
|-------------|-----------------------------------|
| C6AP-4063BL | Unshielded, 1000 ft. Spool, Blue |
| C6AP-4064WH | Unshielded, 1000 ft. Spool, White |



CAT6A Slim 28 AWG Stranded Shielded Bulk Ethernet Cable, Indoor, 1,000FT

1000 ft. Spool

FEATURES

- ✓ 28 AWG
- ✓ Stranded Bare Copper
- ✓ Tested up to 750 MHz
- ✓ 10 Gigabit Ethernet
- ✓ RoHS Compliant
- ✓ Meets or Exceeds EIA/TIA 568-C.2
- ✓ UL Listed

Item Number

C6AST-8163BL

BULK ETHERNET CABLE

SIZE | TYPES



CAT6A Shielded Indoor Plenum Rated Cable, CMP

FEATURES

- ✓ 23 AWG Solid Bare Conductors
- ✓ Tested up to 600 MHz
- ✓ For Indoor/Outdoor Installations
- ✓ Category-6 A Shielded Twisted Pair
- ✓ ETL Verified
- ✓ Excellent Attenuation And Crosstalk Characteristics

| Item Number | Description |
|--------------|---------------------------------|
| C6APS-1090BL | Shielded,1000 ft. Spool, Blue |
| C6APS-1094WH | Shielded,1000 ft. Spool, White |
| C6APS-1092GY | Shielded,1000 ft. Spool, Grey |
| C6APS-1089BK | Shielded,1000 ft. Spool, Black |
| C6APS-1091GR | Shielded,1000 ft. Spool, Green |
| C6APS-1093RD | Shielded,1000 ft. Spool, Red |
| C6APS-1763OR | Shielded,1000 ft. Spool, Orange |



CAT6A Shielded Indoor Plenum Rated Cable, CMP

FEATURES

- ✓ 23 AWG Solid Bare Conductors
- ✓ Tested up to 600 MHz
- ✓ For Indoor Installations
- ✓ Category-6 A Shielded Twisted Pair
- ✓ ETL Verified
- ✓ Excellent Attenuation And Crosstalk Characteristics

| Item Number | Description |
|-------------|---------------------------------|
| C6AS-2237RB | Shielded,1000 ft. Spool, Blue |
| C6AS-2242RW | Shielded,1000 ft. Spool, White |
| C6AS-2239RG | Shielded,1000 ft. Spool, Grey |
| C6AS-2238RK | Shielded,1000 ft. Spool, Black |
| C6AS-2240RN | Shielded,1000 ft. Spool, Green |
| C6AS-2241RD | Shielded,1000 ft. Spool, Red |
| C6AS-2243YL | Shielded,1000 ft. Spool, Yellow |

BULK ETHERNET CABLE

SIZE | TYPES



CAT6A Shielded Indoor Plenum Rated Cable, CMP

Shielded, 1000 ft. Spool

FEATURES

- ✓ 26 AWG Solid Bare Conductors
- ✓ Tested up to 750 MHz
- ✓ For Indoor Cable
- ✓ ETL Verified
- ✓ Excellent Attenuation And Crosstalk Characteristics

Item Number

C6AST-6267BL



CAT6A Shielded Indoor Solid Cable, CMR

Shielded, 1000 ft. Spool

FEATURES

- ✓ 26 AWG Solid Bare Conductors
- ✓ Tested up to 750 MHz
- ✓ For Indoor Cable
- ✓ ETL Verified
- ✓ Excellent Attenuation And Crosstalk Characteristics

Item Number

C6AS-3251RB



CAT7 Shielded solid Bulk Cable

Shielded, 1000 ft. Spool

FEATURES

- ✓ 23 AWG
- ✓ Solid Bare Copper
- ✓ Tested up to 850 MHz
- ✓ LSZH Jacket, Indoor/Outdoor
- ✓ 4 Pair Individually Foil Shielded
- ✓ Overall Tin Copper Braiding
- ✓ Meets or Exceeds EIA/TIA 568-C.2
- ✓ ETL Verified

Item Number

C7OS-114BK

BULK ETHERNET CABLE

SIZE | TYPES



CAT7A Shielded Indoor Plenum Rated Cable, CMP

FEATURES

- ✓ 23 AWG
- ✓ Solid Bare Copper
- ✓ Tested up to 850 MHz
- ✓ CMR Riser Rated for Indoors
- ✓ 4 Pair Individually Foil Shielded
- ✓ Overall Tin Copper Braiding
- ✓ Meets or Exceeds EIA/TIA 568-C.2
- ✓ ETL Verified

| Item Number | Description |
|-------------|--------------------------------|
| C7SS-223RG | Shielded,1000 ft. Spool, Grey |
| C7SS-1659RB | Shielded,1000 ft. Spool, Blue |
| C7SS-1660RW | Shielded,1000 ft. Spool, Black |



CAT7A Shielded solid cm Bulk Cable

Shielded,1000 ft. Spool

FEATURES

- ✓ 23 AWG
- ✓ Solid Bare Copper
- ✓ Tested up to 1200 MHz
- ✓ LSZH Jacket, Indoor/Outdoor
- ✓ 4 Pair Individually Foil Shielded
- ✓ Overall Tin Copper Braiding
- ✓ Meets or Exceeds EIA/TIA 568-C.2
- ✓ ETL Verified

| Item Number |
|-------------|
| C7AOS-125BK |



CAT8.2 Shielded solid 40g cmr Bulk Cable

Shielded, 500 ft. Spool

FEATURES

- ✓ 23 AWG
- ✓ Solid Bare Copper
- ✓ CMR Riser Rated
- ✓ Suitable For 40G High Speed Data Center Applications
- ✓ 4-Pair – Easily Identified Color-Striped Pairs
- ✓ Overall Tin Copper Braiding
- ✓ Exceeds ANSI/TIA 568 B.2-1, ISO/IEC

| Item Number |
|-------------|
| C8SS-1731BL |

BULK ETHERNET CABLE

SIZE | TYPES



CAT8.1 Dual Shielded S/FTP Solid Copper 40g CMR Bulk Cable

FEATURES

- ✓ 23 AWG
- ✓ Solid Bare Copper
- ✓ CMR Riser Rated
- ✓ Suitable For 40G High Speed Data Center Applications
- ✓ Shielded Twisted Pair (S/FTP) Cable
- ✓ Overall Tin Copper Braiding
- ✓ Exceeds ANSI/TIA 568 B.2-1, ISO/IEC

| Item Number | Description |
|-------------|--------------------------|
| C8SS-7006RB | Shielded, 500 ft. Spool |
| C8SS-7005RB | Shielded, 1000 ft. Spool |



CAT8.1 Bulk Ethernet Cable, 40G LSZH, 23AWG Solid Copper, Dual Shielded S/FTP

500 ft. Spool

FEATURES

- ✓ 23 AWG Solid Bare Copper
- ✓ Up to 30 Meter Distance Runs
- ✓ 25G High Speed Data Center Applications
- ✓ Indoor/Outdoor Jacket
- ✓ Shielded Twisted Pairs

| Item Number |
|-------------|
| C8OS-8331BK |

Composite Cable

Composite cable is intended for high performance multimedia as well as for CCTV and CATV systems. These cables carry audio, video, and data signals, which are essential for any home theater setup. Composite cables are also great for commercial and industrial networks.



2 CAT5E 350mhz UTP Solid + 2 RG6U Quad Shield

500 ft. Spool

FEATURES


- ✓ 24 AWG Solid Bare Copper
- ✓ 2 CAT5E 350MHz 24 AWG UTP
- ✓ 2 RG6U Quad Shield 60% + 40% Aluminum Braid Shielding
- ✓ Designed for Indoor Installs
- ✓ ETL Verified

| Item Number |
|-------------|
| BCC-1945 |



BULK ETHERNET CABLE

SIZE | TYPES



CAT5E 350MHz UTP Solid + RG6U Quad Shield


500 ft. Spool

FEATURES

- ✓ CAT5E 350MHz 24 AWG UTP Solid
- ✓ RG6U Quad Shield 60% + 40% Aluminum Braid
- ✓ Shielding
- ✓ Designed for Indoor Installs
- ✓ ETL Verified

Item Number

BCC-1947



2 CAT6 550MHz UTP Solid + 2 RG6U Quad Shield


500 ft. Spool

FEATURES

- ✓ 2 CAT6 550MHz 23 AWG UTP
- ✓ Solid Bare Copper
- ✓ 2 RG6U Quad Shield 60% + 40% Aluminum Braid
- ✓ Shielding
- ✓ Designed for Indoor Installs
- ✓ ETL Verified

Item Number

BCC-2142



CCTV Over IP Cable, CAT5E 24 AWG UTP Solid + 18 AWG 2/c

500 ft. Spool

FEATURES

- ✓ CAT5E 24 AWG 4 Pair UTP Cable, Solid Copper
- ✓ Conductor
- ✓ 18 AWG 2 Pair Speaker /Power Limited Circuit Cable,
- ✓ Stranded Bare Copper Conductor

Item Number

BCC-3918

KEYSTONE JACKS

SIZE | TYPES

Composite Cable

We are proud to offer a line of premium jacks that are not only easy to use, but are also carefully engineered to be of excellent caliber for all voice and data grade cabling applications.



CAT5E MIG+ HIGH DENSITY Jacks

FEATURES

- ✓ 8 Positions / 8 Conductors
- ✓ Press-Fit PCB Technology
- ✓ Supports Solid 24-26 AWG Wire
- ✓ Gold Plated Prongs, 90 Degrees
- ✓ TIA/EIA 568 A & B
- ✓ Performance Speeds of up to 350 MHz

| Item Number | Description |
|----------------|-------------|
| K52-152/L90/AL | Biege |
| K52-153/L90/BK | Black |
| K52-154/L90/BL | Blue |
| K52-155/L90/GR | Green |
| K52-156/L90/GY | Grey |
| K52-158/L90/OR | Orange |
| K52-159/L90/RD | Red |
| K52-160/L90/WH | White |
| K52-161/L90/YL | Yellow |
| K52-162/L90/PR | Purple |
| K52-157/L90/IV | Ivory |

KEYSTONE JACKS

SIZE | TYPES



CAT5E "U" Style Jacks

FEATURES

- ✓ 8 Positions/8 Conductors
- ✓ U Style, 90 Degree Termination
- ✓ TIA/EIA 568 A & B
- ✓ ETL Verified

| Item Number | Description |
|----------------|-------------|
| K53-143/90/AL | Almond |
| K53-144/90/BK | Black |
| K53-145/90/BL | Blue |
| K53-2041/90/GY | Grey |
| K53-146/90/GR | Green |
| K53-147/90/IV | Ivory |
| K53-148/90/OR | Orange |
| K53-149/90/RD | Red |
| K53-150/90/WH | White |
| K53-151/90/YL | Yellow |



CAT5E Slim Snap-in Coupler Jacks

FEATURES

- ✓ Snap-in In-line Coupler w/Latch
- ✓ Speeds Of Up To 350 MHz
- ✓ TIA/EIA 568 A & B
- ✓ UL Listed & ETL Verified



| Item Number | Description |
|----------------|-------------|
| K55-3601-CJ-BK | Black |
| K55-2124-CJ-GY | Grey |
| K55-2123-CJ-GR | Green |
| K55-2125-CJ-OR | Orange |
| K55-2127-CJ-RD | Red |
| K55-2128-CJ-WH | White |
| K55-2129-CJ-YL | Yellow |
| K55-2038-CJ-BL | Blue |

KEYSTONE JACKS

SIZE | TYPES



CAT5E Shielded "U" Style Jacks

FEATURES

- ✓ 8 Positions/8 Conductors
- ✓ U Style, 90 Degree Termination
- ✓ TIA/EIA 568 A & B
- ✓ UL Listed & ETL Verified

Item Number

K56-2424-90-SH



CAT5E Shielded Inline Coupler

FEATURES

- ✓ 8 Conductor Straight-Thru RJ-45 Cat.5E
- ✓ TIA/EIA 568 A & B
- ✓ UL Listed & ETL Verified

Item Number

IC1-2836S



CAT5E Shielded Snap-in Coupler

FEATURES

- ✓ Snap-in In-line Coupler w/Latch
- ✓ Lead-free
- ✓ Gold plated over nickel contacts
- ✓ TIA/EIA 568 A & B
- ✓ UL Listed

Item Number

K55-3180-CJ-S



KEYSTONE JACKS

SIZE | TYPES



CAT5E EZ Keystone Snapjack

Comes in multiple colors.

FEATURES

- ✓ EZ-Snapjacks are Re-Useable
- ✓ Wire Guide Ensures Pairs Stay In Proper Order For
- ✓ Fast, Easy Termination
- ✓ 50 Micro-inch Selective Gold Plating
- ✓ UL94-VO material

Item Number

K54-4925/EZ/BL-10



CAT5E RJ45 In-line Crossover Coupler

This coupler links networking cables together without the need for a hub or switch, or if you need The coupler provides a female-to-female feed-through connection for easy cable hook-up.

Item Number

IC1-4959X



CAT5E SLIM Snap-in Coupler Jacks

FEATURES

- ✓ In-line Coupler Extension
- ✓ TIA/EIA 568 A & B



| Item Number | Description |
|-------------|-------------|
| IC1-290BK | Black |
| IC1-292WH | White |

KEYSTONE JACKS

SIZE | TYPES



CAT6 MIG+ High Density Jacks

FEATURES

- ✓ 8 Positions/8 Conductors
- ✓ 90 Degrees
- ✓ Fire Retardant Housing
- ✓ TIA/EIA 568 A & B
- ✓ UL 94V-0 Material
- ✓ UL Compliant

| Item Number | Description |
|----------------|-------------|
| K62-190/L90/AL | Almond |
| K62-191/L90/BK | Black |
| K62-192/L90/BL | Blue |
| K62-193/L90/GR | Green |
| K62-194/L90/GY | Grey |
| K62-195/L90/IV | Ivory |
| K62-196/L90/OR | Orange |
| K62-197/L90/RD | Red |
| K62-198/L90/WH | White |
| K62-199/L90/YL | Yellow |
| K62-200/L90/PR | Purple |



CAT6 MIG+ HD Component Rated Jacks

FEATURES

- ✓ 8 Positions/8 Conductors
- ✓ 180 Degrees
- ✓ Supports Solid 22-26 AWG Wire
- ✓ TIA/EIA 568 A & B
- ✓ UL Listed

| Item Number | Description |
|-----------------|-------------|
| K62-4675/180/BK | Black |
| K62-4676/180/BL | Blue |
| K62-4677/180/GR | Green |
| K62-4679/180/IV | Ivory |
| K62-4680/180/OR | Orange |
| K62-4681/180/RD | Red |
| K62-4682/180/WH | White |
| K62-4683/180/YL | Yellow |

KEYSTONE JACKS

SIZE | TYPES



CAT6 "U" Style Jacks

FEATURES

- ✓ 8 Positions/8 Conductors
- ✓ U Style, 90 Degree Termination
- ✓ TIA/EIA 568 A & B

| Item Number | Description |
|----------------|-------------|
| K63-172/90/AL | Almond |
| K63-173/90/BK | Black |
| K63-174/90/BL | Blue |
| K63-175/90/GR | Green |
| K63-2835/90/GY | Grey |
| K63-177/90/OR | Orange |
| K63-178/90/RD | Red |
| K63-179/90/WH | White |
| K63-180/90/YL | Yellow |
| K63-176/90/IV | Ivory |



CAT6 Shielded "U" Style Jacks

FEATURES

- ✓ 8 Positions/8 Conductors
- ✓ U Style, 90 Degrees
- ✓ TIA/EIA 568 A & B
- ✓ UL Listed
- ✓ ETL Verified

Item Number

K66-2150-90-SH



CAT6 Unshielded In-line Coupler

FEATURES

- ✓ Gold plating
- ✓ In-line Coupler Extension
- ✓ TIA/EIA 568 A & B
- ✓ Two RJ45 Modular Jacks

Item Number

IC2-2195WH

KEYSTONE JACKS

SIZE | TYPES



CAT6 Shielded In-line Coupler

FEATURES

- ✓ Fully shielded
- ✓ Lead-free
- ✓ TIA/EIA 568 A & B
- ✓ Type: 8 Conductor Straight-Thru RJ-45 CAT6

Item Number

IC2-4186S



CAT6 Shielded Snap-in Coupler

FEATURES

- ✓ Fully shielded
- ✓ RJ45 to RJ45 Female Slots for dynamic use
- ✓ TIA/EIA 568 A & B
- ✓ Fits HD Blank Patch Panels

Item Number

K65-3181-CJ-S



CAT6 Slim Snap-in Coupler Jacks

FEATURES

- ✓ Snap-in In-line Coupler w/Latch
- ✓ 8 Positions/8 Conductors
- ✓ TIA/EIA 568 A & B
- ✓ ETL Verified

| Item Number | Description |
|----------------|-------------|
| K65-2458-CJ-BK | Black |
| K65-2540-CJ-BL | Blue |
| K65-4181-CJ-GR | Green |
| K65-4182-CJ-GY | Grey |
| K65-4183-CJ-OR | Orange |
| K65-4184-CJ-RD | Red |
| K65-2538-CJ-WH | White |
| K65-4185-CJ-YL | Yellow |

KEYSTONE JACKS

SIZE | TYPES



CAT6 Shielded Water Sealed Keystone Jack

FEATURES

- ✓ Shielded CAT6 Keystone Jack
- ✓ Watertight Seal
- ✓ Industrial Grade - IP67 Rated
- ✓ Flush Mount
- ✓ Easy Installation
- ✓ 50 micron Gold Plated Contact Pin

| Item Number | Description |
|----------------|-----------------------------------|
| K65-1515-IP-SH | Industrial Grade With Dust Cap |
| K65-2934-IP-SH | Industrial Grade Without Dust Cap |



CAT6 Shielded Water Sealed Keystone Jack

Industrial Grade Outdoor Keystone Jacks are the perfect option for your networking applications that require equipment to be in wet or debris-filled environments.

FEATURES

- ✓ Shielded CAT6 Keystone Jack
- ✓ Watertight Seal
- ✓ Industrial Grade - IP67 Rated
- ✓ Flush Mount
- ✓ Punchdown Termination
- ✓ 50 micron Gold Plated Contact Pin

| Item Number |
|----------------|
| K66-1500-IP-SH |



CAT6A MIG+ Component Rated Jacks, 10G Tool-less

FEATURES

- ✓ 8 Positions/8 Conductors
- ✓ Accepts 23-26 AWG Stranded and Solid Wire
- ✓ 10G, 180 Degree
- ✓ TIA/EIA 568 A & B
- ✓ UL Listed

| Item Number | Description |
|------------------|-------------|
| K62A-4372/180/BK | Black |
| K62A-4373/180/BL | Blue |
| K62A-4374/180/WH | White |

KEYSTONE JACKS

SIZE | TYPES



CAT6A MIG+ Component Rated, Shielded, 10G Keystone Jack, Tool-less

FEATURES

- ✓ Universal Wiring
- ✓ Accepts 23-26 AWG Stranded and Solid Wire
- ✓ 10G, 180 Degree
- ✓ TIA/EIA 568 A & B
- ✓ UL Listed

Item Number

K62A-973/180/S



CAT6A MIG+ 10G Snap-in Coupler Jacks

FEATURES

- ✓ 10G Snap-In Coupler
- ✓ TIA/EIA 568 A & B

| Item Number | Description |
|-----------------|-------------|
| K62A-3290-CJ-BK | Black |
| K62A-3291-CJ-S | Silver |



CAT6A MIG+ 10G Shielded Mini In-line Coupler

FEATURES

- ✓ 10G In-line Coupler
- ✓ Straight Connection
- ✓ TIA/EIA 568 A & B
- ✓ Fully Shielded

Item Number

IC2-4398S

KEYSTONE JACKS

SIZE | TYPES



CAT6A MIG+ High Density Keystone Jack, Unshielded 90-degree

FEATURES

- ✓ 8 Pin x 8 Conductor
- ✓ Exceeds EIA/TIA Standards
- ✓ UL Compliant
- ✓ ETL Verified
- ✓ Fire Retardant Housing

| Item Number | Description |
|-----------------|-------------|
| K62A-6062/90/BK | Black |
| K62A-6063/90/BL | Blue |
| K62A-6068/90/WH | White |



CAT8 High Density 40G 180-Degrees Shielded Keystone Jack

FEATURES

- ✓ Performance Speeds of up to 40G
- ✓ 8 Pin x 8 Conductor
- ✓ Meets and Exceeds ANSI/EIA/TIA 568 C.2-1 Standards
- ✓ UL Compliant

| Item Number |
|---------------|
| K8-6577/180/S |

KEYSTONE INSERTS

SIZE | TYPES

Keystone Inserts

Keystone inserts, are used to fill and cover unused ports in a wall plate. Unused open ports expose the network to potential hazards from foreign objects, and appear unprofessional. Keystone inserts are an affordable means to address these concerns while providing peace of mind. Primus Cable carries blank keystone inserts in black, white, ivory, and almond colors to match the wall plates.



Blank Keystone Insert

FEATURES

- ✓ Blank Keystone Module
- ✓ White, Ivory, or Almond Colored Insert
- ✓ Fits our Generic Wall Plates

| Item Number | Description |
|--------------|-------------|
| IN1-222/Z/AL | Almond |
| IN1-224/Z/IV | Ivory |
| IN1-225/Z/WH | White |



HD Blank Keystone Insert

FEATURES

- ✓ Blank Keystone Module
- ✓ High Density
- ✓ Fits WP2 Wall Plates and Standard HD Blank Patch Panels
- ✓ UL94V-0 Material

| Item Number | Description |
|-------------|-------------|
| IN2-6061/IV | Ivory |
| IN2-6060/WH | White |
| IN2-3622/BK | Black |

MODULAR PLUGS

SIZE | TYPES

Modular Plugs

Modular connectors or RJ45 plugs are used to terminate twisted pair network cables. Male modular connectors are called plugs, while female connectors are jacks. Optimize your electrical performance by reducing the distance between wire and contacts with our modular plugs.



CAT5E Easy Feed RJ45 Modular Plug Connector

FEATURES

- ✓ For Round Solid or Stranded Cable
- ✓ 23 AWG ~ 26 AWG Cables
- ✓ 3 Prong Gold Plated Conductors
- ✓ UL rated

Item Number

CN1-7903-Z5



Shielded CAT5E Easy Feed RJ45 Connector

FEATURES

- ✓ For Round Solid or Stranded Cable
- ✓ 23 AWG ~ 26 AWG Cables
- ✓ 3 Prong Gold Plated Conductors
- ✓ UL rated

Item Number

CN1-7906-Z5S



CAT6 Easy Feed RJ45 Modular Plug Connector

FEATURES

- ✓ For Round Solid or Stranded Cable
- ✓ Strain Relief Bar Secures Connector Around Cable
- ✓ Compatible with 23 AWG - 26 AWG Cables
- ✓ 8 Position/8 Conductor
- ✓ 3 Prong Gold Plated Conductors
- ✓ UL rated

Item Number

CN1-7909-Z6

MODULAR PLUGS

SIZE | TYPES



Item Number

CN1-7912-Z6S



Shielded CAT6 Easy Feed RJ45 Connector

FEATURES

- ✓ For Round Solid or Stranded Cable
- ✓ Compatible with 23 AWG - 26 AWG Cables
- ✓ 3 Prong Gold Plated Conductors
- ✓ Strain Relief Bar Secures Connector Around Cable
- ✓ 8 Position/8 Conductor
- ✓ UL rated



Item Number

CN1-5032-Z6K



CAT6+ EZ-Rj45® Combo Pack Modular Plug and Strain Relief Pack

FEATURES

- ✓ Ideal for Solid/Stranded Wire
- ✓ 30 CAT6+ Connectors
- ✓ 10 Red, 10 Gray and 10 Blue Strain Reliefs
- ✓ 50 Micro-Inches Gold Plated
- ✓ FCC Compliant
- ✓ UL Listed



Item Number

CN1-7557-8CUL



CAT5E Rj45 Modular Plug - Connector

FEATURES

- ✓ Ideal for Solid/Stranded Cable
- ✓ 8 Position/8 Conductor
- ✓ 2 Prongs
- ✓ 50 Micro-Inches Gold Plated
- ✓ UL Listed

MODULAR PLUGS

SIZE | TYPES



CAT5E RJ45 Modular Plug - Shielded

FEATURES

- ✓ Ideal for Solid/Stranded Cable
- ✓ 8 Position/8 Conductor
- ✓ 3 Prongs
- ✓ 50 Micro-Inches Gold Plated
- ✓ UL Listed

Item Number

CN1-7875-8C5SH



CAT6 RJ45 Connector - Unshielded

FEATURES

- ✓ Solid and Stranded Cable
- ✓ 8 Position/8 Conductor
- ✓ Gold plated connectors
- ✓ Reliable and blazing fast

Item Number

CN1-7877-8CUL



CAT6 RJ45 Modular Plug - Unshielded

FEATURES

- ✓ Ideal for Solid/Stranded Cable
- ✓ 8 Position/8 Conductor
- ✓ 50 Micro-Inches Gold Plated
- ✓ UL Listed

Item Number

CN1-7879-8CUL



CAT6 Shielded Easy Feed RJ45 Connector

FEATURES

- ✓ Ideal for Solid/Stranded Cable
- ✓ 8 Position/8 Conductor
- ✓ Shielded
- ✓ 50 Micro-Inches Gold Plated
- ✓ UL Listed
- ✓ Easy Feed

Item Number

CN1-6483-Z6S

MODULAR PLUGS

SIZE | TYPES



CAT5E Rj45 Modular Plug - Stranded

FEATURES

- ✓ Ideal for Stranded Cable
- ✓ 8 Position/8 Conductor
- ✓ 2 Prongs
- ✓ 50 Micro-Inches Gold Plated
- ✓ UL Listed

Item Number

CN1-017-8CUL



CAT6/6A RJ45 Modular Plug - Shielded

FEATURES

- ✓ Ideal for Large OD Solid Cable
- ✓ 8 Position/8 Conductor
- ✓ 3 Prongs
- ✓ Includes Inserter
- ✓ 50 Micro-Inches Gold Plated
- ✓ UL Listed
- ✓ RoHS Compliant

Item Number

CN1-7881-8C6SH



CAT6/6A/7 RJ45 Modular Plug - Shielded

FEATURES

- ✓ Ideal for Large OD Solid Cable
- ✓ 8 Position/8 Conductor
- ✓ 3 Prongs
- ✓ Includes Inserter
- ✓ 50 Micro-Inches Gold Plated
- ✓ UL Listed
- ✓ RoHS Compliant

Item Number

CN1-7883-8C6AS

MODULAR PLUGS/SLIP-ON BOOTS

SIZE | TYPES



CAT6A RJ45 Flex Connector, Unshielded & Shielded

FEATURES

- ✓ Tool-Less Termination Design
- ✓ Minimal Tools Required For Preparation
- ✓ For CAT6A Cables up to 9.0mm and 26 - 22 AWG Conductors
- ✓ Works With Solid & Stranded Conductors
- ✓ Frequency Rated up to 1GHz.
- ✓ 10-Gigabit Certified

| Item Number | Description |
|--------------|-------------|
| CN1-1667-FLX | Unshielded |
| CN1-1668-FLX | Shielded |



Shielded RJ45 Connector, CAT6A, Field Termination, Diecast Plated

FEATURES

- ✓ Tool-Less Termination Design
- ✓ Meets CAT6A performance requirements per ANSI/TIA-568-C.2-1
- ✓ 23-24 AWG Conductors
- ✓ Strain relief boots are included
- ✓ T568A & T568B wiring
- ✓ UL 94-V0 plastic components

Item Number

CN1-5414-8C8S



CAT8 RJ45 Field Termination Plug, Shielded, 40g

FEATURES

- ✓ Tool-Less Termination Design
- ✓ Meets CAT8 performance requirements per ANSI/TIA-568-C.2-1
- ✓ 23-24 AWG Conductors
- ✓ Strain relief boots are included
- ✓ T568A & T568B wiring
- ✓ UL 94-V0 plastic components

Item Number

CN1-6576-8C8S



CAT5E/6 Easy Feed RJ45 Strain Relief Boot

FEATURES

- ✓ Can be used with shielded or unshielded Easy Feed Jacks
- ✓ Maintain bend radius
- ✓ Easier to unlock the connector when unplugging from jack/port
- ✓ Professional Finished Look

Item Number

SB1-2614CL

SLIP-ON BOOTS

SIZE | TYPES



CAT6+ EZ-RJ45 Clear Strain Relief

FEATURES

- ✓ 50 Each In A Bag
- ✓ Snag Proof Strain Relief
- ✓ To be Crimped w/EZ-RJ45 Plugs
- ✓ Prolongs Patch Cord Life
- ✓ Maintains Bend Radius
- ✓ Professional Finished Look
- ✓ UL Listed
- ✓ RoHS Compliant

Item Number

SB2-3024CL



EZ-RJ45 Strain Relief for CAT6 Connector - 50/Clamshell

FEATURES

- ✓ Strain reliefs are required for Category 6 compliance!
- ✓ Designed to be used with the EZ-RJ45® Cat6 Connector
- ✓ Max OD of 0.235
- ✓ 50 pieces per clamshell

| Item Number | Description |
|-------------|-------------|
| SB2-4913-BK | Black |
| SB2-4923-BL | Blue |
| SB2-4924-GY | Grey |
| SB2-5849-RD | Red |
| SB2-5848-GR | Green |
| SB2-5850-YL | Yellow |



RJ45 Slip-On Boot, Cat6/6A/7 Type Oversize

FEATURES

- ✓ Over sized Snagless Boot
- ✓ Provides Strain Relief for Cable
- ✓ For Solid or Stranded Round Cable
- ✓ Wire Insert Diameter 7.5mm or 8mm

| Item Number | Description |
|-------------|-------------|
| SB1-1497CL | Clear |
| SB1-2607CL | Clear |

SLIP-ON BOOTS

SIZE | TYPES



RJ45 Oversized Slip-On Boots

FEATURES

- ✓ Oversized Snagless Boot for Larger OD Type Cable
- ✓ Provides Strain Relief for Cable
- ✓ Ideal for Solid/Stranded Cable
- ✓ Wire Insert Diameter 6.8mm (0.27")

| Item Number | Description |
|----------------|-------------|
| SB1-3303-BKSTP | Black |
| SB1-3895-BLSTP | Blue |
| SB1-2158-GYSTP | Grey |
| SB1-3896-GRSTP | Green |
| SB1-3897-RDSTP | Red |
| SB1-3898-WHSTP | White |
| SB1-3899-YLSTP | Yellow |



RJ45 Oversized Slip-On Boots

FEATURES

- ✓ Snagless Boot for CAT5E/6 Cable
- ✓ Provides Strain Relief for Cable
- ✓ Ideal for Solid/Stranded Cable
- ✓ Wire Insert Diameter 5.8mm (0.23")

| Item Number | Description |
|-------------|-------------|
| SB1-024BK | Black |
| SB1-026BL | Blue |
| SB1-030GY | Grey |
| SB1-028GR | Green |
| SB1-032OR | Orange |
| SB1-034RD | Red |
| SB1-036WH | White |
| SB1-038YL | Yellow |

SLIP-ON BOOTS

SIZE | TYPES



Item Number

SB1-2615CL

CAT5E/6 Oversize RJ45 Slip on Boot

FEATURES

- ✓ Over sized snag-less boot for CAT6 / CAT6A / CAT7 cable
- ✓ Wire insert diameter 7.0mm
- ✓ Provides strain relief for cable
- ✓ solid or stranded round cable



Item Number

SB1-3253CL

Shielded CAT5E/6 Easy Feed RJ45 Strain Relief Boot

FEATURES

- ✓ Can be used with shielded or unshielded Easy Feed Jacks
- ✓ Easier to unlock the connector when unplugging from jack/port
- ✓ Maintain bend radius
- ✓ Professional Finished Look

PATCH PANELS

SIZE | TYPES

Patch Panels

A patch panel is an organized framework for arranging Ethernet connections to a network. Patch panels lend your network versatility, allowing you to keep all your network connections organized in one location. Each Ethernet network connection can also be labeled on the face of the patch panel. They are used everywhere from corporate network hubs to recording studios.



CAT5E Ethernet Patch Panel, Vertical w/ Deeper Bracket

12 Port 1U

FEATURES

- ✓ Dual punch-down IDC - 110 and Krone
- ✓ Designed for use with CAT5E Patch Cables
- ✓ TIA/EIA 568A and 568B
- ✓ Installation Instructions and Mounting Screws Included
- ✓ Deeper Bracket (2" D)

Item Number

PP1-182/12M



CAT5E Ethernet Patch panels

FEATURES

- ✓ Flush Mount Jacks
- ✓ Use with Primus Cable Unshielded CAT5E Patch Cables
- ✓ Made From Solid 16 Gauge Steel with Rounded Edges
- ✓ 19" Rack and Enclosure Mountable
- ✓ Includes Cable Ties, Mounting Screws, and Instructions
- ✓ TIA/EIA 568A and 568B Compliant
- ✓ c(UL)us Listed
- ✓ RoHS Compliant



| Item Number | Description |
|-------------|-------------|
| PP1-298/12P | 12 Port 1U |
| PP1-299/24P | 24 Port 1U |
| PP1-300/48P | 48 Port 2U |
| PP1-302/96P | 96 Port 4U |

PATCH PANELS

SIZE | TYPES



CAT5E High Density 180° IDC's Half-U Patch Panel

24 Port Half-U HD

FEATURES

- ✓ Flush Mount Jacks
- ✓ For Use with Primus Cable CAT5E Patch Cables
- ✓ Made From Solid 16 Gauge Steel with Rounded Edges
- ✓ 19 in. Rack and Enclosure Mountable
- ✓ Includes Cable Ties, Mounting Screws, and Instructions
- ✓ TIA/EIA 568A and 568B Compliant
- ✓ c(UL)us Listed
- ✓ RoHS Compliant
- ✓ With Strain Relief Support Bar

Item Number

PP1-2027/24P



CAT5E Ethernet Patch Panel, Vertical

12 Port Vertical

FEATURES

- ✓ Dual punch-down IDC - 110 and Krone
- ✓ Designed for use with CAT5E Patch Cables
- ✓ TIA/EIA 568A and 568B
- ✓ Includes Cable Ties, Mounting Screws, and Instructions
- ✓ -c(UL)us Listed
- ✓ RoHS Compliant

Item Number

PP1-297/12M



CAT5e High Density Networking 1U Patch Panel

48 Port 1U HD

FEATURES

- ✓ Flush Mounted Jacks
- ✓ For use with Primus Cable CAT5E Patch Cables
- ✓ Made From Solid 16 Gauge Steel with Rounded Edges
- ✓ Suitable for 22-26 AWG Stranded and Solid CAT5E Cable
- ✓ 19 in. Rack and Enclosure Mountable
- ✓ Includes Cable Ties, Mounting Screws, and Instructions
- ✓ TIA/EIA 568A and 568B Compliant
- ✓ c(UL)us Listed
- ✓ RoHS Compliant

Item Number

PP1-4988/48P



PATCH PANELS

SIZE | TYPES



CAT5E Shielded Ethernet 1U Patch Panel

24 Port 1U Shielded

FEATURES

- ✓ Flush Mounted Jacks
- ✓ For Use With Primus Cable CAT5E Patch Cables
- ✓ Made From Solid 16 Gauge Steel With Rounded Edges
- ✓ Suitable For 22-26 AWG Stranded And Solid Cable
- ✓ 19 in. Rack And Enclosure Mountable
- ✓ Includes Cable Ties, Mounting Screws, and Instructions
- ✓ TIA/EIA 568A And 568B Compliant
- ✓ c(UL)us Listed
- ✓ RoHS Compliant

Item Number
PP1-2931/24S



CAT5E High Density Networking 1U Patch Panel

48 Port 1U HD Shielded

FEATURES

- ✓ Flush Mounted Jacks
- ✓ For Use With Primus Cable CAT5E Patch Cables
- ✓ Made From Solid 16 Gauge Steel With Rounded Edges
- ✓ Suitable For 22-26 AWG Stranded And Solid Cable
- ✓ 19 in. Rack And Enclosure Mountable
- ✓ Includes Cable Ties, Mounting Screws, Ground Wire, and Instructions
- ✓ TIA/EIA 568A And 568B Compliant
- ✓ c(UL)us Listed
- ✓ RoHS Compliant

Item Number
PP1-4990/48S



CAT6 Ethernet Patch Panel Vertical w/ Brackets

12 Port

FEATURES

- ✓ Dual punch-down IDC - 110 and Krone
- ✓ Designed for use with CAT6 Patch Cables
- ✓ TIA/EIA 568A and 568B
- ✓ Installation instructions and mounting screws included
- ✓ UL Listed

Item Number
PP2-307/12M



PATCH PANELS

SIZE | TYPES



CAT6 Ethernet Patch Panel, Vertical w/ Deeper Bracket

12 Port

FEATURES

- ✓ Dual punch-down IDC - 110 and Krone
- ✓ Designed for use with CAT6 Patch Cables
- ✓ TIA/EIA 568A and 568B
- ✓ Installation instructions and mounting screws included
- ✓ Deeper Bracket (2"D)

Item Number

PP2-184/12M



CAT6 Ethernet Patch Panels

FEATURES

- ✓ Flush Mount Jacks
- ✓ For Use with Primus Cable Unshielded CAT6 Patch Cables
- ✓ Made From Solid 16 Gauge Steel with Rounded Edges
- ✓ 19 in. Rack and Enclosure Mountable
- ✓ Includes Cable Ties, Mounting Screws, and Instructions
- ✓ TIA/EIA 568A and 568B Compliant
- ✓ c(UL)us Listed
- ✓ RoHS Compliant



| Item Number | Description |
|-------------|-------------|
| PP2-303/12P | 12 Port 1U |
| PP2-304/24P | 24 Port 1U |
| PP2-305/48P | 48 Port 2U |
| PP2-306/96P | 96 Port 4U |



CAT6 High density 180° IDC's Half-U Patch Panel

24 Port Half-U HD

FEATURES

- ✓ Flush Mount Jacks
- ✓ For Use with Primus Cable CAT6 Patch Cables
- ✓ Made From Solid 16 Gauge Steel with Rounded Edges
- ✓ 19 in. Rack and Enclosure Mountable
- ✓ Includes Cable Ties, Mounting Screws, and Instructions
- ✓ TIA/EIA 568A and 568B Compliant
- ✓ c(UL)us Listed
- ✓ RoHS Compliant
- ✓ With Strain Relief Support Bar

Item Number

PP2-2006/24P



PATCH PANELS

SIZE | TYPES



CAT6 High Density 90° IDC's Half-U Patch Panel

24 Port Half-U HD

FEATURES

- ✓ Flush Mount Jacks
- ✓ For Use with Primus Cable CAT6 Patch Cables
- ✓ Made From Solid 16 Gauge Steel with Rounded Edges
- ✓ 19 in. Rack and Enclosure Mountable
- ✓ Includes Cable Ties, Mounting Screws, and Instructions
- ✓ TIA/EIA 568A and 568B Compliant
- ✓ c(UL)us Listed
- ✓ RoHS Compliant

Item Number
PP2-2007/24H



CAT6 High Density Networking 1U Patch Panel

48 Port 1U

FEATURES

- ✓ Flush Mount Jacks
- ✓ For Use with Primus Cable CAT6 Patch Cables
- ✓ Made From Solid 16 Gauge Steel with Rounded Edges
- ✓ 19 in. Rack and Enclosure Mountable
- ✓ Includes Cable Ties, Mounting Screws, and Instructions
- ✓ TIA/EIA 568A and 568B Compliant
- ✓ c(UL)us Listed
- ✓ RoHS Compliant

Item Number
PP2-4989/48P



CAT6 Ethernet 1U Patch panel - Shielded

24 Port 1U Shielded

FEATURES

- ✓ Flush Mount Jacks
- ✓ For Use with Primus Cable CAT6 Patch Cables
- ✓ Made From Solid 16 Gauge Steel with Rounded Edges
- ✓ Suitable For 22-26 AWG Stranded and Solid CAT6 Cable
- ✓ 19 in. Rack and Enclosure Mountable
- ✓ Includes Cable Ties, Mounting Screws, and Instructions
- ✓ TIA/EIA 568A and 568B Compliant
- ✓ c(UL)us Listed
- ✓ RoHS Compliant

Item Number
PP2-2930/24S



PATCH PANELS

SIZE | TYPES



CAT6 High Density Networking 1U Patch Panel

48 Port 1U

FEATURES

- ✓ Flush Mount Jacks
- ✓ For Use with Primus Cable CAT6 Patch Cables
- ✓ Made From Solid 16 Gauge Steel with Rounded Edges
- ✓ Suitable For 22-26 AWG Stranded and Solid CAT6 Cable
- ✓ 19 in. Rack and Enclosure Mountable
- ✓ Includes Cable Ties, Mounting Screws, and Instructions
- ✓ TIA/EIA 568A and 568B Compliant
- ✓ c(UL)us Listed
- ✓ RoHS Compliant

Item Number

PP2-4991/48S



CAT6A High Density Patch Panel - 1U Shielded

48 Port 1U

FEATURES

- ✓ Flush Mount Jacks
- ✓ For Use with Primus Cable Cat6 Patch Cables
- ✓ Made From Solid 16 Gauge Steel with Rounded Edges
- ✓ Suitable For 22-26 AWG Stranded and Solid CAT6 Cable
- ✓ 19 in. Rack and Enclosure Mountable
- ✓ Includes Cable Ties, Mounting Screws, Ground Wire And Instructions
- ✓ TIA/EIA 568A and 568B Compliant
- ✓ c(UL)us Listed
- ✓ RoHS Compliant

Item Number

PP2A-4992/48S



Shielded CAT6A Patch Panel, 24 Port, 1U Rack Mount

24 Port 1U

FEATURES

- ✓ Premium Shielded CAT6A Patch Panel
- ✓ 24 Flush Mounted RJ45 Ports
- ✓ Made From Solid SPCC 16 Gauge Steel With Rounded Edges
- ✓ Suitable For 22-26 AWG Stranded and Solid CAT6 Cable
- ✓ 19" Rack And Enclosure Mountable
- ✓ Includes Cable Ties, Mounting Screws, Ground Wire And Instructions
- ✓ TIA/EIA 568A And 568B Compliant
- ✓ UL Listed
- ✓ RoHS Compliant

Item Number

PP2A-4985/24S



PATCH PANELS/ BLANK PATCH PANELS

SIZE | TYPES



Unshielded CAT6A Patch Panel, 24 Port, 1U Rack Mount

24 Port 1U

FEATURES

- ✓ Premium Unshielded CAT6A Patch Panel
- ✓ 24 Flush Mounted RJ45 Ports
- ✓ Made From Solid SPCC 16 Gauge Steel With Rounded Edges
- ✓ Suitable For 22-26 AWG Stranded and Solid CAT6 Cable
- ✓ 19" Rack And Enclosure Mountable
- ✓ Includes Cable Ties, Mounting Screw

Item Number

PP2A-4267/24P



Blank Patch Panels

Blank keystone patch panels offer the versatility of mixing different types of keystone jacks in setting up a network. It is a durable and flexible solution featuring empty ports to insert keystone jacks of your choice. If your network design utilizes a mixture of Cat5E, Cat6, or Fiber cables, consider a blank keystone patch panel.



Blank Keystone Patch Panel, Strain Relief Support Bar

FEATURES

- ✓ Occupies 1U or 2U of rackspace
- ✓ For 24 or 48 Port Patch Panels
- ✓ Keep cables neatly organized and supported
- ✓ Install 1 Support Bar per 1U or 2U of Patch Panel
- ✓ 19" Rack And Enclosure Mountable

| Item Number | Description |
|-------------|-------------|
| PP3-6442-1U | 24 Port 1U |
| PP3-6443-2U | 48 Port 2U |

BLANK PATCH PANELS

SIZE | TYPES



Item Number

PP3-4266/24A

CAT6 High Density Networking 1U Patch Panel

24 Port Vertical

FEATURES

- ✓ Premium Blank Staggered Angled High Density Patch Panels
- ✓ 19" Rack & Enclosure Mountable
- ✓ 24 Ports (1U)
- ✓ Snagless Flush Keystone Jack Mounts
- ✓ Pre-Numbered Ports



Item Number

PP3-474/12V

High Density Vertical Snap-In Patch Panels

12 Port Vertical

FEATURES

- ✓ TIA-568A/B Color Wiring Diagrams
- ✓ 89D Bracket; ABS, High-Impact UL94V-0
- ✓ 3.3 in. W x 10 in. H x 2.8 in. D
- ✓ Reinforced Steel Construction
- ✓ Easy-to-Use Snap-In Modules and Pre-Numbered Ports



Item Number

PP3-1570/48FS

Ultra-High Density Shielded Blank Patch Panel with Grounding Wire

24 Port Vertical

FEATURES

- ✓ Shielded
- ✓ Ultra-High Density
- ✓ Wire Manager Included
- ✓ 48 Port Blank Patch Panel
- ✓ 1U Dimensions

BLANK PATCH PANELS

SIZE | TYPES



Ultra-High Density Blank Patch Panel, with Support Bar

FEATURES

- ✓ Shielded
- ✓ Ultra-High Density
- ✓ Available in 24 & 48 Ports
- ✓ Fits all standard 19" racks & cabinets
- ✓ Includes Mounting Screws & Cable Ties
- ✓ Wire Manager Included

| Item Number | Description |
|--------------|-----------------|
| PP3-5765/24U | 24 Port, Half-U |
| PP3-5766/48U | 48 Port, 1U |



High Density Snap-In Patch Panels

FEATURES

- ✓ Snap-In Keystone Panel for CAT5E, CAT6 or Other
- ✓ Multimedia Modules
- ✓ High Density Flush Type
- ✓ Available in 16, 24 & 48 Ports
- ✓ Includes Mounting Screws and Cable Ties
- ✓ UL Listed



| Item Number | Description |
|-------------|-------------|
| PP3-3265/16 | 16 Port 1U |
| PP3-3258/24 | 24 Port 1U |
| PP3-3259/48 | 48 Port 2U |



High Density Angled Blank Patch Panel - Shielded

FEATURES

- ✓ Snap-In Keystone Panels
- ✓ Fully Compatible With All MIG+ High Density CAT3, CAT5E, CAT6 Keystone Inserts
- ✓ Includes Cable Management Bars
- ✓ Includes Ground Wire and Mounting Screws

| Item Number | Description |
|---------------|---|
| PP3-4928/24AS | 24 Port 1U with 1 cable management bar |
| PP3-4929/48AS | 48 Port 2U with 2 cable management bars |

BLANK PATCH PANELS

SIZE | TYPES



Staggered High Density Blank Patch Panel - Shielded

24 Port 1U Staggered Shielded

FEATURES

- ✓ CAT6A Optimized Performance
- ✓ High Density Snap-In Patch Panel
- ✓ Rear Cable Management Support Bar w/Fixing Clips
- ✓ Die-Cast Housing
- ✓ UL Listed
- Allow you to Neatly Route and Organize your Bulk Cable

Item Number

PP3-4387/24S



Blank Patch Panels

FEATURES

- ✓ Snap-In Patch Panels for CAT3, CAT5, CAT5E, CAT6, CAT6A and Fiber Optic Bulk & Patch Cables
- ✓ Available in 12, 16, 24, 32 and 48 Ports
- ✓ Compatible with 19 in. Racks and Enclosures
- ✓ UL Listed



| Item Number | Description |
|-------------|-------------|
| PP3-308/12 | 12 Port 1U |
| PP3-309/16 | 16 Port 1U |
| PP3-310/24 | 24 Port 2U |
| PP3-311/32 | 32 Port 2U |
| PP3-312/48 | 48 Port 3U |



Rackmount, Click In Support Bar

FEATURES

- ✓ Occupies 1U or 2U of rackspace
- ✓ For 24 or 48 Port Patch Panels
- ✓ Keep cables neatly organized and supported
- ✓ Install 1 Support Bar per 1U or 2U of Patch Panel

| Item Number | Description |
|-------------|-------------|
| PP4-6444-1U | 24 Port 1U |
| PP4-6445-2U | 48 Port 2U |

ETHERNET PATCH CABLES

SIZE | TYPES

Ethernet Patch Cables

An Ethernet patch cable is a low voltage electrical cable used to patch-in, or connect one device to another for signal routing. CAT5E Ethernet patch cables tend to run short distances from 1' to 10' in length. Primus Cable carries CAT5E Ethernet patch cables running up to 150 feet. Ours are available in a variety of colors to help you organize your network. Patch Cables come in CAT5E, CAT6, CAT6A, CAT7, CAT8.



Item Number
PC5P



CAT5E 350mhz Molded Cable - with Protector

FEATURES

- ✓ CAT5E 350Mhz rated
- ✓ UTP Unshielded Twisted Pair
- ✓ CM Type PVC Jacket
- ✓ Factory Machine Made and Injection Molded
- ✓ Snagless Boot Design for easy handling
- ✓ 24AWG 4 Pair Stranded Core Conductor
- ✓ Gold Plated Contacts
- ✓ RoHS Compliant

| Sizes | Colors |
|-------------------------------------|-----------------------------------|
| 0.5', 1', 1.5', 2', 3', 4', 5', 6', | Black, Blue, Grey, Green, Orange, |
| 7', 10', 15', 20', 25', 35', 50', | Purple, Red, White, Yellow |
| 75', 100', 150', 200' | |



Item Number
PC5B



CAT5E 350mhz Non-Booted Patch Cable

FEATURES

- ✓ CAT5E 350Mhz rated
- ✓ UTP Unshielded Twisted Pair
- ✓ CM Type PVC Jacket
- ✓ Factory Machine Made and Injection Molded
- ✓ 24AWG 4 Pair Stranded Core Conductor
- ✓ Gold Plated Contacts
- ✓ RoHS Compliant

| Sizes | Colors |
|-------------------------------------|-----------------------------------|
| 0.5', 1', 1.5', 2', 3', 4', 5', 6', | Black, Blue, Grey, Green, Orange, |
| 7', 10', 15', 20', 25', 35', 50', | Purple, Red, White, Yellow |
| 75', 100', 150', 200' | |

ETHERNET PATCH CABLES

SIZE | TYPES



Item Number

PC5N



CAT5E 350MHz Molded Cable - No Protector

FEATURES

- ✓ CAT5E 350MHz rated
- ✓ TIA/EIA 568A T568B Wired
- ✓ UTP Unshielded Twisted Pair
- ✓ CM Type PVC Jacket
- ✓ Factory Machine Made and Injection Molded
- ✓ Strain-Relief Boot Design
- ✓ 24AWG 4 Pair Stranded Core Conductor
- ✓ 50 Micron Gold Plated RJ45 Contacts w/Boots on Each End
- ✓ RoHS Compliant

| Sizes | Colors |
|---|---|
| 1', 2', 3', 5', 7', 10', 15', 25', 50', 100' | Black, Blue, Grey, Green, Orange, Red, White, Yellow |



Item Number

PC5PS



CAT5E 350MHz Shielded Cable - Bubble

FEATURES

- ✓ TIA/EIA 568A T568B Wired
- ✓ FTP - 4-Pair Foil Shielded
- ✓ CM Type PVC Jacket
- ✓ 26AWG 4 Pair Stranded Copper Wire
- ✓ 50 Micron Gold Plated RJ45 Plug
- ✓ Factory Machine Made and Injection Molded Boot on Each End
- ✓ Cable Length marked on Boot

| Sizes | Colors |
|---|---|
| 0.5', 1', 2', 3', 5', 6', 7', 10', 15', 20', 25', 50', 75', 100' | Black, Blue, Grey, Green, Red, White, Yellow, Orange |



Item Number

PC5X



CAT5E 350MHz Crossover Cable - Bubble

FEATURES

- ✓ TIA/EIA 568-B.2 Wired
- ✓ UTP Unshielded Twisted Pair
- ✓ CM Type PVC Jacket
- ✓ 24AWG 4 Pair Stranded Copper Wire
- ✓ 50 Micron Gold Plated RJ45 Plug
- ✓ Factory Machine Made and Injection Molded Boot on Each End
- ✓ UL/CUL Listed

| Sizes | Description |
|------------------------------------|------------------------|
| 1', 3', 5', 7', 10', 15', 25', 50' | Unshielded or Shielded |

ETHERNET PATCH CABLES

SIZE | TYPES



Item Number
PC6P



CAT6 550mhz Molded Cable - with Protector

FEATURES

- ✓ CAT6 550MHz rated
- ✓ TIA/EIA 568A T568B Wired
- ✓ UTP Unshielded Twisted Pair
- ✓ CM Type PVC Jacket
- ✓ Factory Machine Made and Injection Molded
- ✓ Snagless Boot Design for easy handling
- ✓ 24AWG 4 Pair Stranded Core Conductor
- ✓ Gold Plated Contacts
- ✓ RoHS Compliant

| Sizes | Colors |
|---------------------------------|-----------------------------------|
| 0.5', 1', 1.5', 2', 3', 5', 7', | Black, Blue, Grey, Green, Purple, |
| 10', 12', 14', 15', 20', 25', | Orange, Red, White, Yellow |
| 35', 40', 50', 100', 150' | |



Item Number
PC6N



CAT6 550mhz Molded Cable - No Protector

FEATURES

- ✓ CAT6 550Mhz rated
- ✓ TIA/EIA 568A T568B Wired
- ✓ UTP Unshielded Twisted Pair
- ✓ PVC Jacket
- ✓ Factory Machine Made and Injection Molded
- ✓ Strain-Relief Boot Design
- ✓ 24AWG 4 Pair Stranded Core Conductor
- ✓ Gold Plated Contacts
- ✓ RoHS Compliant

| Sizes | Colors |
|-------------------------------|-------------------------|
| 1', 3', 5', 7', 10', 15', 25' | Black, Blue, Red, White |

ETHERNET PATCH CABLES

SIZE | TYPES



Item Number

PC6PS



CAT6 600mhz Shielded Cable - Bubble

FEATURES

- ✓ CAT6 550Mhz rated
- ✓ TIA/EIA 568A T568B Wired
- ✓ FTP - 4-Pair Foil Shielded
- ✓ CM Type PVC Jacket
- ✓ 26AWG 4 Pair Stranded Copper Wire
- ✓ 50 Micron Gold Plated RJ45 Plug
- ✓ Molded Boot on Each End
- ✓ Cable Length marked on Boot
- ✓ UL Listed & ETL Verified
- ✓ RoHS Compliant

| Sizes | Colors |
|---|---|
| 1', 2', 3', 5', 7', 10', 15', 25', 50', 100' | Black, Blue, Grey, Green, Red, White, Yellow, Orange |



Item Number

PC6F

CAT6 550Mhz Flat Patch Cords

FEATURES

- ✓ Cable length is marked on boot for easy identification
- ✓ T568A & T258B Wired
- ✓ UTP Unshielded Twist Pair
- ✓ CM Type PVC Jacket
- ✓ 32AWG Flat 4 Pair Stranded Copper Wire
- ✓ 50 Micron Gold Plated RJ45 Plug
- ✓ Black jacket color
- ✓ RoHS compliant

| Sizes | Colors |
|---|--------|
| 0.5', 1', 1.5', 2', 3', 4', 5', 6', 7', 10', 15', 20', 25', 35', 45' | Black |



Item Number

PC6SS



CAT6 Shielded Patch Cord, Snagless Stranded SFTP

FEATURES

- ✓ Double Shield Noise Protection
- ✓ Certification: TIA/EIA
- ✓ T-568B standard wiring
- ✓ SFTP Shielded Twist Pair
- ✓ CM Type PVC Jacket
- ✓ 26AWG 4pair Stranded Copper Wire
- ✓ 50 Micron Gold Plated shielded RJ45
- ✓ Multiple colors available
- ✓ RoHS compliant

| Sizes | Colors |
|---|---|
| 0.5', 1', 2', 3', 4', 5', 6', 7', 10', 15', 20', 25', 50', 75', 100' | Black, Blue, Grey, Green, Orange, Red, White, Yellow, Purple |

ETHERNET PATCH CABLES

SIZE | TYPES



Item Number

PC6X



CAT6 550MHz Crossover Cable - Bubble

FEATURES

- ✓ UTP Unshielded Twisted Pair
- ✓ CM Type PVC Jacket
- ✓ Factory Machine Made and Injection Molded
- ✓ Snagless Boot Design for easy handling
- ✓ 24AWG 4 Pair Stranded Core Conductor
- ✓ Gold Plated Contacts
- ✓ RoHS Compliant

| Sizes | Colors |
|----------------------------|--------|
| 3', 7', 10', 14', 25', 50' | Orange |



Item Number

PC6M



Cat6 Slim Snagless Molded Boot Ethernet Patch Cable

FEATURES

- ✓ TIA/EIA 568-B.2 Wired
- ✓ UTP Unshielded Twisted Pair
- ✓ CM Type PVC Jacket
- ✓ 28AWG RJ45 Plug
- ✓ Snagless Boot Design for easy handling
- ✓ Molded Boot on Each End
- ✓ UL/CUL Listed

| Sizes | Colors |
|--|--|
| 0.5', 1', 1.5', 2', 3', 4', 5', 6', 7', 10', 15', 20', 25', 35', 45' | Black, Blue, Grey, Green, Orange, Red, White, Yellow |



Item Number

PC6O



CAT6 Shielded Outdoor Industrial Patch Cable

FEATURES

- ✓ High-Performance Data Com Cable
- ✓ Designed for outdoor Installations
- ✓ Category-6 AL Foil Shielded Stranded
- ✓ 26 AWG Bare Copper Conductors
- ✓ FTP Shielding Suppresses Cross-Talk
- ✓ Water-tight Protective Caps
- ✓ Gold Plated Contacts

| Sizes | Colors |
|---|--------|
| 3', 6', 10', 15', 25', 50', 75', 100', 125', 150', 175', 200' | Black |

ETHERNET PATCH CABLES

SIZE | TYPES



Item Number

PC6A



CAT6A 10G Molded Patch Cords

FEATURES

- ✓ CAT6A 10G rated
- ✓ Ideal for 10 Gigabit Ethernet applications
- ✓ 24AWG 4 Pair Stranded Copper Core Conductors
- ✓ 50µ Gold Plated RJ45 Contacts
- ✓ Snag-Free Strain Relief Boot
- ✓ CM Type PVC Jacket
- ✓ UL Listed & ETL listed
- ✓ RoHS Compliant

| Sizes | Colors |
|---|---|
| 1', 2', 3', 5', 7', 10', 15', 25', 50', 100' | Black, Blue, Grey, Green, Red, White, Yellow, Orange |



Item Number

PC6AS



CAT6A 10G Shielded Patch Cord

FEATURES

- ✓ CAT6A 10G rated
- ✓ Ideal for 10 Gigabit Ethernet applications
- ✓ 26AWG 4 Pair Stranded Copper Core Conductors
- ✓ 50µ Gold Plated RJ45 Contacts
- ✓ Double Shielding - SFTP Shielded Twist Pair
- ✓ Snag-Free Strain Relief Boot
- ✓ CM Type PVC Jacket
- ✓ UL Listed & ETL listed
- ✓ RoHS Compliant

| Sizes | Colors |
|---|--------|
| 1', 2', 3', 5', 7', 10', 15', 25', 50', 100' | Blue |



Item Number

PC6AM



Mini CAT6A Ethernet Patch Cable, Unshielded, Snagless Boot

FEATURES

- ✓ High-Performance DataCom Cable
- ✓ Fluke Tested (includes Test Results)
- ✓ Ideal For 10G High-Speed Data Applications
- ✓ Designed For Indoor Installations
- ✓ Category-6A Unshielded Twisted Pair Cable
- ✓ 4 Pairs Of 28 AWG Stranded Copper
- ✓ RJ45 Modular Plugs On Each End
- ✓ Factory Machine Made And Injection Molded
- ✓ Gold Plated Contacts
- ✓ CMR Rated

| Sizes | Colors |
|------------------------|---|
| Any Size From 1' - 50' | Black, Blue, Grey, Green, Red, White, Yellow, Purple |

ETHERNET PATCH CABLES

SIZE | TYPES



Item Number

PC6AMS



CAT6 550mhz Crossover Cable - Bubble

FEATURES

- ✓ High-Performance DataCom Cable
- ✓ Fluke Tested (includes Test Results)
- ✓ Ideal For 10G High-Speed Data Applications
- ✓ Designed For Indoor Installations
- ✓ Category-6A AL Foil Shielded (F/UTP) Cable
- ✓ 4 Pairs Of 28 AWG Stranded Copper
- ✓ RJ45 Modular Plugs On Each End
- ✓ CMR Ratedant

| Sizes | Colors |
|------------------------|---|
| Any Size From 1' - 50' | Black, Blue, Grey, Green, Red, White, Yellow, Purple |



Item Number

PC7PS

CAT7 Ethernet Patch Cable, Individually Shielded

FEATURES

- ✓ Snagless Boot Design
- ✓ Individually Shielded
- ✓ Category-7 AL Foil Shielded Stranded
- ✓ 26 AWG Bare Copper Conductors
- ✓ Lower alien crosstalk (AXT)
- ✓ Ideal For 10 Gigabit High-Speed Data

| Sizes | Colors |
|--|--------|
| 1'-10', 12', 15', 20', 25', 30', 40', 50', 60', 70' | Blue |



Item Number

PC8PS



CAT8 Dual Shielded Patch Cord, Snagless Molded Boot SFTP

FEATURES

- ✓ Max data rate: Up to 40Gps
- ✓ Certification: TIA/EIA
- ✓ Foil shielded/ 4 Pair Braid Shield
- ✓ SFTP Shielded Twist Pair
- ✓ CM Type PVC Jacket
- ✓ 24AWG 4pair Stranded Copper Wire
- ✓ 50 Micron Gold Plated shielded RJ45
- ✓ Multiple colors available
- ✓ RoHS compliant

| Sizes | Colors |
|---|---|
| 0.5', 1', 2', 3', 4', 5', 6', 7', 10', 15', 20', 25', 50', 75', 100' | Black, Blue, Grey, Green, Orange, Red, White, Yellow, Purple |

SERVER RACKS

SIZE | TYPES

Wall Mount Enclosures

Server racks are standardized frames or enclosures designed for mounting and organizing servers. Equipment designed for rack storage is described as rack-mount, or rack-mountable. The height of a server rack shelf is standardized in multiples of 1.75 inches, which is designated as one rack unit (1U). Primus Cable carries a wide selection of server racks and related equipment ideal for industrial and commercial networks.



Blank Patch Panels

FEATURES

- ✓ 250 lbs. Capacity
- ✓ Black Powder Coated Steel
- ✓ 1 Set of Cage Nut Style Mounting Rails
- ✓ Locking Front Door and Side Panels
- ✓ EIA Compliant

| Item Number | Description |
|----------------|---------------|
| SR-K5-3317-6U | 6U Enclosure |
| SR-K5-3318-9U | 9U Enclosure |
| SR-K5-3319-12U | 12U Enclosure |
| SR-K5-3320-15U | 15U Enclosure |
| SR-K5-3321-18U | 18U Enclosure |
| SR-K5-3344-22U | 22U Enclosure |



Wall Mount Enclosure, Locking Door, 8U

The 8U Security Wall Mount Cabinet is a secure, professional looking solution for housing your network, electrical, and peripheral equipment. Many times small offices or remote locations require expensive data and network equipment to be installed in an open environment. With this wall mount enclosure you can securely mount all of your equipment and eliminate the risk of unauthorized use.

Item Number

WR-K10-3336-8E



FEATURES

- ✓ 22.22 in. W x 20.65 in. D x 17.23 in. H
- ✓ Supports 250 lbs.
- ✓ Removable Locking Front Door with Smoked Acrylic Window
- ✓ Optional Fans Increase Airflow
- ✓ Fan Kits Sold Separately
- ✓ Click-N-Drop Rails Make Adjustments Tool-Less

SERVER RACKS

SIZE | TYPES



Adjustable Rail Kit, Vertical

FEATURES

- ✓ Fully Adjustable
- ✓ Black Powder Coated Steel
- ✓ 1 Set of Cage Nut Style Mounting Rails
- ✓ Installation Hardware Included



| Item Number | Description |
|-----------------|---------------|
| RA-K11-5034-6U | 6U Enclosure |
| RA-K11-5035-9U | 9U Enclosure |
| RA-K11-5036-12U | 12U Enclosure |
| RA-K11-5037-15U | 15U Enclosure |
| RA-K11-5038-18U | 18U Enclosure |
| RA-K11-4965-22U | 22U Enclosure |



Mesh Front Door with Split Mesh Rear Door Server Enclosure

FEATURES

- ✓ 19 in. Rack-Mount Equipment
- ✓ Tubular Steel Design
- ✓ 4 Mounting Rails, M6 Cage-Nuts
- ✓ Leveling Feet and Casters
- ✓ PDU Mounting Provisions
- ✓ 1 Bag - 30 Piece Mounting Hardware
- ✓ 78 in. H x 24 in. W x 42 in. D
- ✓ Weight Capacity: 3,000 lbs.



| Item Number | Description |
|----------------|---------------|
| SR-D1-4752-78S | 42U Enclosure |
| SR-D1-4753-84S | 45U Enclosure |



Server Enclosure, Glass Front

FEATURES

- ✓ 2 Sets of Adjustable Mounting Rails
- ✓ Removable Locking Side Panels
- ✓ Top/Bottom Removable Cable Slots
- ✓ Locking Tempered Glass Front Door
- ✓ Includes Casters & Levelers



| Item Number | Description |
|----------------|---------------|
| SR-K1-3305-22U | 22U Enclosure |
| SR-K1-3306-27U | 27U Enclosure |
| SR-K1-3307-37U | 37U Enclosure |
| SR-K1-3477-42U | 42U Enclosure |

SERVER RACKS

SIZE | TYPES



Vented Front And Rear Door Server Enclosures

FEATURES

- ✓ 2 sets of adjustable mounting rails
- ✓ Removable locking side panels
- ✓ Top and bottom removable cable slots
- ✓ Locking vented front and rear doors
- ✓ Includes casters and levelers
- ✓ 19 in. EIA compliant



| Item Number | Description |
|----------------|---------------|
| SR-K1-3305-22U | 22U Enclosure |
| SR-K1-3306-27U | 27U Enclosure |
| SR-K1-3307-37U | 37U Enclosure |
| SR-K1-3477-42U | 42U Enclosure |



Mesh Front And Rear Doors Server Enclosure

FEATURES

- ✓ 19 in. Rack-Mount Equipment
- ✓ Tubular Steel Design
- ✓ 4 Mounting Rails, M6 Cage-Nuts
- ✓ Leveling Feet and Casters
- ✓ PDU Mounting Provisions
- ✓ 1 Bag - 30 Piece Mounting Hardware
- ✓ UL Listed
- ✓ 78-84 in. H x 24 in. W x 42 in. D
- ✓ Weight Capacity: 3,000 lbs.



| Item Number | Description |
|---------------|---------------|
| SR-D2-4755-84 | 45U Enclosure |
| SR-D2-4754-78 | 42U Enclosure |

SERVER RACKS

SIZE | TYPES



Swing-Out Wall-Mount Enclosures

FEATURES

- ✓ 150 lbs. Weight Capacity
- ✓ 1 Set of Cage Nut Style Mounting Rails
- ✓ Black Powder Coated Steel
- ✓ Locking Front Door and Side Panels
- ✓ Removable Locking Side Panels
- ✓ Tempered Safety Glass Door
- ✓ EIA Compliant

| Item Number | Description |
|----------------|----------------|
| SR-K4-3312-6U | 6U Enclosure |
| SR-K4-3479-9U | 9U Enclosure |
| SR-K4-3314-12U | 12U Enclosure |
| SR-K4-3315-15U | 15U Enclosure |
| SR-K4-3478-18U | 18U Enclosure |
| SR-K4-3316-22U | 225U Enclosure |



SOHO & Portable Server Enclosures

FEATURES

- ✓ Locking Lift Off Front & Rear Doors
- ✓ Includes Casters
- ✓ Fully Adjustable Cage Nut Style Rails
- ✓ Includes One 4 in. Fan
- ✓ Limited Lifetime Warranty

| Item Number | Description |
|-------------------|------------------|
| SH-K7-3329-12U2 | 12U No Doors |
| SH-K7-3328-8U | 8U Vented Doors |
| SH-K7-3313-12U-ND | 12U Vented Doors |



Cable Cover 2-Post Rack

41U 2- Post

FEATURES

- ✓ 1200 lbs. Weight Capacity
- ✓ Two 4 in. Internal Vertical Cable Channels
- ✓ Gangable
- ✓ EIA Compliant

| Item Number |
|----------------|
| TR-K8-3330-41U |

SERVER RACKS

SIZE | TYPES



Standing 2 Post Relay Rack


27U 4 ft. Tall Single Sided

FEATURES

- ✓ Pre-Drilled To Use 10-32 Screws
- ✓ Single or Double Sided
- ✓ Solid Steel Black Textured Powder Coat Finish
- ✓ EIA Compliant

Item Number

PP8-2206-4



Open Frame, 2 Post Double Sided Rack

45U Double Sided

FEATURES

- ✓ 19" Rackable per EIA-310-D Standard
- ✓ Easily Assembled, Hardware Included
- ✓ Black Epoxy Powder-Coat Finish
- ✓ Double Sided RMU Marked Rail
- ✓ UL Listed

Item Number

TR-D8-4768-45U



Open Frame Conversion Kit, 2 to 4 Postrack

FEATURES

- ✓ Connects Two 2-Post Racks Create a 4-Post Open
- ✓ Frame Adjustable Rack
- ✓ Anchors 2-Post Racks to the Wall
- ✓ Adjusts from 20 in. to 35 in.



| Item Number | Description |
|---------------|-------------|
| TR-K8-3331-2P | 2 Pieces |
| TR-K8-3332-4P | 4 Pieces |

SERVER RACKS

SIZE | TYPES



Item Number

RA-D18-4838-FK



Concrete Floor Mounting Kit

Floor Mount

FEATURES

- ✓ Secure a Two Post Rack or a Tandem Rack to Concrete
- ✓ Kit Includes Four 5/8 in. Anchor Bolts & All Necessary Hardware



Item Number

OF-K9-3333-41U



4 Post Knockdown Open Frame Rack

41U Enclosure

FEATURES

- ✓ Knockdown Open Frame Rack
- ✓ Fully Adjustable Rails from 3 in. - 36 in.
- ✓ Levelers Included
- ✓ Cage Nut Style Rails
- ✓ Max. Weight Capacity 2,000 lbs.



Network Rack, Open Frame, 4 Post Double-Sided, 45U

FEATURES

- ✓ Weight capacity 2,000 lbs.
- ✓ 19" rackable per EIA-310-D Standard
- ✓ 12-24 threaded mounting provisions
- ✓ Double sided RMU markings on rails
- ✓ Cable manager mounting holes
- ✓ Easily assembled, hardware included
- ✓ UL Listed

| Item Number | Description |
|----------------|------------------------|
| OF-D9-4769-29 | 29"/12-24 Tapped Rails |
| OF-D9-4770-36 | 36"/12-24 Tapped Rails |
| OF-D9-4771-29C | 29"/ Cage-Nut Rails |
| OF-D9-4772-36C | 36"/Cage-Nut Rails |

SERVER RACKS

SIZE | TYPES



Swing-Out Open Frame Wall Mount Rack, Phantom Class

FEATURES

- ✓ One set of 10-32 tapped rails
- ✓ 150 lb. weight capacity
- ✓ 20" usable mounting depth
- ✓ 19" EIA-310-D compliant
- ✓ Ships knocked down
- ✓ Made in the USA
- ✓ Limited Lifetime Warranty

| Item Number | Description |
|-----------------|------------------|
| WR-K10-5774-12U | 12U 10/32 Tapped |
| WR-K10-5775-18U | 18U 10/32 Tapped |



Swing-Out Open Frame Wall Mount Rack

FEATURES

- ✓ 100 lbs. Weight Capacity
- ✓ 19 in. Rack-Mount Width
- ✓ Threaded Rack-Mounting Provisions,
- ✓ 12 - 24 and 10 - 32
- ✓ EIA Universal Hole Pattern
- ✓ Black Epoxy Powder-Coat Finish
- ✓ UL Listed

| Item Number | Description |
|-----------------|-----------------------|
| WR-D10-4775-12U | 12U 12" Deep Untapped |
| WR-D10-4776-12U | 12U 18" Deep Untapped |
| WR-D10-4777-18U | 18U 18" Deep Untapped |
| WR-D10-4778-24U | 24U 18" Deep Untapped |
| WR-D10-4844-12U | 12U 12" Deep Tapped |
| WR-D10-4845-12U | 12U 18" Deep Tapped |
| WR-D10-4846-18U | 18U 18" Deep Tapped |
| WR-D10-4847-24U | 24U 18" Deep Tapped |

SERVER RACKS

SIZE | TYPES



Swing-Out Wall Mount Bracket, Hinged

FEATURES

- ✓ 6 in. Depth
- ✓ Provides Mounting Space
- ✓ Hinged Type Wall Mount Bracket
- ✓ Conforms to 19 in. RMS Standards
- ✓ Attractive Black Finish
- ✓ UL Listed



| Item Number | Description |
|----------------|---------------|
| PP6-316/1U | 1U 6 in. Deep |
| PP6-317/2U | 2U 6 in. Deep |
| PP6-318/4U | 4U 6 in. Deep |
| WR-K10-3347-6U | 6U 6 in. Deep |



Swing-Out Wall Mount Bracket, Hinged, Adjustable Depth

FEATURES

- ✓ Depth Adjusts from 9 in. to 14 in.
- ✓ Provides Mounting Space
- ✓ Hinged Type Wall Mount Bracket
- ✓ Conforms to 19" RMS Standards
- ✓ Attractive Black Finish
- ✓ UL Listed



| Item Number | Description |
|-------------|------------------------------------|
| PP6-4592/2U | 2U Adjustable from 9 in. to 14 in. |
| PP6-4593/4U | 4U Adjustable from 9 in. to 14 in. |
| PP6-3184/8U | 8U Adjustable from 9 in. to 14 in. |

SERVER RACKS

SIZE | TYPES



Swing-Out Open Frame Wall Mount Rack, Phantom Class

FEATURES

- ✓ 12" or 18" Maximum Mounting Depth
- ✓ Universal Cage Nut Style Rails
- ✓ Bolt-Together Design
- ✓ Includes 24 Screws & Cage Nuts
- ✓ Maximum Weight Capacity 300 lbs.



| Item Number | Description |
|-----------------|----------------|
| WR-K10-3338-12F | 12U, 12" Depth |
| WR-K10-3339-16F | 16U, 12" Depth |
| WR-K10-3340-21F | 21U, 12" Depth |
| WR-K10-5838-12F | 12U, 18" Depth |
| WR-K10-5839-16F | 16U, 18" Depth |
| WR-K10-5840-21F | 21U, 18" Depth |



Wall-Mount Vertical Rack

FEATURES

- ✓ Use Vertically or Horizontally
- ✓ Mount on a Wall or Under a Desk
- ✓ No Depth Restrictions
- ✓ Cage Nut Style Rails
- ✓ Maximum Weight Capacity 150 lbs.



| Item Number | Description |
|----------------|------------------|
| WR-K10-3441-2V | 2U, Tapped Rails |
| WR-K10-3442-3V | 3U, Tapped Rails |
| WR-K10-3443-4V | 4U, Tapped Rails |



Open Frame Wall Mount, Side-Loading Rack

12U Side Loading

FEATURES

- ✓ Supports Over 350 lbs.
- ✓ Fixed Mounting Depth of 20"
- ✓ Cage Nut Style Rails
- ✓ Top Cutouts for Cabling

Item Number

WR-K10-3337-12M



SERVER RACKS

SIZE | TYPES




Wall Mount Brackets

FEATURES

- ✓ 2-Piece Design
- ✓ Adjusts to Any Width
- ✓ Standard Pre-Tapped 10/32 Rails
- ✓ 18 in. Maximum Depth
- ✓ Units Can Be Ganged Vertically
- ✓ Maximum Weight Capacity 350 lbs.

| Item Number | Description |
|-----------------|-------------|
| WR-K10-3334-8U | 8U |
| WR-K10-3335-12U | 12U |



D-Ring Cable Manager, 1U, 5D Rings

FEATURES

- ✓ Snaps into any Cage-Nut-Style Rail
- ✓ 7 Cable Routing Slots (1U)
- ✓ 14 Cable Routing Slots (2U)
- ✓ Mounts in 2 Positions
- ✓ 19 in. EIA 310-D Compliant
- ✓ Tool-less

| Item Number | Description |
|-----------------|-------------|
| WR-K10-3334-8U | 8U |
| WR-K10-3335-12U | 12U |



Cable Management Panel, 1U, 5-Ring, Low-Profile

FEATURES

- ✓ Works Great for Patch Panels
- ✓ Keeps Your Cables Organized & Clean Looking
- ✓ Cable Management
- ✓ 19" W x 1 3/4 in. H
- ✓ UL Listed

| Item Number | Description |
|----------------|-------------|
| PP4-314/5R/1U | 1U |
| PP4-2102/5R/2U | 2U |

SERVER RACKS

SIZE | TYPES



Cable Routing Blank, 1U/2u

FEATURES

- ✓ Cable Routing Blanks make it easy to pass cables from the front of a server rack or cabinet to the back and still keep a neat organized look.
- ✓ Black powder coat finish
- ✓ Rounded corners
- ✓ Made in the USA
- ✓ Limited Lifetime Warranty

| Item Number | Description |
|----------------|-----------------------------------|
| RP-K12-3366-1U | Low Profile 1U Design, 7 cutouts |
| RP-K12-3367-2U | Low Profile 2U Design, 14 cutouts |



Item Number

RP-K12-3357-DMK



D-Ring Cable Management Kit, 1U

This 1U D-Ring Cable Management Kit gives Installers and Network Technicians a flexible and functional cable management bracket that will easily manage all types of cables.

FEATURES

- ✓ Includes 5 Steel D-Rings
- ✓ Includes 16 Snap-in Nylon Clips
- ✓ Nylon Clips are UL 94V-2 recognized
- ✓ Over 40 different configurations
- ✓ 19 in. EIA 310-D Compliant
- ✓ Made in the USA
- ✓ Limited Lifetime Warranty



Five D-Ring Cable Manager


FEATURES

- ✓ 7 cable routing slots
- ✓ (5) 3 in. x 1 3/4 in. D-rings
- ✓ 19 in. EIA 310-D Compliant
- ✓ Made in the USA
- ✓ Limited Lifetime Warranty

| Item Number | Description |
|----------------|--|
| RP-K12-3613-1U | Width: 19 in. Height: 1.72 in. Depth 19 in. Weight: 4lbs. |
| RP-K12-3614-2U | Width: 19 in. Height: 3.47 in. Depth 19 in. Weight: 6 lbs. |

SERVER RACKS

SIZE | TYPES



D-Ring Cable Manager, Rackable, Vertical Mounting

FEATURES

- ✓ Utilizes a patented wire-form design
- ✓ Great for organizing & bundling cables
- ✓ Relieves cable weight from network equipment
- ✓ Avoid connection ports from being damaged
- ✓ Accommodates a variety of cables
- ✓ Made in the U.S.A.



| Item Number | Description |
|-----------------|---------------------------|
| RP-D12-1019-19R | 18.8" Height / 3.5" Depth |
| RP-D12-1538-DR | 18.8" Height / 5.5" Depth |
| RP-D12-6139-DR | 68" Height / 2.5" Depth |
| RP-D12-1025-VM | 68" Height / 3.5" Depth |



Cable Routing & PDU Manager

78" - 84" Enclosures

FEATURES

- ✓ 78 in. - 84 in. Heith Cabinet/Enclosure
- ✓ PDU Button Mounting Spaces
- ✓ Add Rings
- ✓ Add Velcro Looks

Item Number

RA-D18-4835-PDU



Aluminum Vertical Cable Manager

FEATURES


- ✓ Constructed of aluminum
- ✓ Single or Double-Sided Sections
- ✓ Narrow or Wide Channel
- ✓ Molded Plastic Edge Protectors
- ✓ Metal Snap-Shut Swing Gates



| Item Number | Description |
|----------------|----------------------------|
| RP-D12-4783-DN | 84" H / 3.65" W / 12.75" D |
| RP-D12-4784-DW | 84" H / 6" W / 12.75" D |
| RP-D12-4785-SN | 84" H / 3.65" W / 6.38" D |
| RP-D12-4784-SW | 84" H / 6" W / 6.38" D |

SERVER RACKS

SIZE | TYPES



Patch Panel Lacing Bar, 1U

The 1U Flat Cable Lacing Panel is a top choice for managing and routing cables to and from patch panels, switches or other networking devices. Simply mount the panel above or below your networking device, then secure cables to the numerous vertical and horizontal lacing slots with the help of the Hook and Loop Cable Ties.

Item Number

RP-K12-1011-1U

RP-K12-5432-1U



FEATURES

- ✓ Easily mounts in 8 different positions
- ✓ 3 in. x 1 1/2 in. cable capacity
- ✓ Compatible with tapped and cage nut style rails
- ✓ EIA 310-D Compliant
- ✓ Made in the USA
- ✓ Limited Lifetime Warranty



Patch Panel Lacing Bar, 1U

The 1 RMS finger duct panel features 24 slotted ducts designed to provide horizontal cable management on the front and back of a rack. Includes #12 mounting screws.

Item Number

ICCMSCMA61

ICCMSCMA62



FEATURES

- ✓ Provides flexibility for front cable management with a neat and clean appearance
- ✓ Designed with slotted ducts providing horizontal cable management on the front of a rack
- ✓ Designed to fit all standard 19" racks and cabinets
- ✓ 1 rack mount space (RMS)
- ✓ Used with all ICCMS racks and brackets
- ✓ UL listed



Slotted Finger Duct Cable Management w/ Cover

FEATURES

- ✓ Keeps Your Cable Organized & Clean Looking
- ✓ Fits Standard 19 in. Racks & Enclosures
- ✓ 16 GA Steel Construction
- ✓ Single Sided
- ✓ UL Listed



| Item Number | Description |
|----------------|-----------------------------|
| PP4-2444-1UDCM | 1U Front Only - 1 3/4 in. D |
| PP4-2445-2UDCM | 2U Front Only - 1 3/4 in. D |
| PP4-4461-2UDCM | 2U Front Only - 3 1/4 in. D |

SERVER RACKS

SIZE | TYPES



Slotted Finger Duct Cable Management w/ Cover

FEATURES

- ✓ 12/24 Slotted Ducts w/ Cover
- ✓ Provides Horizontal Cable Management
- ✓ Sturdy Plastic Construction
- ✓ Single Sided
- ✓ UL Listed

| Item Number | Description |
|----------------|-----------------------------|
| PP4-3407-1UDCM | 1U Front Only - 3 1/2 in. D |
| PP4-3408-2UDCM | 2U Front Only - 3 1/2 in. D |



Slotted Finger Duct Cable Management w/ Cover

FEATURES

- ✓ 24/48 Slotted Ducts w/ Cover
- ✓ Provides Horizontal Cable Management
- ✓ Sturdy Plastic Construction
- ✓ Double Sided
- ✓ UL Listed

| Item Number | Description |
|----------------|-------------------|
| PP4-4522-1UDCM | 1U Front and Rear |
| PP4-3483-2UDCM | 2U Front and Rear |



Vertical Slotted Duct Cable Manager w/ Cover

FEATURES

- ✓ Vertical Slotted Ducts
- ✓ Side Mount /Center Mount
- ✓ Includes Mounting Screws
- ✓ With Cover
- ✓ UL Listed

| Item Number | Description |
|---------------|----------------------------|
| PP4-3859-7DCM | Single Sided, Side Mount |
| PP4-3860-7DCM | Double Sided, Side Mount |
| PP4-3861-7DCM | Double Sided, Center Mount |

SERVER RACKS

SIZE | TYPES



Side-Mount D-Ring Cable Management

1U

FEATURES

- ✓ Useful In and Around Server Racks and Enclosures
- ✓ Vertical or Horizontal Cable Management Solution
- ✓ Route Cables to Patch Panels, Switches or Any Network Rack-Related Components

Item Number

PP4-3197-1U



Swing-Out Wall Mount Bracket, Hinged

1U

FEATURES

- ✓ 19 in. Cable Support Bar
- ✓ Durable Steel w/ Black Powder Coat Finish
- ✓ Provides Additional Weight Support for 24 Port Patch Panels

Item Number

PP4-3506-1U



10-32 Screws, Standard

FEATURES

- ✓ 3/4 in. Length
- ✓ 10 /32 Pilot Point
- ✓ Phillips Truss Head
- ✓ Packaged in an Aluminum Tin
- ✓ RoHS Compliant



| Item Number | Description |
|-----------------|-------------|
| RA-K3-3348-50 | 50 Pack |
| RA-K3-3349-100 | 100 Pack |
| RA-K3-3352-5000 | 5000 Pack |

SERVER RACKS

SIZE | TYPES



10-32 Cage Nuts

FEATURES

- ✓ Thread Size: 10/32
- ✓ Snap-In Design
- ✓ Packaged in an Aluminum Tin
- ✓ RoHS Compliant



| Item Number | Description |
|------------------|-------------|
| RA-K11-3354-50 | 50 Pack |
| RA-K11-3355-100 | 100 Pack |
| RA-K11-3356-2500 | 2500 Pack |



10-32 Screws & Washers

FEATURES

- ✓ 3/4 in. Length
- ✓ 10/32 Pilot Point
- ✓ Phillips Truss Head
- ✓ Packaged in an Aluminum Tin
- ✓ RoHS Compliant



| Item Number | Description |
|-----------------|-------------|
| RA-K3-3350-50W | 50 Pack |
| RA-K3-3351-100W | 100 Pack |
| RA-K3-3353-2500 | 2500 Pack |



M5 Screws & Washers

FEATURES

- ✓ 3/4 in Length
- ✓ M5 Pilot Point
- ✓ Phillips Truss Head
- ✓ Packaged in an Aluminum Tin
- ✓ RoHS Compliant

Item Number

RA-D18-4835-PDU



SERVER RACKS

SIZE | TYPES



M6 Cage Nuts & Screws

FEATURES

- ✓ Metric Thread
- ✓ For Mounting Equipment to Cage Nut Vertical
- ✓ Mounting Rails

| Item Number | Description |
|-------------------|-------------|
| RA-D11-4781-30NS | 30 Pack |
| RA-D11-4780-100NS | 100 Pack |



12-24 Screws

30 Pack

FEATURES

- ✓ For Mounting Equipment to 12/24 Tapped Vertical Mounting Rails
- ✓ Pack includes (30pc) 12-24 Screws

| Item Number |
|-----------------|
| RA-D3-4757-3024 |



Rackmount Component Utility Shelf

FEATURES

- ✓ Great for Storing Non-Rack Mountable Components
- ✓ Heavy 14-Gauge Steel
- ✓ Medium Duty
- ✓ Radius Corners for Safety & Handling

| Item Number | Description |
|---------------|-----------------|
| PP8-2837-1U8 | 1U 8 in. Depth |
| PP8-2887-1U10 | 1U 10 in. Depth |

SERVER RACKS

SIZE | TYPES



Center-mount Cantilever Utility Shelf

2U 22 in. Depth

FEATURES

- ✓ Sturdy 14 AWG Steel Construction
- ✓ Cantilever Design
- ✓ Weight Capacity: 30 lbs.
- ✓ 2U Center Mount Utility Keyboard/ Monitor Shelf
- ✓ Can Be Used on 2-Post Rack

Item Number

PP8-2881-2U22



Network Rack, Component Shelves, Solid/Vented, 2U

FEATURES

- ✓ Rounded Corners
- ✓ 25 lb. Weight Capacity
- ✓ Black Textured Powder Coat Finish
- ✓ Light Duty



| Item Number | Description |
|----------------|------------------------------|
| PP8-2798-2U12V | 2U 12 in. Depth / Vented |
| PP8-2799-2U12 | 2U 12 in. Depth / Solid |
| PP8-2797-2U14V | 2U 14 3/4 in. Depth / Vented |
| PP8-2880-2U15 | 2U 14 3/4 in. Depth / Solid |

SERVER RACKS

SIZE | TYPES



Side-Mount D-Ring Cable Management

2U 14 in. Depth / Vented

FEATURES

- ✓ 14" depth
- ✓ 50 lb. Weight Capacity
- ✓ Venting pattern allows for maximum air flow
- ✓ 19" EIA 310-D compliant
- ✓ Medium Duty

Item Number

RS-K13-3373-2U



Network Rack, Component Shelves, Solid/Vented, 2U

FEATURES

- ✓ Rounded Corners
- ✓ 70-150 lbs. Weight Capacity
- ✓ Black Textured Powder Coat Finish
- ✓ Heavy Duty



| Item Number | Description |
|----------------|--|
| RS-K13-3370-1U | 1U 12 in. Depth / 70lbs Weight Capacity |
| RS-K13-3371-2U | 2U 14 in. Depth / 120lbs Weight Capacity |
| RS-K13-3372-3U | 3U 16 in. Depth / 150lbs Weight Capacity |



Desktop/Tower Wall Mount CPU Bracket

FEATURES

- ✓ Get the Computer Up Off the Floor
- ✓ Heavy-Duty 14 Gauge Steel
- ✓ Velcro Strap Included to Secure PC
- ✓ Mounts in Minutes to any Wall or Desk
- ✓ 18" Deep



| Item Number | Description |
|-----------------|-------------------------------------|
| RS-K13-3615-CPU | 18.04 in. W x 7.9 in. H x 4.5 in. D |
| RS-K13-3616-CPU | 18.04 in. W x 9.9 in. H x 7.9 in. D |

SERVER RACKS

SIZE | TYPES



Item Number

RS-3857-1KB

1U Rack Mount Drawer w/ Keyboard

USB Compatible

FEATURES

- ✓ 1U Rack Mount Drawer w/ 104-Key
- ✓ Keyboard & Touch-Pad
- ✓ MTBF: 10,000,000 Key Strokes
- ✓ 19" Rack Mountable
- ✓ Working Temperature: 0~50°C
- ✓ 19 in. W x 1.77 in. H x 14.31 in. D



Item Number

RS-5397-1KVM

1U Rack Mount 1 Port KVM Console LCD

103 Key 8 Port

FEATURES

- ✓ 19 in. 1U Rack Mount KVM Console LCD Monitor
- ✓ Keyboard & Integrated Touch Pad
- ✓ Built-in Rail Self-locking Device
- ✓ Support Combo (PS/2 & USB)



Rack Mountable Drawers

FEATURES

- ✓ Includes a Built-In Lock
- ✓ Maximum Load Capacity of 100 lbs
- ✓ 4 Mounting Holes per U Space
- ✓ 19 in. EIA Compliant



| Item Number | Description |
|----------------|-------------|
| RS-K13-3617-2U | 2U |
| RS-K13-3618-3U | 3U |
| RS-K13-3619-4U | 4U |

SERVER RACKS

SIZE | TYPES



Rack Mountable Sliding Shelf

FEATURES

- ✓ 1U, 4 Post
- ✓ 19 in. - 28 in. Adjustable Depth
- ✓ Mounting Depth Adjusts from 19 in. - 28 in.
- ✓ 100 lbs. Weight Capacity



| Item Number | Description |
|-----------------|-------------|
| RS-K13-3620-20 | 1U Solid |
| RS-K13-3621-20V | 1U Vented |



Adjustable Component Shelf

1U Solid

FEATURES

- ✓ 1U, 4 Post
- ✓ 24 in. - 36 in. Adjustable Depth
- ✓ Includes Mounting Hardware
- ✓ Epoxy Powder-Coat Finish, Black

Item Number

RS-D13-4791-ADJ



4 Point Adjustable Component Shelf

FEATURES

- ✓ Work with all 19 in. EIA Compliant 4-Post Racks or Server Cabinets
- ✓ 250 lbs. Weight Capacity
- ✓ 4 Mounting Holes Per U Space



| Item Number | Description |
|----------------|---------------------------|
| RS-K13-3375-2U | 2U 22 in. - 40 in. |
| RS-K13-3376-1U | 1U 22 in. - 36 in. |
| RS-K13-3377-1U | 1U 22 in. - 36 in. Vented |

SERVER RACKS

SIZE | TYPES



Cantilever Component Shelf

1U 29 1/2 in. Depth

FEATURES

- ✓ Cantilever Shelf w/ Mounting Ear
- ✓ Supports Short Depth & Full Depth Rack Mount Monitors
- ✓ Front Mounting Tabs

Item Number

RS-N13-4368-1U



Keyboard Shelf, 1U

1U

FEATURES

- ✓ Strong & Lightweight
- ✓ Black Powder Coat Finish
- ✓ 19 in. EIA Compliant
- ✓ Sturdy, Sleek Design
- ✓ Rounded Corners

Item Number

RS-K13-3383-SWT



Component Shelf, 2-Piece Reversible

2U Reversible

FEATURES

- ✓ Fits Any 2-Post Rack
- ✓ 200 lbs. Total Weight Capacity
- ✓ 4 Mounting Holes per U Space
- ✓ 19 in. W x 3 1/2 in H x 22 in D
- ✓ 9 in Usable Depth on Each Side

Item Number

RS-K13-3378-TRS



SERVER RACKS

SIZE | TYPES



Component Shelf, Center-Mount

FEATURES

- ✓ One of the Strongest Most Stable Shelves on the Market
- ✓ 350 lbs. Weight Capacity
- ✓ 4 Mounting Holes per U Space
- ✓ 19 in. W x 5 1/4 in. H x 24 in. D
- ✓ Vented or Solid Options

| Item Number | Description |
|-----------------|-----------------|
| RS-K13-3379-CSV | 3U Vented Shelf |
| RS-K13-3380-CSV | 3U Solid Shelf |



DVR / Equipment Security Lock Box

FEATURES

- ✓ Unique Built-in Hinge
- ✓ Built-in fan Grate Prevents Tampering
- ✓ 270° Swing-Open Door
- ✓ Recessed door prevents tampering

| Item Number | Description |
|-----------------|----------------|
| SS-K14-3386-DVR | Lock Box |
| SS-K14-3387-DVR | Wall Mount Kit |



Adjustable CPU Holder

Component Shelf

FEATURES

- ✓ Adjustable Height & Width
- ✓ All Steel Construction
- ✓ Two Mounting Options
- ✓ Added Support

| Item Number |
|-----------------|
| RS-K13-3345-CPU |

SERVER RACKS

SIZE | TYPES



Item Number

RS-K13-3381-FAK

4" Rack And Enclosure Fan Assembly Kit

Fan Kit

FEATURES

- ✓ Fans Remove Ambient Heat that Rack Mount Components Emit
- ✓ Includes 4 Mounting Nuts/Bolts, 1 Wire Fan Guard & 1 Power Cord, 4" 53 CFM Ultra-Quiet Fan



Item Number

RS-D13-4790-TF

Fan Thermostat

Thermostat

FEATURES

- ✓ Multi-Temp Setting
- ✓ Automatically Activates Fans at User Set Temperature
- ✓ Saves Energy



Item Number

RS-D13-4787-FF

NEMA Fan Filter Kit

Fan Filter

FEATURES

- ✓ Eliminate Dust
- ✓ Keep Harmful Particles From Entering Enclosure
- ✓ Easy to Install



SERVER RACKS/ETHERNET SWITCHES

SIZE | TYPES



Rack Mount Triple Fan Panel, 3U

3U 3-Fans

FEATURES

- ✓ Three Fans in a 3U Panel
- ✓ 3 Fan Guard
- ✓ 1 Cord With 3 Fan Plugs
- ✓ Pre-Assembled / Ready for Use
- ✓ 4 Mounting Holes per U Space
- ✓ Black Powder Coat Finish

Item Number

RS-K13-3382-TFP



Unmanaged Ethernet Desktop Switch

FEATURES

- ✓ IEEE 802.3x Flow Control
- ✓ Auto-MDI/MDIX
- ✓ MAC Address Auto-Learning/Aging
- ✓ Auto-Negotiation Ports 10/100Mbps
- ✓ Fanless Design for Quiet Operation
- ✓ Plug & Play Design

| Item Number | Description |
|-------------|------------------|
| TL-SF1005D | 5 Port Unmanaged |
| TL-SF1008D | 8 Port Unmanaged |



Unmanaged Ethernet Switch, 16 Port Desktop/Rackmount

16 Port Unmanaged

FEATURES

- ✓ IEEE 802.3x Flow Control
- ✓ Non-Blocking Switching
- ✓ 4.8Gbps Switching Capacity
- ✓ Auto-MDI/MDIX
- ✓ MAC Address Auto-Learning/Aging
- ✓ Desktop or Rack Mount Design

Item Number

TL-SF1016DS

ETHERNET SWITCHES

SIZE | TYPES



Unmanaged Ethernet Desktop Switch

FEATURES

- ✓ IEEE 802.3x Flow Control
- ✓ Auto-MDI/MDIX
- ✓ MAC Address Auto-Learning/Aging
- ✓ Auto-Negotiation Ports 10/100Mbps
- ✓ Plug & Play Design

| Item Number | Description |
|-------------|-------------------|
| TL-SF1016D | 16 Port Unmanaged |
| TL-SF1024D | 24 Port Unmanaged |
| TL-SF1048 | 48 Port Unmanaged |



Unmanaged Ethernet Desktop Switch

FEATURES

- ✓ 5 10/100/1000M RJ45 Ports
- ✓ 16 Gbps Switching Capacity
- ✓ Auto-MDI/MDIX
- ✓ MAC Address Auto Learning/Aging
- ✓ Plug & Play Design

| Item Number | Description |
|-------------|------------------|
| TL-SG1005D | 5 Port Unmanaged |
| TL-SG1008D | 8 Port Unmanaged |



Unmanaged Ethernet Switch, Desktop/Rackmount 1000BASE

FEATURES

- ✓ 10/100/1000M RJ45 Ports
- ✓ 32Gbps Switching Capacity
- ✓ Auto-MDI/MDIX
- ✓ MAC Address Auto-Learning/Aging
- ✓ Plug & Play Design

| Item Number | Description |
|---------------|-------------------|
| TL-SG105 | 5 Port Unmanaged |
| TL-SG108 | 8 Port Unmanaged |
| TL-SG1016D | 16 Port Unmanaged |
| TL-SG1024D(S) | 24 Port Unmanaged |

ETHERNET SWITCHES

SIZE | TYPES



Easy Smart Ethernet Switch, 10/100/1,000 Mbps

FEATURES

- ✓ 10/100/1000Mbps RJ45 Ports
- ✓ Auto Negotiation/Auto MDI/MDIX
- ✓ 802.1x and RADIUS Authentication
- ✓ Green technology reduces power
- ✓ Web user interface

| Item Number | Description |
|-------------|--------------------------------|
| TL-SG105E | 5 Port Unmanaged |
| TL-SG108E | 8 Port Unmanaged |
| TL-SG116E | 16 Port Unmanaged |
| TL-SG1016DE | 16 Port Managed |
| TL-SG1024DE | 24 Port Managed |
| TL-SG2424 | 24 Port Unmanaged, 4 SFP Slots |



JetStream Smart Ethernet Switch, 10/100/1,000 Mbps

FEATURES

- ✓ 10/100/1000Mbps RJ45 Ports
- ✓ Auto Negotiation/Auto MDI/MDIX
- ✓ 802.1x and RADIUS Authentication
- ✓ L2/L3/L4 QoS and IGMP snooping
- ✓ Web user interface

| Item Number | Description |
|-------------|--------------------------------|
| T1500G-8T | 8 Port Unmanaged |
| T1600G-18TS | 16 Port Unmanaged, 2SFP Slots |
| T2600G-18TS | 16 Port Managed, 2SFP Slots |
| T1600G-28TS | 24 Port Unmanaged, 4 SFP Slots |
| T2600G-28TS | 24 Port Managed, 4 SFP Slots |
| T1600G-52TS | 48 Port Unmanaged, 4SFP Slots |
| T2600G-52TS | 48 Port Managed, 4SFP Slots |

ETHERNET SWITCHES

SIZE | TYPES



PoE Injector 1 10/100M Auto-Negotiation RJ45 Port

FEATURES

- ✓ 1 10/100M Auto-Negotiation RJ45 Port (Auto-MDI/MDIX)
- ✓ IEEE 802.3af Compliant
- ✓ 5V/12V Power Output
- ✓ Plastic Pocket Size Case

| Item Number | Description |
|-------------|-------------|
| NT1-3194-S | 2 Port PoE |
| NT1-3195-R | 1 Port PoE |



Desktop Ethernet Switch, 10/100BASE w/ PoE Ports

FEATURES

- ✓ 10/100M RJ45 Ports with some capable of PoE Function
- ✓ IEEE 802.3x Flow Control
- ✓ External Power Adapter Supply
- ✓ Steel Case Desktop Design

| Item Number | Description |
|-------------|-------------------------|
| TL-SF1005P | 5 Port Unmanaged 4 PoE |
| NT1-3193-8P | 8 Port Unmanaged 4 PoE |
| TL-SL1218MP | 16 Port Unmanaged 2 PoE |



Managed 16-Port PoE Switch, 10/100/1000Mbps

16 Port

FEATURES

- ✓ 16 10/100/1000M Ports
- ✓ Support one-key recovery of IP address & user password
- ✓ Quick installation, easy operation
- ✓ MAC Address Auto-Learning/Aging
- ✓ Plug & Play Design
- ✓ Fanless to Ensure Quiet Operation

| Item Number |
|--------------|
| NT1-6820-16P |

ETHERNET SWITCHES

SIZE | TYPES



Smart Switch PoE Port + SFP Slot, 10/100/1000Mbps

FEATURES

- ✓ Standard: 802.3at/af compliant
- ✓ PoE Ports
- ✓ SFP Ports
- ✓ Gigabit Ethernet connections on all ports
- ✓ WEB/CLI managed modes

| Item Number | Description |
|--------------|--|
| T1500G-10PS | 8 port PoE 53W, Unmanaged, 2SFP Slots |
| T1500G-10MPS | 8 port PoE 116W, Managed 2SFP Slots |
| T1600G-28PS | 24 port PoE 192W, Unmanaged, 4 SFP Slots |
| T2600G-28MPS | 24 port PoE 384W, Managed, 4 SFP Slots |
| T1600G-52PS | 48 port PoE 384W Unmanaged, 4SFP Slots |



PoE Network Switch, 8 ports

8 Port Unmanaged 2 PoE

FEATURES

- ✓ 8x100Mbps RJ45 PoE ports
- ✓ 2 x 100Mbps RJ45 Network ports
- ✓ IEEE 802.3x Flow Control
- ✓ 825ft (250m) transmission distance
- ✓ High quality, metal housing

Item Number

NSW081P



Desktop Ethernet Switch, 10/100/1000MBPS w/ PoE Ports

FEATURES

- ✓ 10/100/1000MBPS RJ45 Ports with some capable of PoE Function
- ✓ IEEE 802.3x Flow Control
- ✓ External Power Adapter Supply
- ✓ Steel Case Desktop Design

| Item Number | Description |
|-------------|------------------------|
| TL-SG1008P | 8 Port Unmanaged 4 PoE |
| TL-SG1008MP | 8 Port Managed 8 PoE |

ETHERNET SWITCHES/MEDIA CONVERTERS

SIZE | TYPES



Smart Ethernet Switch, 10/100/1000MBPS w/ PoE Ports

FEATURES

- ✓ 10/100/1000MBPS RJ45 Ports with some capable of PoE Function
- ✓ IEEE 802.3x Flow Control
- ✓ Provides network monitoring
- ✓ Web-based user interface

| Item Number | Description |
|-------------|-------------------------|
| TL-SG108PE | 8 Port Unmanaged 4 PoE |
| TL-SG1016PE | 16 Port Unmanaged 8 PoE |



16-Port 10/100Mbps + 2-Port Gigabit Unmanaged PoE Switch

16 Port Poe Managed, 2 SFP Slots

FEATURES

- ✓ 16 PoE+ 10/100Mbps RJ45 ports
- ✓ 2 Gigabit RJ45 ports
- ✓ 2 combo Gigabit SFP slots
- ✓ 30W for each PoE port and 194W for all PoE ports
- ✓ 802.3af/at PoE+ standard

| Item Number |
|-------------|
| TL-SL1218MP |



PoE Splitter, 1 Port, Gigabit

1 Port Poe Splitter

FEATURES

- ✓ Gigabit speed support
- ✓ IEEE 802.3af compliant
- ✓ Delivers power up to 100 meters
- ✓ Optional 12V DC or 5V DC power supply
- ✓ Plug-and-Play

| Item Number |
|-------------|
| TL-PoE10R |

ETHERNET SWITCHES/MEDIA CONVERTERS

SIZE | TYPES



Omada Cloud Controller

Omada Wi-Fi network controller

FEATURES

- ✓ Dual power selection PoE
- ✓ Pre-installed Omada controller software
- ✓ Powerful CPU and USB auto backup
- ✓ Accessible through direct access, cloud portal or mobile app

Item Number

OC200

Media Converters

Media converters are a necessary component of a network combining incompatible devices. Primus Cable offers both single mode and multi-mode media converters, as well as media converter chassis. Utilizing a media converter, state of the art networking technology can be integrated into a network using legacy equipment, which saves you money. The productive life of an aging network can be extended, while expanding your network.



Media Converter, MultiMode-SingleMode, Fast Ethernet, 2-20K

SC Connector

FEATURES

- ✓ 100BASE-TX to 100BASE-FX Converter
- ✓ Extends copper based Fast network
- ✓ Interface connections for (1) RJ-45 Supported Ports: MultiMode & Single- Mode SC optical fiber
- ✓ External power supply

Item Number

MC-4465/100M/MM/SM



Media Converter, 1000BASE-SX/LX/LH, SFP Slot

SFP Slot, *Use With TRC-4671-GLCL.

FEATURES

- ✓ 1000Mbps in Full-Duplex mode for both TX port and FX port.
- ✓ Force /Auto transfer mode for FX port.
- ✓ Supports auto MDI/MDI-X for TX port
- ✓ FX port support hot-swappable.

Item Number

MC-3605/LS

MEDIA CONVERTERS

SIZE | TYPES



Media Converter, Multi-mode, 2KM 10/100BASE-TX/FX

FEATURES

- ✓ TX/FX Multi Mode Bridge Conv
- ✓ MDI/MDI-X Auto Negotiation
- ✓ Link Fault Pass-Through
- ✓ Chassis Mountable
- ✓ Available in SC or ST

| Item Number | Description |
|------------------|--------------|
| MC-2030/2K/SC/MM | SC Connector |
| MC-2031/2K/ST/MM | ST Connector |



Media Converter, Single Mode, 10/100BASE-TX/FX

FEATURES

- ✓ FX Singlemode SC
- ✓ Fiber Media Converter
- ✓ Full-Duplex Up to 60KM Switching
- ✓ Power Adapter Chassis Mountable

| Item Number | Description |
|-------------------|--------------|
| MC-2032/20K/SC/SM | SC Connector |
| MC-2033/40K/SC/SM | ST Connector |
| MC-2034/60K/SC/SM | ST Connector |



Media Converter, 10/100/1000 MBPS RJ45-SFP Transceiver Port

SFP Connector

FEATURES

- ✓ SFP Transceiver Port for optical fiber; RJ45 for twisted pair
- ✓ External and built-in DC power supplies provided
- ✓ Supports transmission distance up to 100km

| Item Number |
|-------------|
| MC-1292/LS |

MEDIA CONVERTERS

SIZE | TYPES



Item Number

MC-2035/500M/SC/MM

Media Converter, Multi-mode, 550M 1000BASE-TX/FX

SC Connector

FEATURES

- ✓ 1000Mbps RJ45 to 1000 Mbps
- ✓ Multi Mode SC Fiber Media Converter
- ✓ Full-Duplex up to 500 Meters - Switching Power Adapter
- ✓ Chassis Mountable



Item Number

MC-2036/10K/SC/SM

Media Converter, Single Mode, 10KM, 10/100/1000BASE-SC

SC Connector

FEATURES

- ✓ Single Mode Media Converter
- ✓ SC Connector- MDI/MDI-X Auto Negotiation



Item Number

MC-4141/15K/CS

Media Converter, Single Mode, 20KM, 1000BASE-LX/LH/T

SC Connector

FEATURES

- ✓ Full-Duplex up to 20 KM
- ✓ Single Mode Converter
- ✓ SC/RJ45 Connectors
- ✓ Switching Power Adapter
- ✓ Chassis Mountable



Item Number

MC-4336-20K/SC/SM

WDM Media Converter, Single Mode, 20KM 100BASE-TX/FX

SC Connector

FEATURES

- ✓ TX1550NM / FX1310NM
- ✓ Single Mode Media Converter
- ✓ SC/RJ45 Connectors
- ✓ External Power Supply
- ✓ Chassis Mountable

MEDIA CONVERTERS

SIZE | TYPES



WDM Media Converter, Single Mode, 20KM 100BASE-FX/TX

SC Connector

FEATURES

- ✓ TX1310NM / FX1550NM
- ✓ Single Mode Media Converter
- ✓ SC/RJ45 Connectors
- ✓ External Power Supply
- ✓ Chassis Mountable

Item Number

MC-4337-20K/SC/SM



Media Converter Rackmount Chassis, 14 Slots

Chassis Only

FEATURES

- ✓ 14-Slot Media Converter
- ✓ 19 in. Rack Mountable Chassis
- ✓ Optional Power Supply
- ✓ Two Cooling Fans (Internal)
- ✓ Offers Over-Voltage & Over-Current Protections

Item Number

MC-4142/14



Secondary Power Supply for Media Converter Chassis

Backup Power

FEATURES

- ✓ Secondary Power Supply
- ✓ Ensures Media Converter Stays Powered

Item Number

MC-5388-PS

TRANSCEIVERS

SIZE | TYPES

Transceivers

Transceivers combine the functionality of both a transmitter and a receiver in one device sharing common circuitry. Primus Cable carries fiber optic transceivers, network transceivers, and Ethernet transceivers. The industry standard Small Form Factor Pluggable (SFP) gigabit interface converters such as the SFP Transceiver, 100M 1000BASE-T plugs into an Ethernet port or slot. This links the port with the network.



Item Number

TRC-4686-GLCT

SFP Transceiver, 100M 1000BASE-T, RJ45 Connector

RJ45 Connector

FEATURES

- ✓ Small Form-Factor Pluggable (SFP)
- ✓ Hot-Swappable
- ✓ Support 10/100/1000 Autonegotiation
- ✓ Auto MDI/MDIX
- ✓ Cisco Compatible
- ✓ RJ45 Connector



Item Number

TRC-4670-GLCS

SFP Transceiver, Multi-mode, 550M 1000BASE-SX

LC Connector

FEATURES

- ✓ IEEE 802.3z 1000BASE-SX Standard
- ✓ Small Form-Factor Pluggable (SFP)
- ✓ Hot-Swappable
- ✓ 50 µm Multi-mode Fiber



Item Number

TRC-4671-GLCL

SFP Transceiver, Single Mode, 10KM 1000BASE-LX

LC Connector, *Use With MC-3605/LS

FEATURES

- ✓ Small Form-Factor Pluggable (SFP)
- ✓ Hot-Swappable
- ✓ IEEE 802.3z 1000BASE-LX

TRANSCEIVERS

SIZE | TYPES



Item Number
TRC-4688-GLCD

SFP Transceiver, Single Mode, 20KM 1000BASE-BX10-D

LC Connector

FEATURES

- ✓ Small Form-Factor Pluggable (SFP)
- ✓ Hot-Swappable
- ✓ TX: 1490nm / RX: 1310nm
- ✓ Pairs With TRC-4687-GLCU.
- ✓ Plug-and-Play
- ✓ Supports Digital Optical Monitoring



Item Number
TRC-4687-GLCU

SFP Transceiver, Single Mode, 10KM 1000BASE-BX10-U

LC Connector

FEATURES

- ✓ Small Form-Factor Pluggable (SFP)
- ✓ Hot-Swappable
- ✓ TX: 1310nm / RX: 1490nm
- ✓ Pairs With TRC-4688-GLCD.
- ✓ Plug-and-Play
- ✓ Supports Digital Optical Monitoring



Item Number
TRC-4685-GLCZ

SFP Transceiver, Single Mode, 80KM 1000BASE-ZX

LC Connector

FEATURES

- ✓ Hot-Swappable
- ✓ Small Form-Factor Pluggable (SFP)
- ✓ 1550nm SMF
- ✓ Up to 80 Kilometers
- ✓ Plug-and-Play
- ✓ Cisco Compatible



Item Number
TRC-4690-W9

SFP Transceiver, Single Mode, 80KM 1000BASE-ZX

LC Connector

FEATURES

- ✓ 1.25G Fiber Channel SFP Standard
- ✓ Small Form-Factor Pluggable (SFP)
- ✓ Hot-Swappable
- ✓ 1490nm SMF
- ✓ Up to 40 Kilometers
- ✓ Cisco Compatible

TRANSCEIVERS

SIZE | TYPES

**Item Number**

TRC-4673-10GLR

Media Converter, Multi-mode, 550M 1000BASE-TX/FX

LC Connector

FEATURES

- ✓ Small Form-Factor Pluggable (SFP)
- ✓ 1310nm SMF
- ✓ Up to 10 Kilometers
- ✓ Cisco Compatible
- ✓ Plug-and-Play

**Item Number**

TRC-4672-10GSR

SFP+ Transceiver, Multi-mode, 300M 10GBASE-SR

LC Connector

FEATURES

- ✓ 10GBASE-SR
- ✓ 850nm MMF
- ✓ Up to 300 Meters
- ✓ Cisco Compatible
- ✓ Plug-and-Play
- ✓ Small Form-Factor Pluggable (SFP)

WALL PLATES

SIZE | TYPES

Wall Plates

Wall plates, or keystone wall plates protect electrical outlets and accommodate a variety of cabling solutions such as coaxial, twisted pair, fiber, and HDMI cables. Wall plates protect your network by keeping your connections safe from dust, physical damage, and foreign objects. Primus Cable carries a variety of wall plates ranging from single port to up to six ports.



1 Port Wall Plate

FEATURES

- ✓ Use with Category 3/5E/6 Keystone Wall Jacks & Other Standard Inserts
- ✓ Size: 2 3/4 in. x 4 1/2 in.
- ✓ Screws included

| Item Number | Description |
|---------------|----------------|
| WP1-039/1P/AL | 1 Port, Almond |
| WP1-040/1P/IV | 1 Port, Ivory |
| WP1-041/1P/WH | 1 Port, White |



1 Port Wall Plate - MIG+

FEATURES

- ✓ Use with Category MIG+ Jacks Fiber Jacks, & Other Standard Inserts
- ✓ UL94V-0
- ✓ Size: 2 3/4 in. x 4 1/2 in.
- ✓ Screws included

| Item Number | Description |
|---------------|----------------|
| WP2-057/1P/AL | 1 Port, Almond |
| WP2-058/1P/IV | 1 Port, Ivory |
| WP2-059/1P/WH | 1 Port, White |



2 Port Wall Plate

FEATURES

- ✓ Use with Category 3/5E/6 Keystone Wall Jacks & Other Standard Inserts
- ✓ Size: 2 3/4 in. x 4 1/2 in.
- ✓ Screws included

| Item Number | Description |
|---------------|----------------|
| WP1-042/2P/AL | 2 Port, Almond |
| WP1-043/2P/IV | 2 Port, Ivory |
| WP1-044/2P/WH | 2 Port, White |

WALL PLATES

SIZE | TYPES



2 Port Wall Plate - MIG+

FEATURES

- ✓ Use with Category MIG+ Jacks Fiber Jacks, & Other
- ✓ Standard Inserts
- ✓ Size: 2 3/4 in. x 4 1/2 in.
- ✓ UL94V-0
- ✓ Screws included

| Item Number | Description |
|---------------|----------------|
| WP2-060/2P/AL | 2 Port, Almond |
| WP2-061/2P/IV | 2 Port, Ivory |
| WP2-062/2P/WH | 2 Port, White |



3 Port Wall Plate

FEATURES

- ✓ Use with Category 3/5E/6 Keystone Wall Jacks & Other
- ✓ Standard Inserts
- ✓ Size: 2 3/4 in. x 4 1/2 in.
- ✓ Screws included

| Item Number | Description |
|---------------|----------------|
| WP1-045/3P/AL | 3 Port, Almond |
| WP1-046/3P/IV | 3 Port, Ivory |
| WP1-047/3P/WH | 3 Port, White |



3 Port Wall Plate - MIG+

FEATURES

- ✓ Use with Category MIG+ Jacks Fiber Jacks, & Other
- Standard Inserts
- ✓ Size: 2 3/4 in. x 4 1/2 in.
- ✓ UL94V-0
- ✓ Screws included

| Item Number | Description |
|---------------|----------------|
| WP1-045/3P/AL | 3 Port, Almond |
| WP1-046/3P/IV | 3 Port, Ivory |
| WP1-047/3P/WH | 3 Port, White |

WALL PLATES

SIZE | TYPES



4 Port Wall Plate

FEATURES

- ✓ Use with Category 3/5E/6 Keystone Wall Jacks & Other Standard Inserts
- ✓ Size: 2 3/4 in. x 4 1/2 in.
- ✓ Screws included

| Item Number | Description |
|---------------|----------------|
| WP1-048/4P/AL | 4 Port, Almond |
| WP1-049/4P/IV | 4 Port, Ivory |
| WP1-050/4P/WH | 4 Port, White |



4 Port Wall Plate - MIG+

FEATURES

- ✓ Use with Category MIG+ Jacks Fiber Jacks, & Other Standard Inserts
- ✓ UL94V-0
- ✓ Size: 2 3/4 in. x 4 1/2 in.
- ✓ Screws included

| Item Number | Description |
|---------------|----------------|
| WP1-048/4P/AL | 4 Port, Almond |
| WP1-049/4P/IV | 4 Port, Ivory |
| WP1-050/4P/WH | 4 Port, White |



4 Port Wall Plate

FEATURES

- ✓ Use with Category 3/5E/6 Keystone Wall Jacks & Other Standard Inserts
- ✓ Size: 2 3/4 in. x 4 1/2 in.
- ✓ Screws included

| Item Number | Description |
|---------------|----------------|
| WP1-051/6P/AL | 6 Port, Almond |
| WP1-052/6P/IV | 6 Port, Ivory |
| WP1-053/6P/WH | 6 Port, White |

WALL PLATES

SIZE | TYPES



6 Port Wall Plate - MIG+

FEATURES

- ✓ Use with Category MIG+ Jacks Fiber Jacks, & Other
- ✓ Standard Inserts
- ✓ Size: 2 3/4 in. x 4 1/2 in.
- ✓ UL94V-0
- ✓ Screws included

| Item Number | Description |
|---------------|----------------|
| WP2-069/6P/AL | 6 Port, Almond |
| WP2-070/6P/IV | 6 Port, Ivory |
| WP2-071/6P/WH | 6 Port, White |



MIG+ Wall Plates- Black

FEATURES

- ✓ Use with Category MIG+ Jacks Fiber Jacks, & Other
- ✓ Standard Inserts
- ✓ Size: 2 3/4 in. x 4 1/2 in.
- ✓ UL94V-0
- ✓ Screws included

| Item Number | Description |
|----------------|-------------|
| WP2-4272/1P/BK | 1 Port |
| WP2-4273/2P/BK | 2 Port |
| WP2-4274/3P/BK | 3 Port |
| WP2-4275/4P/BK | 4 Port |
| WP2-4276/6P/BK | 6 Port |



Blank Wall Plate

FEATURES

- ✓ Size: 2 3/4 in. x 4 1/2 in.
- ✓ Screws included
- ✓ For Covering Unused Brackets
- ✓ ABS UL 94V-0

| Item Number | Description |
|---------------|-------------|
| WP2-055/BL/IV | Blank |
| WP2-056/BL/WH | Blank |

DRYWALL BRACKETS AND MUD RINGS

SIZE | TYPES

Wall Plates

Wall plates, or keystone wall plates protect electrical outlets and accommodate a variety of cabling solutions such as coaxial, twisted pair, fiber, and HDMI cables. Wall plates protect your network by keeping your connections safe from dust, physical damage, and foreign objects. Primus Cable carries a variety of wall plates ranging from single port to up to six ports.



Metal Mud-Ring Drywall Brackets

2 Gang, Metal

FEATURES

- ✓ Eliminates the Need for a Box for Low Voltage Applications
- ✓ Fast, Easy Installation with Only a Drywall Saw & Screwdriver
- ✓ Positive Support with Included Locking Screws

Item Number

DB-2414-DG



Plastic Mud-Ring Drywall Brackets

2 Gang, Plastic

FEATURES

- ✓ Eliminates the Need for a Box for Low Voltage Applications
- ✓ Fast, Easy Installation with Only a Drywall Saw & Screwdriver
- ✓ Positive Support with Included Locking Screws

Item Number

DB-3263-DG



Low Voltage Non-Metallic Drywall Mud-Ring, Bracket

FEATURES

- ✓ Non-metallic
- ✓ For Communications, Cable TV, Computer Wiring
- ✓ Adjusts to Fit 1/4 in. - 1in. Wall
- ✓ Post-Construction Fitting
- ✓ UL Listed



| Item Number | Description |
|-------------|---------------|
| LV1 | 1 Gang, Black |
| LV2 | 2 Gang, Black |
| LV3 | 3 Gang, Black |
| LV4 | 4 Gang, Black |
| LV2HD | 2 Gang, Black |

DRYWALL BRACKETS AND MUD RINGS

SIZE | TYPES



Low Voltage Non-Metallic Drywall Mud-Ring, Bracket

FEATURES

- ✓ Non-metallic
- ✓ For Communications, Cable TV, Computer Wiring
- ✓ Built-in loop to tie off cable
- ✓ Pre-Construction Fitting
- ✓ UL Listed



| Item Number | Description |
|-------------|-------------|
| LVS1 | 1 Gang |
| LVS2 | 2 Gang |
| LVS3 | 3 Gang |
| LVS4 | 4 Gang |



Round Low Voltage Non-Metallic Drywall Mounting Bracket

FEATURES

- ✓ Easy & Fast Install
- ✓ Paintable
- ✓ Adjusts 1/4 in. to 1 1/2 in. Wall Thickness
- ✓ Finishes With Any Wall Plate
- ✓ Easy to Level
- ✓ Easy Cable Access



| Item Number | Description |
|-------------|-------------|
| LV1RP | 1 Gang |
| FD2RP | 2 Gang |

DRYWALL BRACKETS AND MUD RINGS

SIZE | TYPES



Double Drywall Deep Nail-On Vapor Boxes For Devices

FEATURES

- ✓ Non-metallic, Non-Conductive
- ✓ Available in Round
- ✓ Ships w/ Captive Nails
- ✓ Includes Gasket Material for Sealing Knockouts
- ✓ UL Listed



| Item Number | Description |
|-------------|-----------------------|
| FN101FD | 1 Gang Double Drywall |
| FN102FD | 2 Gang Double Drywall |
| FN103FD | 3 Gang Double Drywall |
| FN104FD | 4 Gang Double Drywall |
| FN101F | 1 Gang |
| FN102F | 2 Gang |
| FN103F | 3 Gang |
| FN104F | 4 Gang |



Power & Low Voltage Box - Existing Construction

2 Gang, Existing Construction

FEATURES

- ✓ Fast & Easy Install
- ✓ Adjusts from 1/4 in. 1 1/2 in. Wall
- ✓ Mounting Wings Hold Bracket
- ✓ Two Hour Fire Rating
- ✓ NM Connector Installed
- ✓ UL Listed

| Item Number |
|-------------|
| LVDR2 |



DRYWALL BRACKETS AND MUD RINGS

SIZE | TYPES



Power & Low Voltage Box - New Construction

2 Gang, New Construction

FEATURES

- ✓ Fast & Easy Install
- ✓ Two Hour Fire Rating
- ✓ Install Power & Data Outlets
- ✓ NM Connector Installed
- ✓ Metal Or Wood Stud Install
- ✓ UL Listed

| Item Number |
|-------------|
| LVD2 |



Double Drywall Round Nail-On Boxes For Fans or Fixtures

FEATURES

- ✓ Non-Metallic, Non-Conductive
- ✓ Includes Gasket Material
- ✓ New Work
- ✓ UL Listed
- ✓ Quick & Easy Installation



| Item Number | Description |
|-------------|----------------|
| FN430F | Single Drywall |
| FN440F | Double Drywall |



Double Drywall Round Nail-On Boxes For Fans or Fixtures

FEATURES

- ✓ Adjusts before OR after the wall finish is done
- ✓ Secure installation
- ✓ Depth adjustment screw is accessible even after the wall finish is in place
- ✓ cULus Listed



| Item Number | Description |
|-------------|-------------|
| FA101 | Single Gang |
| FA102 | Double Gang |
| FA103 | Triple Gang |
| FA104 | Quad Gang |

DRYWALL BRACKETS AND MUD RINGS

SIZE | TYPES



TV Box™ 5" x 8" Low Profile Plastic for Shallow Wall Depths – White

Single Gang, New Construction

FEATURES

- ✓ Mounting wing screws hold box secure against wall
- ✓ White (Paintable Trim Plate)
- ✓ Supplied with 1 - TVL508 Low-Profile TV Box™ and 1 -
- ✓ UL/CSA Listed
- ✓ UL Listed Decorator Style Receptacle

Item Number

TVL508



4-Gang Recessed Power & Low Voltage Electrical Box

4 Gang

FEATURES

- ✓ Perfect for Flat Screen Plasma/LCD Televisions
- ✓ (2) Low Voltage Mounts are Built-in
- ✓ For New or Existing Construction
- ✓ Low Voltage Separator Provided
- ✓ Recessed, Paintable
- ✓ UL Listed – CSA Listed with grounding lug

Item Number

TVB613



Plastic Wire Bushings for Class 2 Wire - White

FEATURES

- ✓ Provides a Great-looking Job
- ✓ Quick Installation
- ✓ Easy, Smooth Insertion of Cable Through Wall
- ✓ The Attractive Way to Finish Cut Edges, Paintable



| Item Number | Description |
|---------------------|-------------|
| WB500 | 1/2" |
| WB875 (Made in USA) | 3/4" |
| WB112 | 1" |
| WB200 | 2" |

DRYWALL BRACKETS AND MUD RINGS

SIZE | TYPES



Recessed Power & Low Voltage Box

FEATURES

- ✓ For New Construction
- ✓ Recessed, Paintable
- ✓ (2) Low Voltage Mounts are Built-in
- ✓ Low Voltage Separator Provided
- ✓ UL Listed



| Item Number | Description |
|-------------|-------------|
| TVBU505 | 2 Gang |
| TVBU507 | 3 Gang |



TV Box™ Combination Box with Angled Openings

2 Port

FEATURES

- ✓ Non-metallic, Paintable Trim Plate
- ✓ For New or Old Work
- ✓ Great For Mounting Flat Screen TVs
- ✓ Power & Low Voltage

| Item Number |
|-------------|
| TVB712 |



TV Box™ Combination Box with Angled Openings

2 Port

FEATURES

- ✓ Non-metallic, Paintable Trim Plate
- ✓ For New or Old Work
- ✓ Great For Mounting Flat Screen TVs
- ✓ Power & Low Voltage

| Item Number |
|-------------|
| TVB713 |



DRYWALL BRACKETS AND MUD RINGS

SIZE | TYPES



TV Box™ Combination Box Kit

2 Port

FEATURES

- ✓ Recessed combo box allows you to mount LCD/plasma TVs and other system components flush against the wall
- ✓ Trim plate is textured/paintable and covers edges of cut wall surface

Item Number

TVBR505K



TV Box™ II Combination Box Kits - White

FEATURES

- ✓ Mounting wing screws hold the boxes secure against the wall
- ✓ Plugs and connections stay inside the recessed boxes so TV mounts flush against the wall
- ✓ No mess! – wires stay hidden behind the wall



| Item Number | Description |
|-------------|---|
| TVBRA1K | Single-gang power box |
| TVBRA2K | Power/low voltage box |
| TVBRA3K | Power/low voltage box at top, single gang at bottom |
| TVB712BK | Power/low voltage box (power side angled) |



THE SCOOP™ Single-Gang Reversible Cable Entry Device - White

1 Gang

FEATURES

- ✓ Reversible
- ✓ Use it Facing IN or OUT!
- ✓ Offers Both Cable Protection & Good Looks
- ✓ Best Way to Cover Existing Cable
- ✓ Non-rusting, Paintable Plastic
- ✓ UL Listed

Item Number

WP-4644-CED13



DRYWALL BRACKETS AND MUD RINGS

SIZE | TYPES



THE SCOOP™ Slotted Cable Entry Device with Decor Wall Plate

1 Gang

FEATURES

- ✓ Organizes low voltage cable in a neat bundle
- ✓ Offers Both Cable Protection & Good Looks
- ✓ Best Way to Cover Existing Cable
- ✓ Non-metallic, Non-rusting, paintable plastic
- ✓ UL Listed

Item Number

CED130WP



THE SCOOP™ Reversible Non-Metallic Cable Entry Device

1 Gang

FEATURES

- ✓ Reversible
- ✓ Use it Facing IN or OUT!
- ✓ Offers Both Cable Protection & Good Looks
- ✓ Best Way to Cover Existing Cable
- ✓ Non-rusting, Paintable Plastic
- ✓ UL Listed

Item Number

CED1



THE SCOOP™ Reversible Non-Metallic Cable Entrance Plate

FEATURES

- ✓ Reversible for Installation Versatility Use it facing IN or OUT!
- ✓ Best Way to Cover Existing Cable
- ✓ Non-Rusting, Paintable Plastic
- ✓ Versatile, Easy to Use
- ✓ UL Listed



| Item Number | Description |
|-------------|-------------|
| CE1 | 1 Gang |
| CE2 | 2 Gang |

DRYWALL BRACKETS AND MUD RINGS

SIZE | TYPES



Drywall Mounting Bracket, Recessed Low Voltage

FEATURES

- ✓ Non-Metallic
- ✓ Suitable for Old or New Work
- ✓ Quick & Easy Installation
- ✓ Recessed
- ✓ Includes Loops for Tie-off; Two Attachable Knockouts; One Device Plate

| Item Number | Description |
|-------------|---------------|
| LVU1W | 1 Gang, White |
| LVU2W | 2 Gang, White |
| LVU3W | 3 Gang, White |
| LVU4W | 4 Gang, White |



TV BOX™ Kit Power & Low Voltage Electrical Box, Non-metallic, Recessed, 8" x 10"

White

FEATURES

- ✓ Accepts standard-style plates with receptacles & decorator-style devices with plates & Arlington's SCOOP™ series entrance plates
- ✓ Supplied with cover blanks, wall plate, a SCOOP cable entry device (CED130) and cable connectors for unused openings
- ✓ 1 1/2" knockout for ENT or other low voltage wiring
- ✓ UL/CSA Listed

| Item Number |
|-------------|
| TVB810 |



SURFACE MOUNT BOXES

SIZE | TYPES

Surface Mount Boxes

Surface mount boxes are ideal for when in-wall box and wire installation is not an option. Expand your network with Primus Cable's selection of surface mount boxes for a clean, easy to install solution. We carry a variety of loaded and unloaded surface mount boxes, as well as junction boxes. Loaded surface mount boxes are pre-wired with either a keystone jack or modular connector inside.



CAT5E 1 Port loaded Universal Surface Mount Box

FEATURES

- ✓ Has CAT5E Keystone Jacks Already Inside
- ✓ Surface Mount Wall Jack Biscuit Loaded with CAT5E Keystone Jacks
- ✓ 110 Type Unshielded CAT5E Keystone Jack Already Inside Box
- ✓ Single Port Design with Mounting Screws and Double Sided Tape
- ✓ Requires 110 Punch Down Tool to Terminate

| Item Number | Description |
|---------------|----------------|
| SM1-258/1P/IV | 1 Port, Almond |
| SM1-259/1P/WH | 1 Port, White |



CAT5E 2 Port Loaded Universal Surface Mount Box

FEATURES

- ✓ Has CAT5E Keystone Jacks Already Inside
- ✓ Surface Mount Wall Jack Biscuit Loaded with CAT5E Keystone Jacks
- ✓ 110 Type Unshielded Cat5E Keystone Jack Already Inside Box
- ✓ Single Port Design with Mounting Screws and Double Sided Tape
- ✓ Requires 110 Punch Down Tool to Terminate

| Item Number | Description |
|---------------|----------------|
| SM1-260/2P/AL | 2 Port, Ivory |
| SM1-261/2P/IV | 2 Port, Almond |
| SM1-262/2P/WH | 2 Port, White |

SURFACE MOUNT BOXES

SIZE | TYPES



Item Number

SM1-2543/2P/WH

CAT6 2 Port Loaded Universal Surface Mount Box - White

2 Port

FEATURES

- ✓ Surface Mount Wall Jack Biscuit Loaded with CAT6 Keystone Jack
- ✓ Single Port design with mounting screws and double sided tape
- ✓ 110 Type Unshielded CAT6 Keystone Jack already inside box
- ✓ Requires 110 punch down tool to terminate



Item Number

SM1-2450/8P/WH

CAT6 8 Port Surface Mount Box 110 Punchdown

8 Port

FEATURES

- ✓ 8 Port Design with Mounting Screws and Double Sided Tape
- ✓ Requires 110 Punch Down Tool



Item Number

IC3-2890WH

CAT5E 2 Port loaded Universal surface Mount Box - White

This junction box is for splicing two Ethernet CAT5E cables together without the use of connectors and couplers; if you're going to joint 2 wires together permanently, it's best to have as direct a connection as possible.

FEATURES

- ✓ 110 and Krone Punch Down Type
- ✓ 568A/568B Color Coded
- ✓ For Use with CAT5E Cable
- ✓ UL listed
- ✓ Wire Gauge: 23 to 26 AWG



SURFACE MOUNT BOXES

SIZE | TYPES



CAT6 Junction box, Punch Down

This junction box is for splicing two Ethernet CAT6 cables together without the use of connectors and couplers; if you're going to joint 2 wires together permanently, it's best to have as direct a connection as possible. The punch down connection provides secure continuity.

FEATURES

- ✓ 110 and Krone Punch Down Type
- ✓ For Use with CAT6 Cable
- ✓ Wire Gauge: 23 to 26 AWG
- ✓ 568A/568B Color Coded
- ✓ UL listed

| Item Number |
|-------------|
| IC3-2891WH |



RJ11 Modular Single Port Surface Mount Jack

FEATURES

- ✓ Single Port RJ11
- ✓ External Surface Mount wall Jack easily mounted without cutting holes in the wall
- ✓ Mounts to the wall with screws, or double sided tape

| Item Number | Description |
|----------------|----------------|
| SM4-2434-1P/IV | 1 Port, Almond |
| SM4-2435-1P/WH | 1 Port, White |



RJ45 Modular Single Port Surface Mount Jack - White

FEATURES

- ✓ Screw down Unshielded RJ45 Keystone Jack already inside box
- ✓ Surface Mount Wall Jack Biscuit Loaded with RJ45 Keystone Jacks
- ✓ Single Port design with mounting screws and double sided tape

| Item Number | Description |
|----------------|-------------|
| SM4-4178-1P/WH | 1 Port |
| SM4-4177-1P/IV | 1 Port |

SURFACE MOUNT BOXES

SIZE | TYPES



Surface Mount Box, 1-Port

FEATURES

- ✓ Surface Mount Wall Jack Biscuit
- ✓ No Keystone Jack Included
- ✓ Compatible with Most Standard Keystone Jacks
- ✓ 1 Port Design
- ✓ Includes Mounting Screws and double sided tape



| Item Number | Description |
|---------------|----------------|
| SM2-264/1P/IV | 1 Port, Almond |
| SM2-265/1P/WH | 1 Port, White |



Surface Mount Box, 2-Port

FEATURES

- ✓ Non-metallic, Non-Conductive
- ✓ Available in Round
- ✓ Ships w/ Captive Nails
- ✓ Includes Gasket Material for Sealing Knockouts
- ✓ UL Listed



| Item Number | Description |
|---------------|----------------|
| SM2-266/2P/AL | 2 Port, Almond |
| SM2-267/2P/IV | 2 Port, Ivory |
| SM2-268/2P/WH | 2Port, White |



Surface Mount Box, 4-Port

FEATURES

- ✓ Non-metallic, Non-Conductive
- ✓ Available in Round
- ✓ Ships w/ Captive Nails
- ✓ Includes Gasket Material for Sealing Knockouts
- ✓ UL Listed



| Item Number | Description |
|----------------|---------------|
| SM2-4137/4P/IV | 4 Port, Ivory |
| SM2-3202/4P/WH | 4 Port, White |

SURFACE MOUNT BOXES

SIZE | TYPES



Blank Universal Surface Mount Box 4 Port (Fits K63-, K62-, 90 & 180° Jacks) - White

4 Port

FEATURES

- ✓ 4-Port Surface Mount Wall Jack Box (Keystone Jack not included)
- ✓ Compatible with most K63-, K62-, 90 and 180° Keystone Jacks/Inserts 4 Port Design with Mounting Screws and Double Sided Tape

Item Number

SM2-5001/4P/WH



Single Gang Wall Plate Junction Box - White

FEATURES

- ✓ Dimensions:
 - Height: 4 1/2 in.
 - Width: 2 3/4 in.
 - Depth: 1 7/8 in.
- ✓ Mounting Hole:
 - Height: 2 1/2 in.
 - Width: 15/8 in.

| Item Number | Description |
|------------------|----------------|
| WP8-210/SGJB/WH | 1 Gang, White |
| WP8-2213/SGJB/IV | 1 Gang, Almond |

WIRE & CABLE MANAGEMENT

SIZE | TYPES

Wire & Cable Management

Having an effective cable management system in place keeps your networking cable organized, which helps make system maintenance easier. Primus Cable carries a wide assortment of cable management solutions from cable runway ladder racks and wire cable trays, to hanging hardware solutions. Our cable management solutions help organize and protect your network cabling by keeping it off the floor.




Cable Runway Ladder Rack, Black

FEATURES

- ✓ Standard length: 9 ft. 11 1/2 in.
- ✓ Individually boxed for easy shipment
- ✓ Compatible with other tubular cable runway systems



| Item Number | Description |
|-----------------|------------------------|
| LR-D17-4773-L12 | 5' x 12" Cable Runway |
| LR-D17-4774-L18 | 5' x 18" Cable Runway |
| LR-D17-4825-L12 | 10' x 12" Cable Runway |
| LR-D17-4830-L18 | 10' x 18" Cable Runway |



E-Bend Ladder Rack, 12" 90 Degree

12 in. 90 Degree Bend

FEATURES

- ✓ Use to splice cable runway at a 90 degree angle
- Kit includes two 90 degree splice brackets with
- ✓ hardware

Item Number

LR-D17-4827-L90

WIRE & CABLE MANAGEMENT

SIZE | TYPES



Radius Bend Ladder Rack, 12", Black

FEATURES

- ✓ Tubular Steel
- ✓ Individually Boxed
- ✓ Compatible with Other Systems
- ✓ Black Epoxy Powder Coat



| Item Number | Description |
|-----------------|-----------------------|
| LR-D17-4828-I12 | 12 in. Inside Radius |
| LR-D17-4829-O12 | 12 in. Outside Radius |
| LR-D17-4831-I18 | 18 in. Inside Radius |
| LR-D17-4832-O18 | 18 in. Outside Radius |



Cable Ladder Rack Center Radius Drop

FEATURES

- ✓ Provides Added Ventilation
- ✓ Prevents Bending
- ✓ Tubular Steel
- ✓ Individually Boxed
- ✓ Compatible with Other Systems
- ✓ Black Epoxy Powder Coat



| Item Number | Description |
|------------------|--------------|
| LR-D17-4797-CD12 | 12 in. Width |
| LR-D17-4801-CD18 | 18 in. Width |



12" Ladder Rack Mounting Plate Kit

FEATURES

- ✓ Securely attaches cable runway to the top angles of standard 3" channel relay racks
- ✓ Allows mounting runway either parallel or perpendicular to the rack



| Item Number | Description |
|------------------|--------------------|
| LR-D17-4804-RS12 | 12" Mounting Plate |
| LR-D17-4804-RS18 | 18" Mounting Plate |

WIRE & CABLE MANAGEMENT

SIZE | TYPES




Angled Splice Kit for Ladder Rack

FEATURES

- ✓ Use to splice cable runway at a 45 or 90 degree angle
- ✓ Kit includes two 45/90 degree splice brackets with hardware.



| Item Number | Description |
|-----------------|----------------------|
| LR-D17-4810-45S | 45 Degree Splice Kit |
| LR-D17-4811-90S | 90 Degree Splice Kit |



5/8" Ceiling Support Kit with Rod for Ladder Rack

Ceiling Support Kit

FEATURES

- ✓ Suspend runway from the ceiling.
- ✓ Kit includes one rack support bracket, one ceiling support bracket & one 6 foot piece of 5/8 in. Threaded rod with all needed 5/8 in. hardware.

Item Number

LR-D17-4807-CK



Butt Splice Kit for Ladder Rack

FEATURES

- ✓ Used to splice cable runway
- ✓ Kit includes two brackets with hardware



| Item Number | Description |
|------------------|------------------------|
| LR-D17-4809-BS | Standard |
| LR-D17-4840-HDBS | HD (Requires Drilling) |

WIRE & CABLE MANAGEMENT

SIZE | TYPES



CAT6 Junction box, Punch Down

Swivel Splice kit

FEATURES

- ✓ Butt splices cable runway horizontally, vertically or perpendicularly
- ✓ Adjusts to any angle
- ✓ Easy to install
- ✓ Kit includes two swivel splice brackets with hardware

Item Number

LR-D17-4816-BSS



Elevation Kit, 2"-3", for Ladder Rack

FEATURES

- ✓ Mounts to rack-to-runway mounting plate & to side stringer of runway with elevation adjustments
- ✓ Kit includes two elevation brackets w/ hardware.



| Item Number | Description |
|----------------|-----------------------------------|
| LR-D17-4814-EK | 2-3 in. Ladder Rack Elevation Kit |
| LR-D17-4815-EK | 4-6 in. Ladder Rack Elevation Kit |



Grounding Strap for Ladder Rack

FEATURES

- ✓ Creates a common ground between spliced ladder rack sections
- ✓ Kit includes one braided copper ground strap & all needed hardware Installation requires drilling of two holes for mounting.



| Item Number | Description |
|------------------|------------------------|
| LR-D17-4798-GS12 | 12 in. Grounding Strap |
| LR-D17-4848-GS36 | 36 in. Grounding Strap |

WIRE & CABLE MANAGEMENT

SIZE | TYPES



Item Number

LR-D17-4803-EC

End Caps for Ladder Rack (Cable Runway)

End Caps

FEATURES

- ✓ Rubberized end caps for exposed ends of cable runway
- ✓ Helps protect workers & equipment from exposed areas
- ✓ Sold in pairs



Item Number

LR-D17-4812-FS

Floor Support Kit for Ladder Rack (Cable Runway)

Floor Mounting Kit

FEATURES

- ✓ The floor mounting kit includes two butt splice brackets, floor angles & all needed hardware



Item Number

LR-D17-4802-JK

J Bolts with Hardware, 5/16" x 3"

J Bolts

FEATURES

- ✓ The J-Bolt Kit is used to attach ladder rack to framing, channels, etc.
- ✓ 5/16 in. x 3 in. J Bolts with hardware
- ✓ Includes 2 J-bolts, washers and hex nuts



Junction T Kit for Ladder Rack

FEATURES

- ✓ Create a 90 degree junction splice
- ✓ Kit includes two brackets with hardware

| Item Number | Description |
|------------------|------------------------|
| LR-D17-4813-JT | Standard |
| LR-D17-4841-HDJT | HD (Requires Drilling) |

WIRE & CABLE MANAGEMENT

SIZE | TYPES



Junction-Swivel Splice Kit for Ladder Rack

Swivel Splice kit

FEATURES

- ✓ Butt splices cable runway horizontally, vertically or perpendicularly
- ✓ Adjusts to virtually any angle

Item Number

LR-D17-4817-JSS



Stand-Off Bracket for Ladder Rack

Stand-Off Bracket

FEATURES

- ✓ Add an additional cable runway system directly above, perpendicular or parallel, to an existing runway system
- ✓ Kit includes four support brackets, two Steel 12" angled stand-off beams & all required hardware

Item Number

LR-D17-4805-SO12



Termination Kit for Ladder Rack

FEATURES

- ✓ Termination kits close an un-spliced end of cable runway
- ✓ Kits feature two junction "T" brackets, one 1 1/2 in. tube, & all needed hardware



| Item Number | Description |
|-----------------|--------------------------------|
| LR-D17-4818-T12 | 12 Ladder Rack Termination Kit |
| LR-D17-4819-T18 | 18 Ladder Rack Termination Kit |

WIRE & CABLE MANAGEMENT

SIZE | TYPES



Wall Angle Bracket for Ladder Rack

FEATURES

- ✓ Wall angles function as a wall support & seismic bracing for cable runway
- ✓ Kit includes a pre-drilled, steel wall angle plate & a two 5/16 in. x 3 in. J-bolts & hardware



| Item Number | Description |
|------------------|------------------------|
| LR-D17-4820-WA12 | 12" Wall Mount Bracket |
| LR-D17-4821-WA18 | 18" Wall Mount Bracket |



Wall Clamps for Ladder Rack

Wall Clamps

FEATURES

- ✓ Wall clamps are a quick & easy solution for attaching cable runway to wall surfaces
- ✓ Kit includes two mounting clamps

| Item Number |
|----------------|
| LR-D17-4822-WC |



Cable Runway Ladder Rack, Black

FEATURES


- ✓ Provides wall support for cable runway
- ✓ Kit features a pre-drilled, triangle bracket, two 5/16 in. x 3 in. J-bolts & hardware
- ✓ Mounting hardware not included



| Item Number | Description |
|------------------|----------------------|
| LR-D17-4823-WT12 | 12" Triangle Bracket |
| LR-D17-4824-WA18 | 18" Triangle Bracket |

WIRE & CABLE MANAGEMENT

SIZE | TYPES



Item Number

LR-D17-4799-LRK



Wall-to-Rack Bundle Kit

Wall-To-Rack Kit

FEATURES

- ✓ Butt splices cable runway horizontally, vertically or perpendicularly
- ✓ Adjusts to virtually any angle



Item Number

FB26-4030SNR



Slack N Roll - 1.17" Bend Radius

The Slack-N-Roll provides 1.17" of bend radius protection. It has slots to secure the optional splice tray, and protruding posts that prevent the fiber from being damaged by the mounting screws.

FEATURES

- ✓ Overall size: 0.61" H x Ø5.88"
- ✓ Plastic
- ✓ 2 x 0.2" Mounting Holes
- ✓ Blue



Item Number

FB26-6136HR



Half Round Spool - 1 3/4" Bend Radius

Half Round Fiber Management Spool with a 1 3/4 in. bend radius. Made of black plastic.

FEATURES

- ✓ Bend Radius 1 3/4 in.
- ✓ Spool x Ø4.50 flange

WIRE & CABLE MANAGEMENT

SIZE | TYPES




Nail in Cable Standoff Mounts Vertical or Horizontal One 14/3 to one 10/3 Three 14/2 W/G to three 10/3

Positions cables at a safe distance from nailing surface. Provides a neat, organized cable installation, and prevents tangles. Positions non-metallic, flat or round sheathed cable, phone/data cable, and coaxial cable at a safe distance from nailing surface of furring strip or stud. Installs with a screw or nail (nail included).

FEATURES

- ✓ Use Common drill and/or hole saw
- ✓ For Single or double drywall thickness
- ✓ Provides smooth exit/entry of cables
- ✓ Protects drywall from chipping or flaking
- ✓ Made of High-Impact Plastic
- ✓ Color: Paintable (white)
- ✓ UL/CSA Listed

| Item Number |
|-------------|
| CS4 |



Non-metallic 'D' Ring, Black

This non-metallic Non-conductive Smooth bearing surface D-Rings allow installers to manage multiple cables, while keeping the (cable) bundle orderly and neat. Non-conductive. Smooth bearing surfaces for easy wire management. Two mounting holes per side allow for several mounting methods. Protects conductor insulation against damage and features a variety of different sized wiring spaces.

FEATURES

- ✓ Designed with two mounting holes per side for several mounting methods
- ✓ Will not damage conductor insulation
- ✓ Non-metallic
- ✓ Non-conductive
- ✓ Color: Black



| Item Number | Description |
|-------------|-----------------|
| D22 | 2 1/4" X 2" |
| D33 | 3 1/4" X 3 1/4" |
| D35 | 3 1/4" X 5" |

WIRE & CABLE MANAGEMENT

SIZE | TYPES



Non-metallic Cable Standoff with Lock, Black

Positions non-metallic, flat or round sheathed cable, phone/data cable, and coaxial cable at a safe distance from nailing surface of furring strip or stud. Installs with a screw or nail. UL/CSA Listed. Features positive lock to keep cables in place.

FEATURES

- ✓ Positions cables at a safe distance from nailing surface
 - ✓ Positions cable 2" from a furring strip or 2x4 stud
 - ✓ Features positive lock to keep cables in place
 - ✓ Positions both flat and round NM cables
 - ✓ Complies with 2005 NEC Article 300-4d
- Can Hold:
- ✓ Up to five runs of 12/2 non-metallic sheathed cable
 - ✓ Up to eight runs of Cat 5 cable
 - ✓ Up to four runs of Cat6 cable
 - ✓ Up to five runs of coaxial cable

Item Number

PP6-4958-CS7



Press Fit Non-Metallic Insulation Bushings for 1/2" EMT/Rigid Conduit - White

FEATURES

- ✓ Listed for use in environmental air handling spaces per 2008 NEC requirements 300-22(c)
- ✓ Meets 2008 NEC requirements for 300-15(c) protection
- ✓ Protect cables from abrasion by the conduit
- ✓ Press fit. Holds firmly in place when pulling cables
- ✓ Versatile, Fast, easy installation
- ✓ UL Listed



| Item Number | Description |
|-------------|-------------------|
| EMT50 | For 1/2 in. EMT |
| EMT75 | For 3/4 in. EMT |
| EMT100 | For 1 in. EMT, |
| EMT125 | For 1 1/4 in. EMT |
| EMT150 | For 1 1/2 in. EMT |
| EMT200 | For 2 in. EMT |
| EMT250 | For 2 1/2 in. EMT |
| EMT300 | For 3 in. EMT |
| EMT350 | For 3 1/2 in. EMT |
| EMT400 | For 4 in. EMT |

WIRE & CABLE MANAGEMENT

SIZE | TYPES



Item Number

FB26-6137R



Cable Management Round Spool 1 1/2" Bend Radius

Round fiber management spool with a 1 1/2 in. bend radius. Black, Plastic.

FEATURES

- ✓ Bend Radius 1 1/2 in.
- ✓ Spool x 04.70 flange



Item Number

JH-4877

All Purpose Clip for 1/8" - 1/2" Flanges - Box of 100

Accommodates beam flange from 1/8 in. to 1/2 in. thickness, standard 1/4-20 or #10-24 threaded bridle rings, standard drive rings as well as unthreaded rings. This clip supports both drive rings and bridle rings. Easily installs, requires on a hammer.

FEATURES

- ✓ Supports drive rings and bridle rings
- ✓ Accommodates any beam flange from 1/8 in. to 1/2 in.
- ✓ Requires only a hammer to install



Item Number

JH-4878

All Purpose Clip for 1/8" - 1/2" Flanges - Box of 100

Hang ceiling wire & jack chain, threaded rod and eye lag screws with this beam clamp. Our hardware is designed for the most efficient, secure and cost effective hanging hardware solutions. These beam clamps easily install to beam flanges measuring up to 1/2 in. Supports 1/4 in. and 1/8 in. threaded rod.

FEATURES

- ✓ E-Z installation to beam flanges up to 1/2 in.
- ✓ Supports 1/4 in. and 3/8 in. threaded rod, S-hooks, and bridle rings
- ✓ Accommodates standard 1/4-20 or 10-24 threaded bridle rings

WIRE & CABLE MANAGEMENT

SIZE | TYPES



Corrosion-Resistant Galvanized Steel Drive Rings for Walls, Studs, & Rafters

FEATURES

- ✓ Can be used on outside walls, inside walls, wood studs and utility poles
- ✓ Loop is open making it easy to insert or remove cable
- ✓ Quick and easy to install, fastens to surface by using a hammer
- ✓ Size is measurement between loops
- ✓ Made of corrosion-resistant galvanized steel
- ✓ Provides sturdy support for wire and cable

| Item Number | Description |
|-------------|--------------------|
| DR1 | 1/2" Drive Rings |
| DR2 | 5/8" Drive Rings |
| DR3 | 7/8" Drive Rings |
| DR4 | 1 1/4" Drive Rings |



Angled Overhang Hanger 45° with 1/4" Hole - 100 Pack

The 45° Angled Overhang Hanger is ideal for suspending ceiling wire and jack chains. Keep your electrical wires and networking cables secure with our Angled Overhang Hanger.

FEATURES

- ✓ High quality all steel construction
- ✓ Works well with eye lag screws and pressed beam clamps
- ✓ 1/4 in. Hole will accommodate j-hooks, s-hooks, jack chain or ceiling wire

| Item Number |
|-------------|
| JH-4246-450 |



Angle Clip, 90°, Threaded Rod, Powder Actuated - 100 Pack

1/4-20 Threaded Rod Right Angle Clip with Powder Actuated Nail installation. Great for overhead Cable Management of CAT5, CAT6 or Fiber Optic Cable.

FEATURES

- ✓ High quality steel construction
- ✓ Threaded hole to accommodate threaded rod

| Item Number |
|-------------|
| JH-4251-FR |

WIRE & CABLE MANAGEMENT

SIZE | TYPES



Item Number

JH-4256-ED

Eye Lag Driver, 1/4" Hex - Universal

This handy eye-lag screw drill adapter is used to drive eye lag screws with a power-drill. The Eye Lag Driver has a universal 1/4 in. Hex that fits inside any drill's chuck to mount hanging hardware into ceilings to install j-hooks, threaded rods, etc. for overhead routing and management of CAT5, CAT6 or Fiber Optic cable.

FEATURES

- ✓ Fits into any drill
- ✓ Easily drives eye-lag screws
- ✓ High quality all steel construction



Item Number

JH-4255-2ES

Eye Lag Screw, Sheet Metal, 2", Self-Tapping, 1/4" Hole - 100 Pack

This is a 2" Eye Lag Screw with an 1/4 in. Eye Hole and 3/4 in. Threaded length. Intended for sheet-metal installation of J-Hooks, hanging ceiling wire & jack chain, threaded rod or s-hooks.

FEATURES

- ✓ High quality all steel construction
- ✓ 3/4 in. threaded length
- ✓ 1/4 in. plain hole for j-hooks, s-hooks, jack chain, wire, etc.



Item Number

JH-4254-3ES

Eye Lag Screw, Wood, 3" Length & 1/4" Hole - 100 Pack

This is a 3" Eye Lag Screw with an 1/4 in. Eye Hole. Intended for wood installation of J-Hooks, hanging ceiling wire & jack chain, threaded rod or s-hooks.

FEATURES

- ✓ High quality all steel construction
- ✓ 3" threaded length
- ✓ 1/4 in. plain hole for j-hooks, s-hooks, jack chain, wire, etc.



Item Number

JH-4248-5/16H

Hammer-On Beam Flange Clip, 1/2", with 1/4" Hole - 100 Pack

Attach j-hooks and other hanging hardware from beams that have 5/16 in. - 1/2 in. flanges. This Hammer-On Beam Clip provides a 'portable' 1/4 in. Hole for overhead routing and management of CAT5, CAT6 or Fiber Optic cable.

FEATURES

- ✓ Used for hanging hardware from beams with flanges between 5/16 in. and 1/2 in. thick
- ✓ 1/4 in. Hole will accommodate j-hooks, s-hooks, jack chain or ceiling wire
- ✓ Made of high quality spring steel

WIRE & CABLE MANAGEMENT

SIZE | TYPES



Item Number

JH-4483-BC

JH-2246-BC

Corrosion-Resistant Galvanized Steel Drive Rings for Walls, Studs, & Rafters

Zinc-plated steel Pressed Beam Clamp for flanges up to 3/4 in. thick such as I-beams. Secure the Pressed Beam Clamp to a beam flange with the included bolt. The Pressed Beam Clamp is ideal for hanging ceiling wires. High quality all steel construction.

FEATURES

- ✓ 1/4 - 20 threaded holes tapped on the side and bottom of the clamp
- ✓ 1/4" x 20 or 3/8 x 16 threaded holes tapped on the side and bottom
- ✓ Made from high quality zinc plated steel



Item Number

JH-4260-CS

Threaded Rod Male Coupler, 100 Pack

3/8" - 16 Rod & 3/4" Metal Screw

FEATURES

- ✓ High quality all steel construction
- ✓ Efficient, secure and cost effective
- ✓ Threaded hole to accommodate Threaded rod
- ✓ Great for J Hook applications
- ✓ Intended for easy installation into wood or Sheet Metal



Item Number

JH-5008

1 1/4" Bridle Ring for Beam Clamp, 1/4x20 Thread

Support and secure your communication and other low voltage cables with this 1 1/4 in. diameter bridle ring. Simple, effective and constructed of solid, low carbon steel. Excellent for use with our Beam Clamps to help manage cables.

FEATURES

- ✓ Works well with our Pressed Beam Clamps,
- ✓ Finish: Electro-galvanized zinc.
- ✓ P/N JH-4483-BC
- ✓ Load capacity (all sizes): Max static load 45 lbs.
- ✓ Material: low carbon steel.

WIRE & CABLE MANAGEMENT

SIZE | TYPES



Magnetic Bridle Ring, 1/4x20 Thread

FEATURES

- ✓ Easy installation
- ✓ Permanent or temporary installations
- ✓ Re-usable
- ✓ Time saving
- ✓ Safer working conditions



| Item Number | Description | Load Capacity |
|-------------|-------------|---------------|
| JH-1814-BRM | 3/4 in. | 26 LBS. |
| JH-1812-BRM | 1 1/4 in. | 90 LBS. |
| JH-1813-BRM | 2 in. | 90 LBS. |
| JH-7202-BRM | 3/4 in. | 65 LBS. |



Eye Lag Screw, Sheet Metal, 2", Self-Tapping, 1/4" Hole - 100 Pack

The Cable Hanging Tool is used to safely install magnetic cable management solutions like J-Hooks, bridle rings, and cable holder brackets. The tool can be attached to an extension pole to install cable management devices from the ground.

FEATURES

- ✓ Quickly Hang Magnetic J-Hooks, or Bridal Rings
- ✓ Hang cables up high
- ✓ Allows some installations from the ground.
- ✓ Can eliminate using a ladder or scissor lift.
- ✓ Attaches to extension poles, green pole or 1/4" rod
- ✓ Huge Time Saver

Item Number

JH-4255-2ES



Magnetic Cable Holders, Black

FEATURES

- ✓ Triple plated (NiCuNi)
- ✓ Premium plastic
- ✓ Plenum rated
- ✓ Fast easy installation without drilling or solder
- ✓ Save time on labor, efficient installation
- ✓ Can rotate 360 degrees
- ✓ Re-usable
- ✓ Safe installation
- ✓ Take wires in and out



| Item Number | Description | Load Capacity |
|--------------|---------------|---------------|
| CT-1821-12MH | 1/2 in. Black | 16LBS |
| CT-1822-34MH | 3/4 in. Black | 16 LBS |
| CT-1823-1MH | 1 in. Black | 26 LBS |
| CT-6765-34MH | 3/4 in. White | 16 LBS |
| CT-6601-1MH | 1 in. White | 26 LBS |

WIRE & CABLE MANAGEMENT

SIZE | TYPES



Item Number

CT-1820-MC

Non-metallic Cable Standoff with Lock, Black

The 1/2" Magnetic Clamp utilizes triple plated nickel and copper magnet and premium quality plastic to support up to 26 pounds. Installs quickly, safely, and easily without drilling necessary. It is re-usable and plenum rated. Can install on wide variety of metallic surfaces.

FEATURES

- ✓ Plenum Rated
- ✓ Re-usability
- ✓ Minimum Strength 26 Pounds
- ✓ Easy, Fast Installation
- ✓ Can be re-attached Many Times
- ✓ Designed for Harsh Conditions
- ✓ Can rotate 360 Degrees
- ✓ Economical Alternative to Adhesive Mounts




Original CableWrap, One Inch Wide, 3 Pack

FEATURES

- ✓ The best quality hook and loop touch fastener
- ✓ Tested for 10,000 closures with no loss of holding strength
- ✓ Used in many industries and homes
- ✓ Keeps cables neat and organized
- ✓ Reusable and permanently attached.
- ✓ Install in seconds
- ✓ Handy pull-tab release

| Sizes | Colors |
|----------------------|---|
| 3", 6", 9", 14", 12" | Black, Blue, Grey, Green, Purple, Orange, Red, White, Yellow, Brown |



Original CableWrap, Two Inch Wide, 10 Pack

FEATURES

- ✓ The best quality hook and loop touch fastener
- ✓ Tested for 10,000 closures with no loss of holding strength
- ✓ Used in many industries and homes
- ✓ Keeps cables neat and organized
- ✓ Reusable and permanently attached.
- ✓ Install in seconds
- ✓ Handy pull-tab release

| Sizes | Colors |
|-------------------------|---|
| 12", 18", 24", 30", 36" | Black, Blue, Grey, Green, Purple, Orange, Red, White, Yellow, Brown |

WIRE & CABLE MANAGEMENT

SIZE | TYPES



LiteWrap Cable Ties, Plenum Rated, 1/2 inch Wide, Black or Cranberry

FEATURES

- ✓ Fire retardant
- ✓ Plenum rated
- ✓ NEC Section 300-22 (C) & (D)
- ✓ UL (Underwriters Laboratories) 94-V2
- ✓ FAR 2.5 853 A/B



| Item Size | Description |
|------------|----------------|
| 1/2" x 5" | 10 Pack |
| 1/2" x 6" | 1 Roll of 10 |
| 1/2" x 8" | 1 Roll of 25 |
| 1/2" x 12" | 10 Rolls of 10 |
| 1/2" x 18" | |



LiteWrap Cable Ties, 1/2 inch Wide

Comes in Black, Blue, Grey, Green, Purple, Orange, Red, White, Yellow, and Brown.

FEATURES

- ✓ Light duty strap good for ~200 refastenings
- ✓ Ideal for bundling & organizing computer and network cables
- ✓ Made of one piece of double-sided hook and loop fastener. It has a die-cut slot for attachment to a single cable



| Item Size | Description |
|------------|----------------|
| 1/2" x 5" | 10 Pack |
| 1/2" x 6" | 1 Roll of 10 |
| 1/2" x 8" | 1 Roll of 25 |
| 1/2" x 12" | 10 Rolls of 10 |
| 1/2" x 18" | |

WIRE & CABLE MANAGEMENT

SIZE | TYPES



CinchStrap, One Inch Wide, 10 Pack

FEATURES

- ✓ Attaches to any rack or surface
- ✓ Use any fastener up to 14.25" diameter for mounting
- ✓ Buckle cinch gives you more leverage
- ✓ Durable hook and loop material lets you reorganize cable over and over again, up to 10,000 times
- ✓ Available in multiple color options
- ✓ Made in the USA

| Sizes | Colors |
|-------------------------------------|--|
| 9", 12", 18", 24", 30", 36", 48" | Black, Blue, Grey, Green, Purple, Orange, Red, White, Yellow, Brown |



CinchStrap, Two Inch Wide, 10 Pack

FEATURES

- ✓ Attaches to any rack or surface
- ✓ Use any fastener up to 28.75" diameter for mounting
- ✓ Buckle cinch gives you more leverage
- ✓ Durable hook and loop material lets you reorganize cable over and over again, up to 10,000 times
- ✓ Available in multiple color options
- ✓ Made in the USA

| Sizes | Colors |
|--------------------------------------|--|
| 18", 24", 30", 36", 48", 72", 96" | Black, Blue, Grey, Green, Purple, Orange, Red, White, Yellow, Brown |



Rip-Lock Cable Ties, One Inch Wide, 3 Pack

FEATURES

- ✓ Patented Design
- ✓ Durable, made of the best quality hook and loop touch fastener
- ✓ Tested for 10,000 closures with no loss of holding strength
- ✓ Reusable and permanently attached
- ✓ Install in seconds.
- ✓ Handy pull-tab release
- ✓ Keeps cables neat and organized
- ✓ Made in the USA

| Sizes | Colors |
|---|--|
| 3.5", 4.5", 6.5", 9.5", 14.5", 21.5" | Black, Blue, Grey, Green, Purple, Orange, Red, White, Yellow, Brown |

WIRE & CABLE MANAGEMENT

SIZE | TYPES



Magnetic Bridle Ring, 1/4x20 Thread

FEATURES

- ✓ Anchor cords, cables and wires neatly
- ✓ Acrylic pressure sensitive adhesive securely attaches to equipment racks, desks, or walls
- ✓ Peel-away backing makes the CableCatch easy to use to install
- ✓ "Soft Hold" maintains the integrity of the cable
- ✓ Pull tab releases the bundle for quick set-ups
- ✓ Re-usable and environmentally friendly, no more throwing away nylon cable ties
- ✓ Made in the USA

| Item Number | Description |
|--------------|---------------|
| CT-4203C-2BK | 2 Pack, Black |
| CT-4271-5BK | 5 Pack, Black |



Item Number

CT-4199M-7WH
CT-4198M-7BK




LiteWrap Cable Ties, 1/2 Inch Wide

To sort out your collection of cords, grab a 7-pack pack of Mini Cable Wraps. These handy multi-purpose ties are perfect for organizing cables into one clutter-free bundle.

FEATURES

- ✓ Efficiently organize any bundle of cables
- ✓ Reusable for over 200 times - go easy on the environment!
- ✓ Residue and damage-free
- ✓ No more frustration with tangled cables Provides a solid hold that doesn't slip



Item Number

NPNB-G-75-QRL-BK



Magnetic Bridle Ring, 1/4x20 Thread

WrapStrap is a single strip of double sided hook and loop fastener that quickly and easily wraps around almost anything. Meeting the requirements of fire regulations allows these products to be used for wire and cable management above a hung ceiling or below a raised floor.

FEATURES

- ✓ One Roll
- ✓ Fire retardant
- ✓ Plenum rated
- ✓ Available in Black and Cranberry
- ✓ NEC Section 300-22 (C) & (D)
- ✓ UL (Underwriters Laboratories) 94-V2
- ✓ FAR 2.5 853 A/B

| Roll Width |
|--|
| 1/4", 3/8", 1/2", 5/8", 3/4", 1", 1-1/2", 2", 4" |

WIRE & CABLE MANAGEMENT

SIZE | TYPES



Item Number
CT-4165-30PR



RipWrap Hook & Loop Fasteners, 1 Roll

FEATURES

- ✓ At least 25 re-fastenings.
- ✓ Can be used to bundle low voltage cables instead of nylon wire ties or tape.
- ✓ Perfect for home theater, security, or telecomm applications.
- ✓ Soft hold hook and loop tie for use with sensitive data cables.
- ✓ Both continuous and perforated rolls are available.
- ✓ Polyester construction makes this wrap ideal for marine and outdoor installations.
- ✓ Made in the USA

| Roll Width | Length | Colors |
|----------------------|-------------------|---|
| 1/2", 1", 1-1/2", 2" | 30ft, 75ft, 150ft | Black, Blue, Grey, Green, Purple, Orange, Red, White, Yellow, Brown |



Perforated RipWrap, 1 Roll of 45 Pieces, Black or Purple

FEATURES

- ✓ At least 25 re-fastenings.
- ✓ Can be used to bundle low voltage cables instead of nylon wire ties or tape.
- ✓ Perfect for home theater, security, or telecomm applications.
- ✓ Soft hold hook and loop tie for use with sensitive data cables.
- ✓ Both continuous and perforated rolls are available.
- ✓ Polyester construction makes this wrap ideal for marine and outdoor installations.
- ✓ Made in the USA

| Item Number | Description |
|---------------|------------------|
| CT-2617R-45BK | 1/2" x 8" Black |
| CT-4193R-45PR | 1/2" x 8" Purple |

WIRE & CABLE MANAGEMENT

SIZE | TYPES



CableHanger Hook and Loop Ties, 10 Pack

FEATURES

- ✓ Easily released & retied, so adding, subtracting & replacing cables is a snap.
- ✓ Attaches permanently to a vertical post and then wrap around the cable bundle.
- ✓ Keeping grouped runs segregated from each other.
- ✓ Perfect for use in computer room subfloors.
- ✓ 10,000 release cycles.

| Lengths | Colors |
|----------------------|---|
| 3", 6", 9", 14", 21" | Black, Blue, Grey, Green, Purple, Orange, Red, Yellow, Brown |



Pivoting CableHanger Hook and Loop Ties, 10 Pack

FEATURES

- ✓ Unique Pivot Tie Attachment designed
- ✓ Accommodate any angle of a cable run
- ✓ Easily released & retied, so adding, subtracting & replacing cables is a snap
- ✓ Attaches permanently to a vertical post & then wrap around the cable bundle
- ✓ Keeping grouped runs segregated from each other
- ✓ Perfect for computer room subfloors
- ✓ 10,000 release cycles

| Lengths | Colors |
|---|---|
| 3.5", 4.5", 6.5", 9.5", 14.5", 21.5" | Black, Blue, Grey, Green, Purple, Orange, Red, Yellow, Brown |



Pivoting CableHanger Hook and Loop Ties, 10 Pack

FEATURES

- ✓ Attaches to any rack or surface. Use any fastener up to 14 in. diameter for mounting
- ✓ Buckle cinch gives you more leverage
- ✓ Brass grommet. Non-magnetic grommet spreads fastener load evenly without risk of ripping fabric
- ✓ Durable hook and loop material lets you reorganize cable over and over again, up to 10,000 times

| Lengths | Colors |
|-------------------------------------|--|
| 7", 10", 16", 22", 28", 34", 46" | Black, Blue, Grey, Green, Purple, Orange, Red, White, Yellow, Brown |

WIRE & CABLE MANAGEMENT

SIZE | TYPES



CinchStrap-EG, Two Inch Wide, Brass Spur Grommets, 10 Pack

FEATURES

- ✓ Attaches to any rack or surface. Use any fastener up to 27.25 in diameter for mounting
- ✓ Buckle cinch gives you more leverage
- ✓ Brass grommet. Non-magnetic grommet spreads fastener load evenly without risk of ripping fabric
- ✓ Durable hook and loop material lets you reorganize cable over and over again, up to 10,000 times

| Lengths | Colors |
|--------------------------|-----------------------------------|
| 16", 22", 28", 34", 46", | Black, Blue, Grey, Green, Purple, |
| 70", 94" | Orange, Red, White, Yellow, Brown |



Unitag Cable Label, 40 Pack, 5/8" x 2" Assorted Colors

The Unitag 5/8 in. x 2 in. cable identification label (pack of 40) (assorted colors) provides a quick, easy method to clearly label virtually any type or size cable or groups of cables.

FEATURES

- ✓ Cable identification labels developed to provide a quick, easy method to clearly label virtually any type or size cable or groups of cables
- ✓ The labels can be oriented to be easily read in hard to reach areas, behind computer desks and crowded wiring closets. The marking surface can be rotated 360° for easy viewing
- ✓ Interchangeable and reusable
- ✓ Marking pen can be used directly on the surface or a label machine can be used
- ✓ Saves time when troubleshooting networks
- ✓ UL 94V-2 fire retardant

Item Number

CT-4192-40FC



WIRE & CABLE MANAGEMENT

SIZE | TYPES



Item Number

CT-4202E-5BK

EconoCatch, 5 Pack, 1" x 3" Black

Medium Duty Strap Good For ~2000 Refastenings. Organize cables against any smooth surface. The rubber base adhesive allows for attachment to desks, walls, computers and many other kinds of equipment. Comes in a pack of 5. Black.

FEATURES

- ✓ At least 2000 re-fastenings
- ✓ Available in 3/4 in. and 1" width
- ✓ Rubber based adhesive back is high tack and rapid cure
- ✓ The rubber base adhesive allows for attachment to desks, walls, computers and many other kinds of equipment
- ✓ Sewn, NOT Heat Bonded
- ✓ Adhere to most smooth surfaces



EconoCinch-EG, 5 Pack

FEATURES

- ✓ At least 2000 re-fastening
- ✓ Available in 5 in., 7 in. and 10 in. lengths
- ✓ Permanently attach with solid brass grommet



| Item Number | Description |
|--------------|------------------|
| CT-4196-5BK | 3/4" x 7" Black |
| CT-4462-5PR | 3/4" x 7" Purple |
| CT-5705-10BK | 3/4" x 10" Black |



Item Number

CT-4194E-2BK

EconoWrap, 2 Pack, 1" X 7" Black

EconoWrap is designed for organizing cables and cords for the more budget conscious user. Our economical design features a die cut rounded end to make it simple to loosen. Comes in a pack of 2. Black.

FEATURES

- ✓ At least 2000 re-fastenings
- ✓ Available in 3/4 in. and 1 in. width, 7 in. and 11in. lengths
- ✓ 10 Colors are available
- ✓ Can be used to hold simple wire or cable bundles
- ✓ Gentle Hold Hook and Loop
- ✓ Simple and Easy to Use
- ✓ Sewn, NOT Heat Bonded



WIRE & CABLE MANAGEMENT

SIZE | TYPES



EconoWrap, 5 Pack, 1" X 7"

EconoWrap is designed for organizing cables and cords for the more budget conscious user. Our economical design features a die cut rounded end to make it simple to loosen. Comes in a pack of 5 Purple or Black ties..

FEATURES

- ✓ At least 2000 re-fastenings
- ✓ Available in 1 in. width, 7 in. lengths
- ✓ Can be used to hold simple wire or cable bundles
- ✓ Gentle Hold Hook and Loop
- ✓ Simple and Easy to Use
- ✓ Sewn, NOT Heat Bonded

Item Number

CT-4282-5PR
CT-4044-200BK



90° Angle Bracket Attachment J-Hook with Retainer Bar

FEATURES

- ✓ Up to 300 CAT5E Cable Capacity
 - ✓ UL, CUL, RoHS Compliant
 - ✓ Zinc Plated Steel Material
 - ✓ Super Smooth Edges Eliminates Cable Snags
- Suggested Applications:
- ✓ Telecom/Voice
 - ✓ Network/Data
 - ✓ Broadband, Satellite
 - ✓ CCTV
 - ✓ Fiber
 - ✓ Flexible conduit



| Item Number | Size | Cable Capacity |
|--------------|------------|----------------|
| JH1-6675-12A | 3/4 in. | 20 |
| JH1-6676-21A | 1 5/16 in. | 40 |
| JH1-6677-32A | 2 in. | 80 |
| JH1-6678-64A | 4 in. | 300 |

WIRE & CABLE MANAGEMENT

SIZE | TYPES



Standard J-Hook with Retainer Bar

FEATURES

- ✓ Up to 300 CAT5E Cable Capacity
- ✓ UL, CUL, RoHS Compliant
- ✓ Zinc Plated Steel Material
- ✓ Super Smooth Edges Eliminates Cable Snags

Suggested Applications:

- ✓ Telecom/Voice
- ✓ Network/Data
- ✓ Broadband, Satellite
- ✓ CCTV
- ✓ Fiber
- ✓ Flexible conduit

| Item Number | Size | Cable Capacity |
|-------------|------------|----------------|
| JH1-6670-12 | 3/4 in. | 20 |
| JH1-6671-21 | 1 5/16 in. | 40 |
| JH1-6672-32 | 2 in. | 80 |
| JH1-6673-64 | 4 in. | 300 |



Batwing J-Hook with Retainer Bar

FEATURES

- ✓ Up to 300 CAT5E Cable Capacity
- ✓ UL, CUL, RoHS Compliant
- ✓ Zinc Plated Steel Material
- ✓ Super Smooth Edges Eliminates Cable Snags

Suggested Applications:

- ✓ Telecom/Voice
- ✓ Network/Data
- ✓ Broadband, Satellite
- ✓ CCTV
- ✓ Fiber
- ✓ Flexible conduit

| Item Number | Size | Cable Capacity |
|--------------|------------|----------------|
| JH1-6679-12W | 3/4 in. | 20 |
| JH1-6680-21W | 1 5/16 in. | 40 |
| JH1-6682-32W | 2 in. | 80 |
| JH1-6684-64W | 4 in. | 300 |

WIRE & CABLE MANAGEMENT

SIZE | TYPES



Hammer-On J-Hook

FEATURES

- ✓ Up to 300 CAT5E Cable Capacity
- ✓ UL, CUL, RoHS Compliant
- ✓ Zinc Plated Steel Material
- ✓ Super Smooth Edges Eliminates Cable Snags

Suggested Applications:

- ✓ Telecom/Voice
- ✓ Network/Data
- ✓ Broadband, Satellite
- ✓ CCTV
- ✓ Fiber
- ✓ Flexible conduit

| Item Number | Size | Cable Capacity |
|--------------|------------|----------------|
| JH1-6685-12H | 3/4 in. | 20 |
| JH1-6688-21H | 1 5/16 in. | 40 |
| JH1-6691-32H | 2 in. | 80 |
| JH1-6694-64H | 4 in. | 300 |



Beam Clamp J-Hook

FEATURES

- ✓ Up to 300 CAT5E Cable Capacity
- ✓ UL, CUL, RoHS Compliant
- ✓ Zinc Plated Steel Material
- ✓ Super Smooth Edges Eliminates Cable Snags

Suggested Applications:

- ✓ Telecom/Voice
- ✓ Network/Data
- ✓ Broadband, Satellite
- ✓ CCTV
- ✓ Fiber
- ✓ Flexible conduit

| Item Number | Size | Cable Capacity |
|---------------|------------|----------------|
| JH1-6697-12BC | 3/4 in. | 20 |
| JH1-6698-21BC | 1 5/16 in. | 40 |
| JH1-6699-32BC | 2 in. | 80 |

WIRE & CABLE MANAGEMENT

SIZE | TYPES



High Performance J-Hook - Hybrid 90 Degree Angle

FEATURES

- ✓ Wide base 2" support
- ✓ Snap-lock retainer firmly secures cables
- ✓ 90 degree angled hardware
- ✓ Eliminates the need of cable ties to secure loads
- ✓ Light-weight
- ✓ cULus Listed and complies with 2043
- ✓ Plenum rated

| Item Number | Size | Cable Capacity |
|--------------|-------|----------------|
| JH-7007-16AC | 1 in. | 20 |
| JH-7008-32AC | 2 in. | 90 |
| JH-7009-48AC | 3 in. | 200 |
| JH-7010-64AC | 4 in. | 330 |



High Performance J-Hook - Hybrid Batwing

FEATURES

- ✓ Wide base 2" support
- ✓ Snap-lock retainer firmly secures cables
- ✓ 90 degree angled hardware
- ✓ Eliminates the need of cable ties to secure loads
- ✓ Light-weight
- ✓ cULus Listed and complies with 2043
- ✓ Plenum rated

| Item Number | Size | Cable Capacity |
|--------------|-------|----------------|
| JH-3488-16CW | 1 in. | 20 |
| JH-3486-32CW | 2 in. | 90 |
| JH-3487-48CW | 3 in. | 200 |

WIRE & CABLE MANAGEMENT

SIZE | TYPES



High Performance J-Hook - Hybrid 90 Degree Angle

FEATURES

- ✓ Wide base 2" support
- ✓ Snap-lock retainer firmly secures cables
- ✓ 90 degree angled hardware
- ✓ Eliminates the need of cable ties to secure loads
- ✓ Light-weight
- ✓ cULus Listed and complies with 2043
- ✓ Plenum rated

| Item Number | Size | Cable Capacity |
|-------------|-------|----------------|
| JH-5801-16C | 1 in. | 20 |
| JH-5802-32C | 2 in. | 90 |
| JH-5804-48C | 3 in. | 200 |
| JH-5803-64C | 4 in. | 330 |



Magnetic J-Hooks, Side Mount

FEATURES

- ✓ Rated up to 17 Pounds Carry Capacity
- ✓ Fully Assembled
- ✓ UL Listed in US and Canada
- ✓ Easy Installation
- ✓ Re-Usable
- ✓ Saves Time and Money
- ✓ Works with Many Types of Ethernet and Fiber Optic Cable

| Item Number | Size | Load Capacity |
|----------------|------------|---------------|
| JH-1809-34MS | 3/4 in. | 17 Lbs. |
| JH-1810-1516MS | 1 5/16 in. | 17 Lbs. |
| JH-1811-2MS | 2 in. | 17 Lbs. |

WIRE & CABLE MANAGEMENT

SIZE | TYPES



Magnetic Rotating J-Hooks, Top Magnet

FEATURES

- ✓ Rated up to 17 Pounds Carry Capacity
- ✓ Fully Assembled
- ✓ UL Listed in US and Canada
- ✓ Easy Installation
- ✓ 360 Degree Rotation
- ✓ Re-Usable
- ✓ Saves Time and Money
- ✓ Works With Many Types of Ethernet and Fiber Optic Cable

| Item Number | Size | Load Capacity |
|----------------|------------|---------------|
| JH-1806-34MT | 3/4 in. | 17 Lbs. |
| JH-1807-1516MT | 1 5/16 in. | 17 Lbs. |
| JH-1808-2MT | 2 in. | 17 Lbs. |



Plenum Air Handling Cable Tie, 50 lbs., 100 pk Burgundy UL Listed

FEATURES

- ✓ Ideal Applications: Air Handling Spaces, above drop ceilings and below raised flooring
Meets UL 1565: - Low smoke generation, low heat release, and mechanical strength test
- ✓ Low Profile Style: Reduced head height increases safety, eliminates snags, cuts, and abrasions to cables, surrounding products, and users.
- ✓ 50 lbs. Tensile Strength
- ✓ UL Listed: suitable for use in Air Handling Spaces (Plenum) in accordance with the Section 300.22 (C) and (D) of the National Electrical Code and Rules 12-010 (3), (4), and (5) and 12-020 of the Canadian Electrical Code, Part 1

| Item Number | Size | Load Capacity |
|-------------|--------|---------------|
| CT-3912-7P | 7 in. | 50 Lbs. |
| CT-3913-11P | 11 in. | 50 Lbs. |
| CT-3914-14P | 14 in. | 50 Lbs. |

WIRE & CABLE MANAGEMENT

SIZE | TYPES



Standard Mil-Spec Cable Tie, 50 lbs., 100 pk Natural (Clear)

FEATURES

- ✓ Faster - Low insertion and pull through
- ✓ Stronger - High tensile strength achieved from one piece design
- ✓ Advanced pawl and teeth design
- ✓ Manufactured from filter nylon reducing particle contamination
- ✓ Easier - Angled tail provides quicker initial insertion alignment
- ✓ Tail finger grips allow easier handling and tightening
- ✓ Safer - Rounded edges provides added safety and eliminates insulation damage
- ✓ Consistent - Formulated molding process

| Item Number | Size | Load Capacity |
|-------------|--------|---------------|
| CT-3915-7N | 7 in. | 50 Lbs. |
| CT-3916-11N | 11 in. | 50 Lbs. |
| CT-3917-14N | 14 in. | 50 Lbs. |



UV Mil-Spec Cable Tie, 50 lbs., 100 pk Black

FEATURES

- ✓ Faster - Low insertion and pull through
- ✓ Stronger - High tensile strength achieved from one piece design
- ✓ Advanced pawl and teeth design
- ✓ Manufactured from filter nylon reducing particle contamination
- ✓ Easier - Angled tail provides quicker initial insertion alignment
- ✓ Tail finger grips allow easier handling and tightening
- ✓ Safer - Rounded edges provides added safety and eliminates insulation damage
- ✓ Consistent - Formulated molding process

| Item Number | Size | Load Capacity |
|--------------|--------|---------------|
| CT-3909-7UV | 7 in. | 50 Lbs. |
| CT-3910-11UV | 11 in. | 50 Lbs. |
| CT-3911-14UV | 14 in. | 50 Lbs. |

WIRE & CABLE MANAGEMENT

SIZE | TYPES



UV Mounted Hole Cable Ties, 7", 11", 14" 50lbs. 100pk Black

FEATURES

- ✓ Indoor and outdoor rated
- ✓ Plenum rated for installation in environmental airflow spaces
- ✓ UL 94V-2 flame rating
- ✓ #10 size screw hole Manufactured from filter nylon reducing particle contamination
- ✓ UL Listed Type 21S for support
- ✓ CSA certified
- ✓ RoHS complian
- ✓ Made in USA

| Item Number | Size | Load Capacity |
|--------------|--------|---------------|
| CT-6583-7UV | 7 in. | 50 Lbs. |
| CT-6582-11UV | 11 in. | 50 Lbs. |
| CT-6581-14UV | 14 in. | 50 Lbs. |



Nail-in Clip for Ethernet/RG59 Cable, 6mm, 100pk

This nail-in cable tie has a 6mm (0.24 inch) Diameter hole suitable for RG59 coax or CAT5, CAT6 or Fiber Optic cables. Neatly organize and route cables by installing these clips every 12 - 18 inches for a tight installation on walls, baseboards or ceilings, indoor or outdoor.

| Item Number | Description |
|-------------|-------------|
| CT-4031-6BK | Black |
| CT-4032-6WH | White |



Nail-in Clip for Ethernet/RG6 Cable, 8mm, 100pk

This nail-in cable tie has a 8mm (0.31 inch) Diameter hole suitable for RG6 coax or CAT5, CAT6 or Fiber Optic cables. Neatly organize and route cables by installing these clips every 12 - 18 inches for a tight installation on walls, baseboards or ceilings, indoor or outdoor.

| Item Number | Description |
|-------------|-------------|
| CT-4033-8BK | Black |
| CT-4034-8WH | White |

WIRE & CABLE MANAGEMENT

SIZE | TYPES



Rubber Adhesive Tie Mount 0.99"/25.14mm 100pk Natural

FEATURES

- ✓ Designed to support light weight wire bundles when properly applied on any clean, smooth, grease-free surface.
- ✓ Easy Insertion of Cable Ties patented lead-n-feature funnels cable ties into position and countersunk screw hole allows cable tie to easily pass over screw head
- ✓ Saves Cable Tie Cinching Time patented stay-n-place tab keeps cable tie head from sliding down behind bundle during vertical applications and maintains placement during horizontal applications
- ✓ Saves Positioning Time with the 4 sided entry and center screw hole

| Item Number | Description |
|---------------|------------------------------|
| TM-4618-100CL | 100 Pack of Clear Cable Ties |
| TM-4619-100BK | 100 Pack of Black Cable Ties |



Rubber Adhesive Tie Mount 0.74"/18.79mm 100pk Natural

FEATURES

- ✓ Designed to support light weight wire bundles when properly applied on any clean, smooth, grease-free surface.
- ✓ Easy Insertion of Cable Ties patented lead-n-feature funnels cable ties into position and countersunk screw hole allows cable tie to easily pass over screw head
- ✓ Saves Cable Tie Cinching Time patented stay-n-place tab keeps cable tie head from sliding down behind bundle during vertical applications and maintains placement during horizontal applications
- ✓ Saves Positioning Time with the 4 sided entry and center screw hole

| Item Number | Description |
|---------------|------------------------------|
| TM-4621-100BK | 100 Pack of Clear Cable Ties |
| TM-4620-100CL | 100 Pack of Black Cable Ties |

WIRE & CABLE MANAGEMENT

SIZE | TYPES



Magnetic Cable Tie Mount, Black

FEATURES

- ✓ UL listed
- ✓ Re-usability
- ✓ Easy, fast installation
- ✓ Can be re-attached many times
- ✓ Significant time and labor savings
- ✓ Can rotate 360 degrees
- ✓ Safer to install than conventional cable support hardware

| Item Number | Description |
|--------------|-----------------------------|
| CT-1824-SMM | Small 16a Lbs Load Capacity |
| CT-1825-LMM | Large 26 Lbs Load Capacity |
| CT-6392-12MH | Small 16 Lbs Load Capacity |
| CT-6744-LMM | Large 26 Lbs Load Capacity |



Mini Magnetic Cable Tie Mount

The Mini Magnetic Cable Tie Mount is designed for harsh environmental conditions. Installs quickly, easily, and safely to be used multiple times if necessary. It has a maximum strength of 9 pounds and can rotate 360 degrees.

FEATURES

- ✓ UL Listed
- ✓ Re-usability
- ✓ Maximum Strength 9 Pounds
- ✓ Easy, Fast Installation
- ✓ Can be Re-attached Many Times
- ✓ Designed for Harsh Conditions
- ✓ Can Rotate 360 Degrees
- ✓ Economical Alternative to Adhesive Mounts

| Item Number |
|-------------|
| CT-1819-MM |



Magnetic Hook and Loop Holder

The Magnetic Hook and Loop Holder can sustain weight up to 26 pounds and can adhere to metallic surfaces. The Magnetic Hook and Loop Holder can rotate 360 degrees and installs safely without drilling.

FEATURES

- ✓ UL Listed
- ✓ Plenum Rated
- ✓ Re-usability
- ✓ Maximum Strength 26 Pounds
- ✓ Easy, Fast Installation
- ✓ Can Be Re-attached Many Times
- ✓ Designed for Harsh Conditions
- ✓ Can Rotate 360 Degrees
- ✓ 3/4" Slot for Hook and Loop Fasteners

| Item Number |
|-------------|
| CT-1818-HL |

WIRE & CABLE MANAGEMENT

SIZE | TYPES



Rubber Adhesive Tie Mount 0.99"/25.14mm 100pk Natural

EconoWrap is designed for organizing cables and cords for the more budget conscious user. Our economical design features a die cut rounded end to make it simple to loosen. Comes in a pack of 5 Purple or Black ties.

| Item Number | Description |
|-------------|-------------|
| RWF-4532-TW | 3/4 in. |
| RWF-4533-TW | 1 1/4 in. |
| RWF-4534-TW | 1 3/4 in. |



White Pre-Adhesive Backed Latch Duct Raceway

FEATURES

- ✓ Architectural Multi Raceway holds communication cables to a 1 inch bend radius, thus maintaining end to end connectivity
- ✓ Category 5, 5E and 6 1in. bend radius compliant
- ✓ Fast mounting one piece design.
- ✓ The MRM Series Latch Duct Raceway is an adhesive backed, highly flexible, one piece design that installs quickly and easily
- ✓ The one piece design constructed of 94V-O rigid vinyl features a highly flexible hinge and self-locking latch
- ✓ This can be easily accessed as many times as necessary without stress cracking or discoloration

| Item Number | Description |
|-------------|-----------------------------------|
| RWD-4529-W | 3/4 in. W x 1/2 in. H x 6 ft. L |
| RWD-4530-W | 1 1/4 in. W x 3/4 in. H x 6 ft. L |
| RWD-4531-W | 1 3/4 in. W x 1 in. H x 6 ft. L |



Raceway Duct Ceiling Entry Fitting - White

White Ceiling Entry for the raceway families. Designed to use for cables entering from the ceiling. Ideal for Category 5, 5E and 6 1in. Bend Radius Compliant

| Item Number | Description |
|--------------|-------------|
| RWF-4551-CEW | 3/4 in. |
| RWF-4552-CEW | 1 1/4 in. |
| RWF-4553-CEW | 1 3/4 in. |

WIRE & CABLE MANAGEMENT

SIZE | TYPES



Raceway Duct End Cap Fitting - White

White end cap duct for the raceway families. Designed to protect raceway ends. Ideal for Category 5, 5E and 6 1in. Bend Radius Compliant.


| Item Number | Description |
|--------------|-------------|
| RWF-4541-ECW | 3/4 in. |
| RWF-4542-ECW | 1 1/4 in. |
| RWF-4543-ECW | 1 3/4 in. |



Raceway Duct Flat Elbow Fitting - White

White flat elbows for the raceway families. Designed to allow left and right turns on raceway sections. Ideal for Category 5, 5E and 6 1" Bend Radius Compliant.

| Item Number | Description |
|--------------|-------------|
| RWF-4547-FEW | 3/4 in. |
| RWF-4548-FEW | 1 1/4 in. |
| RWF-4549-FEW | 1 3/4 in. |



Raceway Duct Inside Corner Fitting - White

White inside corners with bend radius protectors for the raceway families. Designed to maintain cable bend radius. Ideal for Category 5, 5E and 6 1" Bend Radius Compliant.

| Item Number | Description |
|--------------|-------------|
| RWF-4535-ICW | 3/4 in. |
| RWF-4536-ICW | 1 1/4 in. |
| RWF-4537-ICW | 1 3/4 in. |



Raceway Duct Joint Cover Fitting - White

White seam covers for raceway families. Designed to join two of either (3/4 in., 1 1/4 in., or 1 3/4 in.) raceway sections.

| Item Number | Description |
|--------------|-------------|
| RWF-4544-JCW | 3/4 in. |
| RWF-4545-JCW | 1 1/4 in. |
| RWF-4546-JCW | 1 3/4 in. |

WIRE & CABLE MANAGEMENT

SIZE | TYPES



Raceway Duct Outside Corner Fitting - White

White outside corners with bend radius protectors for the (3/4 in., 1 1/4 in., or 1 3/4 in.) raceway families. Designed to maintain cable bend radius. Ideal for Category 5, 5E and 6 1" Bend Radius Compliant.

| Item Number | Description |
|--------------|-------------|
| RWF-4538-OCW | 3/4 in. |
| RWF-4539-OCW | 1 1/4 in. |
| RWF-4540-OCW | 1 3/4 in. |



PRO-10 Straight Section of Wire Cable Tray

FEATURES

- ✓ Stronger Construction
- ✓ Built-In splice/ground loops
- ✓ Made in the USA
- ✓ All tray sizes offered UL listed
- ✓ 3 Year Warranty
- ✓ Wide Range of Sizes & Colors Available
- ✓ Custom tray and accessories



| Depth | Length | Width | Color |
|--------|--------|---------|-----------------------|
| 2 inch | 1 foot | 6 inch | Silver, Black, White, |
| 4 inch | 2 foot | 8 inch | Orange, Red, Blue, |
| 6 inch | 5 foot | 12 inch | Yellow |
| | 8 foot | 18 inch | |
| | 10foot | 24 inch | |



PRO-10 Wire Cable Tray 4-Way Junction

FEATURES


- ✓ Stronger Construction
- ✓ Built-In splice/ground loops
- ✓ Made in the USA
- ✓ All tray sizes offered UL listed
- ✓ 3 Year Warranty
- ✓ Wide Range of Sizes & Colors Available
- ✓ Custom tray and accessories



| Depth | Width | Color |
|--------|---------|-----------------------|
| 2 inch | 6 inch | Silver, Black, White, |
| 4 inch | 8 inch | Orange, Red, Blue, |
| 6 inch | 12 inch | Yellow |
| | 18 inch | |
| | 24 inch | |

WIRE & CABLE MANAGEMENT

SIZE | TYPES



PRO-10 Wire Cable Tray "T" Junction

FEATURES

- ✓ Stronger Construction
- ✓ Built-In splice/ground loops
- ✓ Made in the USA
- ✓ All tray sizes offered UL listed
- ✓ 3 Year Warranty
- ✓ Wide Range of Sizes & Colors Available
- ✓ Custom tray and accessories



| Depth | Width | Color |
|--------|---------|-----------------------|
| 2 inch | 6 inch | Silver, Black, White, |
| 4 inch | 8 inch | Orange, Red, Blue, |
| 6 inch | 12 inch | Yellow |
| | 18 inch | |
| | 24 inch | |



PRO-10 Wire Cable Tray "L" Junction

FEATURES

- ✓ Stronger Construction
- ✓ Built-In splice/ground loops
- ✓ Made in the USA
- ✓ All tray sizes offered UL listed
- ✓ 3 Year Warranty
- ✓ Wide Range of Sizes & Colors Available
- ✓ Custom tray and accessories



| Depth | Width | Color |
|--------|---------|-----------------------|
| 2 inch | 6 inch | Silver, Black, White, |
| 4 inch | 8 inch | Orange, Red, Blue, |
| 6 inch | 12 inch | Yellow |
| | 18 inch | |
| | 24 inch | |

WIRE & CABLE MANAGEMENT

SIZE | TYPES



Wire Cable Tray Center Support Kit, 3/8" Rod

This center support kit is made to suspend our wire cable trays from the ceiling using a 0.375" threaded rod.

FEATURES

Includes:

- ✓ (1) support bracket
- ✓ (1) hold down bracket
- ✓ (2) 3/8 in. flat washers
- ✓ (2) 3/8 in. nuts
- ✓ (1) 6" silicone protective tubes

| Rod Size | Width | Color |
|------------|-------------------------------|---------------------------|
| 0.25 inch | 2", 4", 6", 8", 12", 18", 24" | Silver, Black, White, |
| 0.375 inch | | Orange, Red, Blue, Yellow |



Wire Cable Tray Wall Mount Support Kit

FEATURES


Keeping cables off the floor prevents:

- ✓ Leeching
- ✓ Moisture Infiltration
- ✓ Air Flow Problems
- ✓ Allows for separation of power and data cables

| Width | Color |
|-------------------------------|---------------------------|
| 2", 4", 6", 8", 12", 18", 24" | Silver, Black, White, |
| | Orange, Red, Blue, Yellow |

WIRE & CABLE MANAGEMENT

SIZE | TYPES



Wire Cable Tray "C" Support Bracket

White seam covers for raceway families. Designed to join two of either (3/4 in., 1 1/4 in., or 1 3/4 in.) raceway sections.

| Width | Color |
|-----------------------|---------------------------|
| 6", 8", 12", 18", 24" | Silver, Black, White, |
| | Orange, Red, Blue, Yellow |



Wire Cable Tray Splice Washer Kit

The cable tray straight and junction sections are easily joined together using installer-friendly splice washer kits. The kit contains one 1/4 - 20 bolt washer, one splice washer, and one flanged hex nut. Material is zinc plated steel.

Item Number

CM-W5-5422

WIRE & CABLE MANAGEMENT

SIZE | TYPES

Lan Stations

Even though your network's capabilities are primarily determined by cabling and networking components, the work bench keeps output devices organized. Primus Cable provides LAN stations to create an orderly environment for data output and storage components.



White Pre-Adhesive Backed Latch Duct Raceway

FEATURES

- ✓ Completely Modular Design
- ✓ Adjustable Shelving
- ✓ Preset Accessory Mounting Holes
- ✓ Weight Capacity 1000 lbs.
- ✓ Assembles in 30 Minutes or Less

| Item Number | Description | Finishes |
|----------------------|-------------|------------------|
| LS-K15-3412-1-24-FS | 24 in. | Folkstone |
| LS-K15-3412-1-24-HRM | 24 in. | Hard Rock Maple |
| LS-K15-3412-1-24-AM | 24 in. | Caramel Apple |
| LS-K15-3413-1-48-FS | 48 in. | Serene Cherry |
| LS-K15-3413-1-48-HRM | 48 in. | African Mahogany |
| LS-K15-3413-1-48-AM | 48 in. | |
| LS-K15-3414-1-72-FS | 72 in. | |
| LS-K15-3414-1-72-HRM | 72 in. | |
| LS-K15-3414-1-72-AM | 72 in. | |
| LS-K15-3415-1-96-FS | 96 in. | |
| LS-K15-3415-1-96-HRM | 96 in. | |
| LS-K15-3415-1-96-AM | 96 in. | |



Performance Series Keyboard Tray

The Performance Keyboard Tray easily mounts under the work surface. This sliding tray is 19 in. by 19 in. and accommodates most standard keyboards. Performance Accessories are manufactured in the USA, and are backed by a Limited Lifetime Warranty.

FEATURES

- ✓ Easy To Install
- ✓ 19 in. by 19 in. Sliding Tray
- ✓ Works with most standard keyboards

Item Number

LS-K15-3432-PKT



WIRE & CABLE MANAGEMENT

SIZE | TYPES



Performance Accessory Bar

FEATURES

- ✓ Installs in Minutes
- ✓ Mount LCD Monitors
- ✓ Attach Power Strips
- ✓ Adjusts to Any Height



| Item Number | Description |
|----------------|-------------|
| LS-K16-3435-24 | 24 in. |
| LS-K16-3436-48 | 48 in. |
| LS-K16-3432-72 | 72 in. |
| LS-K16-3438-96 | 96 in. |



Performance Series LCD Monitor Mount

LCD Mount

FEATURES

- ✓ 360 Degrees of Swivel
- ✓ Up to 40 Degrees of Tilt
- ✓ 75mm and 100mm VESA
- ✓ Compliant Mounting Pattern
- ✓ 40 lb. Maximum Load

Item Number

LS-K15-3439-MM



Performance Series Corner Unit Caster Kit

This kit includes 6 locking-swivel casters and is designed to work exclusively with the Performance Series Corner unit.

FEATURES

- ✓ 6 Heavy-Duty Bearing-Driven Casters
- ✓ Non-Marking Wheels
- ✓ Tool-Less Installation
- ✓ All Casters are Locking

Item Number

LS-K15-3431-CCK



CABLE TOOLS

When quality, performance and reliability really matter



It is amazing what tools can do. On any job, the cable tools save time and money, and they mean the difference between a good job and a great job. Having the right tools puts you ahead of the game, and ensures the job gets done right the first time, every time. Check out the Primus Cable tool store. You'll find all the cable and networking tools right here – and much more.

CABLE TOOLS

SIZE | TYPES

Cable Caddies

Primus Cable is proud to offer a full line of cable tools from cable testers to termination and crimping tools. Anyone who has experienced sub-par tools knows there's simply no substitute for high quality, high caliber network tools. For terminating keystone jacks, patch panels, or anything else, we've got excellent punch down cable tools and replacement blades. In order to terminate, or "crimp" RJ11, RJ12, and RJ45 plugs, you're going to need a crimp tool. We carry many crimper styles and each offers distinct benefits. The ability to effectively strip cable is another essential task. Well, we've got a wide variety of cable strippers and cutters. We also carry complete network and cable tool kits.



Item Number

CC2016B

Cable Caddy w/Clip 20" X 16", Black

20"x16" Cable Caddy

FEATURES

- ✓ Heavy duty, lightweight steel tubing & unique folding mechanism allows for easy fold & transport of cable caddy
- ✓ Solid steel spool support bar to withstand the weight of most large spools of cable
- ✓ Holds one 20" x 16" reel



Item Number

CC1200

Cable Caddy, 43" x 16", 7" Wheels, Heavy Duty

43"x16" Cable Caddy with 7" Wheels

FEATURES

- ✓ Constructed of heavy duty, 1" steel tubing with durable powder-coated finish
- ✓ Can accommodate spools up to 16" wide on solid steel 1/2" axles
- ✓ Features 6 axle positions for unlimited versatility
- ✓ Sturdy 7" rubber wheels
- ✓ Stands 43" tall



CABLE TOOLS

SIZE | TYPES



Cable Carrier, Heavy Duty Portable Reel Holder

26" Wide Cable Caddy

FEATURES

- ✓ Takes the hassle out of installing bulk cable
- ✓ Pull cable conveniently and safely from a sturdy, lightweight frame
- ✓ Heavy duty steel with durable finish
- ✓ Compact and portable
- ✓ Holds multiple spools on 26" wide crossbar
- ✓ 14" clearance from floor to crossbar
- ✓ Holds up to 250 pounds of wire or cable
- ✓ Folds flat for easy storage

Item Number

CR1248



Portable Hand Truck, 43" x 16", 7" Wheels

43"x16" Cable Caddy with 7" Wheels

FEATURES

- ✓ Constructed of heavy-duty, 1" steel tubing with durable powder-coated finish
- ✓ Can accommodate spools up to 16" wide on solid steel 1/2" axles
- ✓ Features 4 axle positions and solid steel plate for transporting material
- ✓ Sturdy 7" rubber wheels
- ✓ Stands 43" tall

Item Number

CT1100



Coax Compression Tool, RG11/7/6/59 Standard F Type

RG11/6/7/59 standard F type, compression crimp tool for CATV installation.

FEATURES

- ✓ Patented rotating connector positioner Allows for quick change between RG11/7 and RG59/6 with no adjustments required
- ✓ Easy to use
- ✓ Molded cushioned handle
- ✓ High carbon tool steel frame
- ✓ Black oxide rust resistant finish

Item Number

TL2-1981

CABLE TOOLS

SIZE | TYPES



Item Number

TL2-3026

SealSmart Compression Crimp Tool

FEATURES

- ✓ Universal crimping tool terminates F type, RCA & BNC sealsmart connectors
- ✓ Works with RG59, RG6, and RG6 quad shield cables
- ✓ Connector crimping adapters mount in handle for easy storage
- ✓ Adjustable crimp height for use with similar style compression connectors



Item Number

TL2-5392

SealSmart™ Procon Compression Tool

Sealsmart™ procon compression tool for CATV and CCTV networks.

FEATURES

- ✓ Head rotates to switch from RG6Q/6 to RG11/7
- ✓ Connector positioner rotates to change between f, bnc or rca
- ✓ Adjustable crimp stroke
- ✓ Accommodates all standard compression f, BNC, RCA & right angle connectors
- ✓ Convenient, easy to use, all-in-one compression tool



Item Number

TL2-181

SealSmart™ Coax compression Tool

RG11/RG59/RG6/RG7, BNC F and RCA Connectors

FEATURES

- ✓ Easily terminate F type, BNC and RCA
- ✓ Works with RG59, RG6, RG6 Quad, and mini RGB coax cables
- ✓ Built in F Connector Assembly Port
- ✓ Ergonomic Soft Grip Handle
- ✓ Compact and light weight design



Item Number

TL1-956

Crimp Tool for RJ45 Modular Plug, 8P/8C

Rj45 crimp tool for 8p/8c rj45 modular plugs.

FEATURES

- ✓ RJ45 (8p8c) modular plug crimping tool
- ✓ For network wiring
- ✓ You can cut, strip, and crimp with this one tool

CABLE TOOLS

SIZE | TYPES



Item Number

TL1-3025-Z

EZ RJ45® Crimp Tool

EZ RJ45® crimp tool for data & telephone cable termination.

FEATURES

- ✓ Crimps and trims extended wire in EZ-RJ45® connector in a single cycle
- ✓ Will also work on most other RJ-11, RJ12 and RJ-45 connectors (except amp)
- ✓ For use with EZ-RJ45® Cat 5/5E & Cat6 connectors
- ✓ Built in wire cutter and stripper for silver satin



Item Number

TL1-7230

External Ground Crimping Tool

Rj45 crimp tool for 8p/8c rj45 modular plugs.

FEATURES

- ✓ Use for shielded connectors for CAT5E /6/6A/6E/7 cable
- ✓ All steel frame
- ✓ Non-ratcheted design
- ✓ Compatible with most external ground tabs
- ✓ Spring loaded



Item Number

TL1-2100-ZPRO

EZ-RJPRO™ HD Ratchet Crimp Tool

EZ-RJPRO™ HD ratchet crimp tool for EZ-RJ45® Cat5E, Cat6, and EZ-RJ11/12 connectors.

FEATURES

- ✓ Crimps and trims extended wire in EZ-RJ45® connectors in a single cycle
- ✓ Compatible with all other RJ-45, RJ-12/11 connectors (except amp)
- ✓ Crimps and trims EZ-RJ12/11 connectors in a single cycle
- ✓ Zero flex prevents torque loss during the crimping cycle



Item Number

TL1-4449-T

Tele-Titan™ Modular Plug Crimp Tool

Tele-Titan™ modular plug crimp tool, for RJ45 (8x8), RJ12 (6x6), RJ11 (6x4), solid/stranded.

FEATURES

- ✓ Crimps with minimal hand force
- ✓ Crimps RJ45 (8x8) RJ12 (6x6), RJ11 (6x4), standard style modular plugs – solid or stranded
- ✓ Uses true parallel vertical crimp force for precise termination
- ✓ Precisely seats, or terminates, all pins to industry specified crimp heights

CABLE TOOLS

SIZE | TYPES



Item Number

TL1-4591

CAT6A Crimping Tool

Cat6A crimping tool, ratchet type, for modular plugs 8p8c/RJ45.

FEATURES

- ✓ Ratchet type crimping tool for large od Cat6/A UTP/STP solid or stranded cable, 8p8c/RJ45
- ✓ Designed to crimp our Cat6/A shielded RJ45 modular plugs (cn1-022-8c6as)



Item Number

TL6-3192-Z5

EZ-RJPRO™ HD Cable Installation Convenience Pack

EZ-RJPRO™ hd convenience pack with EZ-RJPRO™ hd ratchet crimp tool, EZ-RJ45® connectors.

FEATURES

- ✓ EZ-RJPRO™ HD crimp tool (p/n tl1-2100-zpro)
- ✓ 50 EZ-RJ45® connectors (p/n cn1-3002-z5)
- ✓ Coax & round cable cutter
- ✓ Cat 5/6 cable jacket stripper
- ✓ Instruction sheet



Item Number

TL1-6784

Mini Coax Pro Universal Crimper

FEATURES

- ✓ Works with RG6, RG6 Quad, RG59 & RG62AU coax cables
- ✓ Versatile tool - accommodates multiple connectors
- ✓ The only tool with a single, reversible head eliminating need for adapters
- ✓ Quickly & easily adjust crimp height



Item Number

TL1-6344

Crimping Tool with Ratchet


RJ11(6P4C), RJ12(6P6C), RJ45(8P8C), and 4P2C all in one crimping tool

FEATURES

- ✓ Works with RJ45/RJ12/RJ11 connectors
- ✓ Versatile tool - accommodates multiple connectors
- ✓ This tool can cut, strip, and crimp

CABLE TOOLS

SIZE | TYPES



Item Number

FIB230

Fiberfish II Kit "Four Pack" 3/16" Diameter - Orange

Fiberfish wire installation rods come in sections that screw together as needed.

FEATURES

- ✓ Rods screw together as needed
- ✓ Durable zinc-plated
- ✓ Rustproof
- ✓ Machined steel end fittings
- ✓ Packaged in a handy clear carry case with vinyl caps



Item Number

GLF307

Fiberfish II Kit "Four Pack" 3/16" Diameter - Orange

Glow in the dark rods come in the versatile 3/16 in. diameter. A clear carry case keeps them constantly charge and ready.

FEATURES

- ✓ Rods screw together as needed
- ✓ Durable zinc-plated
- ✓ Rustproof
- ✓ Machined steel end fittings
- ✓ Packaged in a handy clear carry case with vinyl caps



Item Number

TPF620

Fiberglass Telescoping Pole, 6' to 20'

FEATURES

- ✓ Telescopes to full length in seconds
- ✓ Push or pull wires over long spans, suspends ceilings, crawl spaces and attics
- ✓ Works great in factories and warehouses
- ✓ Made of non-conductive fiberglass for safety
- ✓ Innovative new twist lock system locks sections at any length
- ✓ Sturdy, durable, and lightweight at 5 lbs.



Item Number

FIB-FML

Fiberglass Telescoping Pole, 6' to 20'

This twist on/off ultra bright LED light includes a power full 5 pound magnet and a 23 in. Flexible shaft that is capable of bending into any position desired.

FEATURES

- ✓ Strong 5 pound magnet
- ✓ 23 In. Flexible shaft bends into any position
- ✓ Twist on/off LED light

CABLE TOOLS

SIZE | TYPES



Xtender Pole, 12' Telescoping Drill Extension

FEATURES

- ✓ Hang ceiling wire (12 or 9 gauge) Install up to 100 ceiling wires per hour
- ✓ Hang threaded rod 3/8 in. Or 1/4 in. Rod Up to 10 feet long
- ✓ Overhead screw installation transforms Into a very long screwdriver
- ✓ Hang jack chain easily from the Work floor

| Item Number | Description |
|-------------|------------------------------|
| JH-4480-12 | 12 ft. Telescopic Drill Tool |
| JH-4481-18 | 18 ft. Telescopic Drill Tool |



| Item Number |
|-------------|
| TL4-4622 |

LAN ID - Pro Link Tester with Port Finder

The LAN ID is an essential link tester tool for verifying and troubleshooting local area networks. It is designed for network administrators to quickly diagnose problems during LAN installation and repair.

FEATURES

- ✓ Complies with IEEE802.3 Ethernet standard PHY in high speed auto communication protocol
- ✓ Power auto off function can reduce battery power loss
- ✓ Display current Online status by LED
- ✓ RJ-45 connector can be connected with standard network equipment
- ✓ Easy to carry and use with pen style design
- ✓ Identifies the port speed up to 100



| Item Number |
|-------------|
| TL4-4622 |

LAN ID - Giga LAN Device Status Identifier

The LAN ID giga is an advance edition of HOBBS LAN ID Pro with more capabilities. It is a high efficiency diagnostic tool for network installation and troubleshooting.

FEATURES

- The unit indicates whether the LAN equipment being tested supports the following topologies and capabilities:
- ✓ Auto negotiation
 - ✓ 1000 BASE-T full duplex
 - ✓ 100 BASE-Tx full duplex
 - ✓ 100 BASE-Tx half duplex
 - ✓ 10 BASE-T full duplex
 - ✓ 10 BASE-T half duplex

CABLE TOOLS

SIZE | TYPES



Item Number

TP150

Tone Generator and Probe Set

Fiberfish wire installation rods come in sections that screw together as needed.

FEATURES

- ✓ Recessed Push-Button Activates Tone Scanning
- ✓ Side Thumb Wheel Controls Volume and Power.
- ✓ Alligator clips to test pairs
- ✓ 1.5KHz square waveform
- ✓ Continuity mode



Item Number

TL4-4189

Tone Generator and Probe Set

The SMARTone and SMARTprobe uses advanced digital signal technology to trace and identify cables in high speed and high precision; avoiding noise and false signals.

FEATURES

- ✓ Uses advanced digital signal technology, avoiding noise and false signals
- ✓ Traces and identifies cables quickly and accurately
- ✓ Traces cables at a distance
- ✓ Identifies cables in bundles or at patch panels
- ✓ Sends digital/analog tones in two distinct modes: one note-tone and two note tone



Item Number

TL4-4459

GIGAtest-E (RoHS Compliant)

E-650 GIGAtest-E is specially designed to quick test the wiring of UTP/STP cables are straight-through, 10/100/1000BASE-T crossover or cabling faults.

FEATURES

- ✓ Main & remote units to test installed cable
- ✓ Determines suitability of cabling for 10/100/1000BASE-T networks
- ✓ Compact and light-weight design for easy storage



Item Number

TL4-4659

LAN ID Link Tester - RoHS Compliant

The LAN ID is an essential link tester tool for verifying and troubleshooting local area networks. It is designed for network administrators to quickly diagnose problems during LAN installation and repair.

FEATURES

- ✓ Complies with IEEE802.3 Ethernet standard PHY in high speed auto communication protocol
- ✓ Power auto off function can reduce battery power loss
- ✓ Display current Online status by LED
- ✓ RJ-45 connector can be connected with standard network equipment
- ✓ Identifies the port speed up to 100
- ✓ This version of the LAN ID Link Tester is RoHS compliant.

CABLE TOOLS

SIZE | TYPES



Item Number

TL4-4227

EconoCatch, 5 Pack, 1" x 3" Black

LANsmart is a hi-tech, multi-functional network cable tester.

FEATURES

- ✓ Incorporates TDR technology
- ✓ Tests for shorts, opens, miswires, reversals, split pairs, and shield continuity
- ✓ Built-in port finder to locate corresponding sockets on hub/switch
- ✓ Measures length of UTP and STP cable without remotes
- ✓ Calibrated Velocity Propagation ability for non-standard cables to increase measuring accuracy
- ✓ Tone generator sends signals to either all or selected pin conductor
- ✓ Test results displayed in pin-to-pin wiremap format
- ✓ Compatible with any twisted pair of category 3/4/5 and 6 cables



Item Number

TL4-5728

EconoCatch, 5 Pack, 1" x 3" Black

The LANsmart Pro link tester is a highly practical network installation and trouble-shooting tool, which features a single or multi-tone signal, two test leads and a 4-conductor modular cable. The signal emitted by the tone generator can be easily traced by the probe, even when cables are in a bundle or hidden in a mess of punch down blocks or wall plates. The link tester can be used to verify cable continuity, identify wiring faults, determine line polarity and voltage in network and modular telephone line. The LANsmart Pro link tester is equipped with a tone amplifier and a LED indicator that detects audible frequency tones for accurate tracing and identification of wires. It's plastic conductive tip prevents shorting of expensive telecom and network equipment.

Tone Generator Features

- ✓ 2-position button for single tone or dual-tone signal
- ✓ Toggle switch to control 3 modes of operation
- ✓ 3-color LED indicator display for telephone line polarity, continuity and voltage testing
- ✓ Black and red alligator clips and standard RJ-11 plug to test individual wire or RJ-11 jack

Probe Features

- ✓ Special inductive plastic tip, which prevents accidental shorts, when using near high voltage devices
- ✓ Traces and identifies wires or cable in a bundle or group without damaging cable insulation
- ✓ Adjustable volume level for various work environment
- ✓ Compatible with all existing tone generators in the market
- ✓ Power switch to prevent battery drain

CABLE TOOLS

SIZE | TYPES



Item Number

TL4-4524

LANtest-E Cable Tester - RoHS Compliant

The LANtest-E cable tester features a brand new compact design with the functions of the original LANtest. This cable tester is practical, easy to use, and provides crystal-clear results. The LANtest-E maps actual wiring configurations for 10/100/1000BASE-T cables, BNC cables, and RJ45/RJ11 modular cables. Cable tester includes a remote unit allowing one person to easily test cables installed in walls or patch panels.

FEATURES

- ✓ Pin-to-pin wire-mapping for RJ45, RJ11, BNC cables,
- ✓ Compact and light-weight design
- ✓ CAT5, CAT5E, CAT6, and CAT7 cable
- ✓ Remote attached to main unit for carrying/storage convenience
- ✓ Dual-speed testing



Item Number

TL4-2621

LANtest Pro Ethernet Cable Tester

The LAN test Pro is a small hand held cable tester that enables the user to quickly read the status of Ethernet twisted pair cables. It tests for faults such as open circuits, shorts, crossed pairs, reversed pairs, and split pairs in seconds.

FEATURES

- ✓ Tests for wiring faults of open, short, reversal, crossed and split pairs
- ✓ Easy to read fault display and high speed testing results
- ✓ Split pair fault detection at minimum 40cm cable length
- ✓ Debug mode and detailed fault identification
- ✓ Verification of shield integrity
- ✓ Auto sleep mode and power off switch to decrease power
- ✓ Specially designed remote units that enables one person to test installed cables
- ✓ Low battery indicator



Item Number

TL4-4873

NET Mapper Pro Network Cable Mapper

The NETmapper Pro is a hand-held multi-functional network-testing device that integrates all on-line/off-line and telephone line test functions in one cable tester. For on-line testing, this cable tester operates as a workstation, pinging network devices and illustrating the machine name/IP address/MAC address. This tone generator also identifies all the network devices including router, printer and PC host. For off-line testing, the NETmapper Pro cable tester also operates as a professional cable checker.

FEATURES

- ✓ Online active network tester - with 4 remotes
- ✓ Scans and lists all the PC host with IP address and computer host name or MAC address
- On-Line Test: Displays the ethernet port status 10/100, ping default router, ping DNS server and ping user defined device...etc.
- ✓ Reporting voltage and polarity if voltage is present on pin 4/5 (telephone line)
- ✓ Off-Line Test: Wiremap/twisted mapping cable length/ tone generator and port finder
- ✓ Wire map for cables opened, shorted, reversed, crossed, split pairs, mis-wire, and shield continuity

CABLE TOOLS

SIZE | TYPES



Item Number

TL4-4574

POE Finder - Power Over Ethernet Status Finder

POE (Power over Ethernet) technology is increasing being used in many network equipments, such as IP phone, AP's, and network camera...etc.

FEATURES

- ✓ To check the existence of POE in one second
- ✓ Identifying the type of the POE, whether the POE voltage is detected on the pair 12-36 (endspan), or on the 45-78 (midspan)
- ✓ Complied with IEEE802.3af standard
- ✓ Compact design, plug and read
- ✓ The POE finder designed with both jack and plug, no extra cable needed
- ✓ Indicators on both sides, easy to read



Item Number

TL4-4388

SOHO test-E Residential Cable Tester

E-450 SOHOtest-E is designed to test the most commonly used cables in a residential/home office environment. It can be used to determine wiring faults in network, phone, cable TV, and home security system cables, either before or after installation. The SOHOtest-E is so easy to use, even notice home network users can save hundreds of dollars by determining cabling faults before calling for professional repairs.

FEATURES

- ✓ Pass/fail coaxial test
- ✓ Remote unit for one-person testing
- ✓ Compact and light-weight design for easy storage
- ✓ Remote attached to main unit for carrying/storage convenience

CABLE TOOLS

SIZE | TYPES



Item Number

TL1-4224

Tool Test - Cable Tester & Crimper Tool In One with Pouch

Tool test is a small hand held cable map tester. It enables network professionals to quickly and easily test Ethernet twisted pair cable for wiring continuity, opens, shorts, and miswires. With a single push of the TEST button, Tool test will automatically test cable and indicate the result of the cables pin to pin configuration.

Cable Tester & Crimper Tool-In-One with Pouch Features:

- ✓ Testing for both UTP and STP cable
- ✓ Testing cable for continuity, opens, shorts, miswires
- ✓ Pin to pin indication
- ✓ Dual-mode test function: single and continuous test
- ✓ Auto power saving
- ✓ Low power indicator
- ✓ Single and multi-wired cable crimping
- ✓ Modular crimping plugs: 8P8C(RJ45), 6P6C(RJ12), 6P4C(RJ11)
- ✓ Integrated cable stripper and cutter
- ✓ Crimping tool and cable tester in one
- ✓ Detachable cable tester

LED Display Description:

- ✓ LED #1~#8: 8 Pin wire configuration
- ✓ Low Battery Indicator: LED Flashes to indicate unit has low batteries repeatedly before each testing
- ✓ LED G: Shielded/Ground

Power Supply:

- ✓ Main Unit: DC4.5V (3* LR-44 type batteries)



Item Number

TL4-4578

NET Mapper Pro Network Cable Mapper

The NETfinder Pro tone generator is the latest generation of the LANtest family, with an advanced circuit design surpassing the original technology. The Pro version of this model of tone generator adds the cable organizer function and also includes 18 remotes. It combines the functions of a convenient cable tester with a built-in low emission frequency tone generator.

FEATURES

- ✓ All-in-one tester: cable tester, tone generator, port finder, and cable organizer
- ✓ Manual step testing in forward, backward and stop sequences
- ✓ 18 remotes IDs for organizing up to 18 cables locations
- ✓ Other features are same as Netfinder
- ✓ Port-finder function to locate corresponding socket on 10/100M hub/switch

CABLE TOOLS

SIZE | TYPES



Item Number

TL4-2626

Network Cable Tester Pro and Probe Kit

Our network cable tester pro test for wiring faults of open, short, reversed, crossed and split pairs. Our tester works great for split pair fault detection at a minimum 40 cm cable length.

FEATURES

- ✓ Test for wiring faults of open, short, reversed, crossed and split pairs
- ✓ Split pair fault detection at a minimum 40 cm cable length
- ✓ Verification of shield integrity
- ✓ Specially designed remote unit that enables one person to test installed cables
- ✓ Easy to read fault display and high speed testing



Item Number

TL4-2262

Network Cable Tester - RJ11, RJ12, RJ45 and BNC

Our network cable tester works with RJ45, RJ11, RJ12, and BNC connections.

FEATURES

- ✓ Multi-network cable tester - tests for coaxial cable and 10-base-T(UTP. STP)
- ✓ Enhanced network cable tester - tests for 10-best-T cable (UTP. STP)
- ✓ Multi-modular cable tester - tests for USOC 8P 8C, 6T6C, 4P4C, modular cables
- ✓ Coaxial cable Tester - tests for BNC cable and TNC cable



Item Number

TL4-4391

Network Cable Tester - RoHS Compliant

The network cable tester is designed and developed for cable installers and network professionals. This cable tester has many features to suit your requirements.

This RoHS compliant network cable tester is ideal for testing ethernet cables including CAT5, CAT5E, CAT6, and CAT7 with RJ45 connectors.



Item Number

TL4-4464

Network Cable Tester - RoHS Compliant

Our comprehensive range of cable testers have many different levels of features.

Designed and developed for cable installers and network professionals, there is a tester to suit your requirements.

CABLE TOOLS

SIZE | TYPES



Item Number

TL4-5391

LANtest-E Cable Tester - RoHS Compliant

The DigiWiFi Pro is a useful Wi-Fi signal locating and analyzing device, it has the capability to detect and show clear description of each wireless access point near you.

FEATURES

- ✓ Big LCD screen with backlight to show clear description
- ✓ Shows signal strength, network ID (SSID), encryption status and channel
- ✓ Provides specific information about each network when multiple APs were detected
- ✓ To sort the order by signal strength when multiple APs are detected
- ✓ Coverage: Up to 300ft. (90m) open environment
- ✓ Compatibility: IEEE 802.11b and 802.11g networks
- ✓ Audible tone and Auto power off function



Item Number

TL4-4596

Net mapper - Cable Tester w/ 4 Remotes

The Net mapper is a unique and versatile tool for professional network administrators to quickly verify network connectivity and get essential information from the entire network for troubleshooting.

FEATURES

- ✓ On-Line Test: Displays the ethernet port status 10/100, ping default router, ping DNS server and ping user defined device...etc.
- ✓ Off-Line Test: Wiremap/twisted mapping cable length/ tone generator and port finder
- ✓ Scans and lists all the PC host with IP address and computer host name or MAC address
- ✓ Reporting voltage and polarity if voltage is present on pin 4/5 (telephone line)
- ✓ Wire map for cables opened, shorted, reversed, crossed, split pairs, mis-wire, and shield continuity



Item Number

TL4-4471

NETest-E Cable Tester

E-400 the NETest-E is designed to provide quick and clear results for testing network cable continuity and wiring configuration. It will detect the most common wiring faults on TIA568A/568B, Token Ring, 10BASE-T, and 10/100BASE-T twisted-pair cables. The faults detected by the NETest-E include shorts, miswiring, reversed pairs, and shielding faults. Just plug a cable into the Main and Remote units and the NETest-E will begin testing automatically.

FEATURES

- ✓ Pair faults display by two colors LED
- ✓ Main and remote units to test installed cable

CABLE TOOLS

SIZE | TYPES



Item Number

TL4-2260

Network Cable Tester, RJ45, Pair and Shield LEDs

This tester is a small hand-held cable tester that quickly and easily verify the integrity of Ethernet Twisted Pair Cables. It tests Unshielded Twisted Pair (UTP) and Shielded Twisted Pair (STP) cables. The Network Cable Tester checks for continuity and configuration of the wiring with RJ45 connector. It checks for open circuits, shorts, misfires, reversals, and split pairs.

FEATURES

- ✓ Tests UTP and STP cable
- ✓ Main and remote units to test installed cable



Item Number

TL4-6239

Net Chaser Ethernet Speed Certifier, TDR

This network cable tester can read voice, data, and video cables to test for shorts, opens, reversals, misfires, and split pairs. It can measure the length of a cable and or the individual wire pairs. The VDV MapMaster 3.0 Network Cable Tester has a large backlit LCD screen with easy to read icons.

FEATURES

- ✓ Detects open, shorts, misfires, reverses & split pairs
- ✓ Audible tone generator
- ✓ Measures length in feet/meters
- ✓ Identifies cable location on active ports
- ✓ Continuous loop test mode



Item Number

TL4-6853

VDV MapMaster 3.0 Network Cable Tester

The VDV MapMaster 3.0 Network Cable Tester combines continuity testing, mapping, tone generator and length measurement functions into a single unit. This is capable of identifying and mapping 20 locations at one time.

FEATURES

- ✓ Detects open, shorts, misfires, reverses & split pairs
- ✓ Audible tone generator
- ✓ Measures length in feet/meters
- ✓ Identifies cable location on active ports
- ✓ Continuous loop test mode



Item Number

TL4-4627

Power Over Ethernet Detector

This Power Over Ethernet Detector (PoE tester) can be used for PSE (power source equipment) and power supply status detection during PoE system or CCTV system installation. It can distinguish whether the PSE power supply is passive mode under the IEEE 802.3AF/AT/UPoE/BT standard or by non-standard Active mode

FEATURES

- ✓ New battery-free operation technology
- ✓ Compact and lightweight design
- ✓ Monitor the current PoE status

CABLE TOOLS

SIZE | TYPES



Item Number

TL4-6220

Cable Prowler Ethernet Cable Tester, TDR

TDR technology allows you to measure cable length, and length to faults. The Ethernet cable tester also ensures adequate power for powered devices such as VoIP phones. Conduct single ended and remote cable tests with display of PASS, wire map, ID, and faults.

FEATURES

- ✓ Detects open, shorts, misfires, reverses & split pairs
- ✓ Audible tone generator
- ✓ Measures length in feet/meters
- ✓ Identifies cable location on active ports
- ✓ Continuous loop test mode



Item Number

TL3-3406

Rapid Termination Punch Down Tool for MIG+ 90° Keystone Jacks

This high quality punch down tool helps installers connect wires to CAT5E and CAT6 MIG+ 90° Keystone Jacks with a simple squeeze of the handle. The easy to use punch down tool seats and trims all conductors in one easy motion.

FEATURES

- ✓ Compatible with Primus Cable's MIG+ 90° Keystone Jacks
- ✓ Reduces installation time - easy-to-use tool seats and cuts all wires at once
- ✓ Locking handle makes it more compact to store
- ✓ Accurate, clean and consistent cuts and terminations - no more wasted jacks
- ✓ Sturdy, lightweight handle reduces hand-fatigue



Item Number

TL3-1748

Rapid Termination Punch Down Tool for MIG+ 90° Keystone Jacks

This tool's adjustable high/low actuation setting accommodates termination requirements, and it uses the Turn-Lock™ style blade-holding design. Includes a storage compartment with a unique locking device to provide convenient storage for a spare blade.

FEATURES

- ✓ Adjustable Impact for all your punch down needs
- ✓ Professional quality spring loaded impact punch down tool
- ✓ Includes Locking 110 Blade
- ✓ For seating wire into terminals

CABLE TOOLS

SIZE | TYPES



Item Number

TL3-272

Rapid Termination Punch Down Tool for MIG+ 180° Keystone Jacks

This high quality punch down tool helps installers connect wires to CAT6 MIG+ jacks in a simple squeeze of the handle. It is a time saver for installers connecting cable wires to our line of MIG+ 180° keystone jacks.

FEATURES

- ✓ Compatible with Primus Cable's MIG+ 180° keystone jacks
- ✓ Accurate, clean and consistent cuts and terminations - no more wasted jacks
- ✓ Locking handle makes it more compact to store
- ✓ Built-in bed helps hold jack in place
- ✓ Reduces installation time - easy-to-use tool seats and cuts all wires at once
- ✓ Sturdy, lightweight handle reduces hand-fatigue



Item Number

TL3-358

Punch Down Tool for MIG+ Jacks

This high quality punch down tool helps installers connect wires to MIG jacks in a simple squeeze of the handle. It is a time saver for installers connecting cable wires to our line of MIG+ keystone jacks.

Our MIG+ jacks utilize Press-Fit Technology to ensure a reliable gas tight connection for unprecedented performance. Press-Fit Technology (PFT) is a more sold connection method that force fits a contact pin into the plate through a printed circuit board. The radial pressure produces a high quality and gas-tight electrical connection. The small form-factor of our jacks makes them ideal for high density installations.



Item Number

TL3-1845-JG

Palm Puck Punch Down Tool for CAT3, CAT5E, CAT6 Keystone Jacks

This hand held punch down tool allows the user to hold the keystone jacks while terminating. It prevents modules or plugs from slipping out of your hand, or off the work surface, prior to termination.

FEATURES

- ✓ CAT3/CAT5E/CAT6 Keystone Jacks
- ✓ 180 degree jacks
- ✓ Handles untwisted pairs up to 1/2 in. from termination point
- ✓ UL listed
- ✓ Right angle jacks
- ✓ Instructions Included



CABLE TOOLS

SIZE | TYPES



Item Number

TL3-2871-JG



Punch Down Stand Tool for CAT5E/6 Keystone Jack - Black

This tool allows the user to hold the keystone jacks while terminating. It prevents modules or plugs from slipping out of your hand, or off the work surface, prior to termination.

FEATURES

- ✓ For fast and reliable termination
- ✓ CAT5E, CAT6, RJ11/12 keystone jacks
- ✓ Punch down tool not included
- ✓ UL listed



Item Number

TL3-2868-110B

Replacement Blade for Punch Down Tool, 110 Type

This blade is perfect for having a extra out on the field and replacing dull blades. If your a professional network installer you know you can never have enough of these around.

FEATURES

- ✓ Replacement blade for 110 type punch down tool
- ✓ Works with our impact punch down tool and the non-impact punch down tool



Item Number

TL3-2867-66B

Replacement Blade for Punch Down Tool, 110 Type

This blade is perfect for having a extra out on the field and replacing dull blades. If your a professional network installer you know you can never have enough of these around.

FEATURES

- ✓ Replacement blade for 66 type punch down tool
- ✓ Works with our impact punch down tool and the non-impact punch down tool



Item Number

TL3-978-66/110

Replacement Blade for Punch Down Tool, 66 Type & 110 Type

This blade is perfect for having a extra out on the field and replacing dull blades and works for both 66/110 punch down tools. If your a professional network installer you know you can never have enough of these around.

FEATURES

- ✓ Replacement blade for 66/110 type punch down tools
- ✓ Works with our impact punch down tool and the non-impact punch down tool

CABLE TOOLS

SIZE | TYPES



Removal Tool, F Connector 12"

This dual function tool features a 7/16 in. hex socket at one end and 3/8-32 thread at the other end. The hex socket slides over cable and rear of the connector for easy mating and un-mating of hard to grasp F connectors.

FEATURES

- ✓ Total length measures 12"
- ✓ 7/16 in. hex socket for mating and un-mating
- ✓ 3/8-32 threaded end for connector assembly

| Item Number | Description |
|-------------|---------------------------------|
| TL8-3400 | 12 in. F-Connector Removal Tool |
| TL8-3022 | 8 in. F-Connector Removal Tool |



BNC Removal Tool, 12" Shaft

Designed and manufactured for the true broadcast and telco installation professional. Outperforms all other BNC removal tools in the market today, guaranteed! The barrel is precision machined from high strength tool steel and heat treated for long life.

FEATURES

- ✓ Shaft is 12" in length
- ✓ Use to insert and remove BNC connectors in digital video patchbays
- ✓ Use to insert and remove BNC connectors in high density DSX cross connect systems
- ✓ Wider barrel slot fits over Canare L-7CFB and Belden 9292 cables

| Item Number |
|-------------|
| TL8-3402 |



Screwdriver with 1/4" Reversible Shaft, 6 in 1

This versatile tool is a must have for any tool belt. No more searching for the right tool! Double-ended reversible bits with ball detent retention.

FEATURES

- ✓ #1 & #2 Phillips
- ✓ #5 & #7 Slotted
- ✓ 1/4 in. and 5/16 in. nut drivers
- ✓ Clamshell packaging

| Item Number |
|-------------|
| TL9-3405 |

CABLE TOOLS

SIZE | TYPES



Item Number

TL9-1034

Security Screwdriver KIT, 22-in-1

The 22-in-1 Security Screwdriver Kit is the toolkit of choice for security installers. This toolkit features a non-slip, comfort grip handle with a high impact plastic core, and 11 double sided security shaft style bits.

FEATURES

- ✓ Security Torx® T8, T10, T15, T20
- ✓ Security Hex: 1/8", 9/64", 5/32", 3/16" (2.5mm, 3mm, 4mm, 5.5mm)
- ✓ Security Robertson: 1, 2
- ✓ Tri-Wings: 2, 3
- ✓ Slotted and Phillips: Slotted: 7/32, Phillips: 2
- ✓ Spanner: 4, 6, 8, 10



Item Number

TL7-3920

Security Screwdriver KIT, 22-in-1

Quickly tensions and cuts off excess strap without leaving a sharp protrusion that can cause snags, cuts, and abrasions to cables, hoses, products, and users.

The Time Saving TL-3920 automatically cuts off excess strap when the selected tension setting is achieved. Produces consistent tension from tie to tie and saves installation time with one easy pull of the trigger



Item Number

TL7-3919

Cable Tie Tension Tool, 18/40/50lb Manual Twist Cut Off Type

The inexpensive TL-3919 is the most cost effective for the occasional user. The tool is light weight, durable, fits into tight spaces, quickly tensions, and cuts excess strap with a twist of the tool.

Quickly tensions and cuts off excess strap without leaving a sharp protrusion that can cause snags, cuts, and abrasions to cables, hoses, products, and users.

CABLE TOOLS

SIZE | TYPES



Item Number

TL1-3201-U

Connector Pressing Telecom Pliers

These quality pliers are designed to crimp UG, UR, UB and UY style connectors manufactured by 3M and others. Pliers are designed and manufactured in accordance with Bell Specifications. They feature a built-in side-cutter and coil spring.

FEATURES

- ✓ Use for pressing/crimping UR, UY, UG and UB style connectors
- ✓ Also compatible with other telecom style splice connectors
- ✓ Built in side cutter
- ✓ Built in stop prevents damage to connectors
- ✓ Includes coil spring



Item Number

TL9-5716

Can Wrench, Hex: 3/8" & 7/16"

For telephone craft work. Connect wires to fuses and tighten nuts on binding post terminals. Place fuses in cable terminals. Double ended 3/8 in. and 7/16 in. hex sockets are color coded for quick identification of socket sizes.

FEATURES

- ✓ Access telephone boxes and pedestals
- ✓ Tighten nuts on binding post terminals
- ✓ Clamshell packaging

CABLE TOOLS

SIZE | TYPES




SnapSku® Self Drill Drywall Anchors, Optional Screws, White

FEATURES

- ✓ NO drill needed!
- ✓ Locks on walls and ceilings—resists vibration & won't destroy drywall
- ✓ Built-in "positive stop" resists over-drilling
- ✓ When you hear the "pop", you know the anchor is correctly installed
- ✓ Stronger than many larger anchors
- ✓ Makes only a tiny 1/4 in. hole
- ✓ Small 0.4 in. head hides behind the fixture
- ✓ Head sits flush on wall

| Item Number | Width |
|-------------|--|
| ANC-50150 | 6 pcs, 11/4 in. screws, white. |
| ANC-50175 | 25 pcs, 11/4 in. screws, white. |
| ANC-30032 | 50 pcs, 11/4 in. screws, white. |
| ANC-30030 | 100 pcs, 11/4 in. screws, white. |
| ANC-50100 | 4 pcs, 11/2 in. screws, white. |
| ANC-50125 | 20 pcs, 11/2 in. screws, white. |
| ANC-30012 | 50 pcs, 11/2 in. screws, white. |
| ANC-30010 | 100 pcs, 11/2 in. screws, white. |
| ANC-30011 | 100 pcs, no screws, white. |
| ANC-30031 | 100 pcs, mini anchors, no screws, white. |



TOGLER® Plastic Toggle Drywall Anchors with 1 Setting Key and Screws

FEATURES

- ✓ 1 setting key
- ✓ #8 x 1 3/4 in. screws
- ✓ Locks on wall, forming rigid weight-distributing truss for high strength
- ✓ Anti-rotation fins prevent spinning—anchor won't destroy wall or ceiling
- ✓ All sizes install in only a small 5/16 in. hole
- ✓ Largest grip range for each anchor -5/8 in. - 3/4 in.
- ✓ Versatile—use any size screw #6-#14 [TA® anchor = #8-#12]

| Item Number | Width |
|-------------|---|
| ANC-50325 | 5 pcs, commercial grade with 1 3/4 in. combo head screws, 1-setting key, white. |
| ANC-50550 | 20 pcs, commercial grade with 1 3/4 in. combo head screws, 1-setting key, white. |
| ANC-11011 | 100 pcs, commercial grade with 1 3/4 in. combo head screws, 1-setting key, white. |
| ANC-50300 | 5 pcs, residential grade with 1 1/2 in. combo head screws, 1-setting key, white. |
| ANC-50525 | 20 pcs, residential grade with 1 1/2 in. combo head screws, 1-setting key, white. |

CABLE TOOLS

SIZE | TYPES



SNAPTOGGLE® Heavy Duty Toggle Bolts

FEATURES

- ✓ High strength—holds up to 2x the load of an old-fashioned wing toggle of same bolt size
- ✓ Reusable in same hole—remove the bolt without losing the anchor
- ✓ One-person installation—like having an extra pair of hands behind the wall
- ✓ Insulation pushed aside by metal channel
Does NOT destroy wall or ceiling—plastic cap & metal channel centers bolt & prevents abrasion

| Item Number | Description |
|-------------|--|
| ANC-50375 | 10 pcs, 3/16 - 24 thread with 2 1/2 in. toggle bolts, white. |
| ANC-25013 | 50 pcs, 3/16 in. no toggle bolts, white. |
| ANC-50425 | 10 pcs, 1/4 - 20 thread with 2 1/2 in. toggle bolts, white. |
| ANC-25014 | 50 pcs, 1/4 in. no toggle bolts, white |



Item Number

ICM-SLMPSAKIT



Tech Express Kit, Linear Compression Tool RG59 & RG6 Cable Strip Tool

The SLMPSAKIT mini tool kit includes a Linear Compliant Compression Tool (CPLCCT-SLM) and a cable strip tool for RG59 and RG6 cable (PSA59/6). These tools work together as a fully integrated system with F-connections universal compression connectors.

Linear Compliant Compression Tool & Cable Strip Tool for RG59 and RG6



Item Number

TL6-7268-Z6

CAT6 Ethernet Data Network Termination Tool Kit

This Networking Termination Tool Kit is used for installing CAT6 Bulk Cable applications. Our data terminating tools and connectors are ideal for both your indoor and outdoor voice, data, video and security networking projects. Whether you are wiring your home, office or entire campus, this CAT6 Tool Kit will make your job easier and more efficient.

FEATURES

- ✓ Networking Cable Stripper
- ✓ Ratchet Cable Crimp Tool
- ✓ Network Cable Tester
- ✓ 50 Cat6 Easy Feed RJ45 Modular Plug Connectors
- ✓ 50 Cat6 Easy Feed Strain Relief Boots
- ✓ Rugged Hard Plastic Carrying Case

CABLE TOOLS

SIZE | TYPES



Item Number

TL6-7270-Z6S

CAT6A Shielded Ethernet Data Network Termination Tool Kit

This Networking Termination Tool Kit is used for installation of CAT6A Shielded Bulk Cable. Our data terminating tools and connectors are ideal for both your indoor and outdoor voice, data, video and security networking projects. Whether you are wiring your home, office or entire campus, this CAT6 Tool Kit will make your job easier and more efficient.

FEATURES

- ✓ Networking Cable Stripper
- ✓ Ratchet Cable Crimp Tool
- ✓ Network Cable Tester
- ✓ 40 CAT6A Shielded RJ45 Modular Plug Connector
- ✓ 40 CAT6A Easy Feed Oversized Strain Relief Boot
- ✓ Rugged Hard Plastic Carrying Case



Item Number

TL6-7269-Z6S

CAT6 Shielded Ethernet Data Network Termination Tool Kit

This Networking Termination Tool Kit is used for installing CAT6 Bulk Cable applications. Our data terminating tools and connectors are ideal for both your indoor and outdoor voice, data, video and security networking projects. Whether you are wiring your home, office or entire campus, this CAT6 Tool Kit will make your job easier and more efficient.

FEATURES

- ✓ Networking Cable Stripper
- ✓ Ratchet Cable Crimp Tool
- ✓ Network Cable Tester
- ✓ 40 CAT6 Shielded RJ45 Modular Plug Connector
- ✓ 40 CAT6 Easy Feed Oversized Strain Relief Boot
- ✓ Rugged Hard Plastic Carrying Case



Item Number

TL6-7266-Z5

CAT5E Ethernet Data Network Termination Tool Kit

This Networking Termination Tool Kit is used for installation of CAT5E Bulk Cable applications. Our data terminating tools and connectors are ideal for both your indoor and outdoor voice, data, video and security networking projects. Whether you are wiring your home, office or entire campus, this CAT6 Tool Kit will make your job easier and more efficient.

FEATURES

- ✓ Networking Cable Stripper
- ✓ Ratchet Cable Crimp Tool
- ✓ Network Cable Tester
- ✓ 50 CAT5E Shielded RJ45 Modular Plug Connector
- ✓ 50 CAT5E Easy Feed Oversized Strain Relief Boot
- ✓ Rugged Hard Plastic Carrying Case

CABLE TOOLS

SIZE | TYPES



Item Number

TL6-7267-Z5S

Connector Pressing Telecom Pliers

This Networking Termination Tool Kit is used for installation of CAT5E Bulk Cable applications. Our data terminating tools and connectors are ideal for both your indoor and outdoor voice, data, video and security networking projects. Whether you are wiring your home, office or entire campus, this CAT6 Tool Kit will make your job easier and more efficient.

FEATURES

- ✓ Networking Cable Stripper
- ✓ Ratchet Cable Crimp Tool
- ✓ Network Cable Tester
- ✓ 50 CAT5E Shielded Easy Feed RJ45 Modular Plug Connector
- ✓ 50 CAT5E Shielded Easy Feed Strain Relief Boot
- ✓ Rugged Hard Plastic Carrying Case



Item Number

TL6-3598

Basic Twisted Pair & Coax Kit

This termination kit provides all of the basic tools required for data communications, telephone and coaxial structured wiring installations.

FEATURES

- ✓ Punchdown tool with 110 style blade and CAT5 cable jacket stripper
- ✓ EZ-RJ45® crimp tool and 10 EZ-RJ45® connectors
- ✓ Universal coaxial cable stripper and F connector assembly/removal tool
- ✓ Coax & round wire cable cutter
- ✓ Nylon zippered case



Item Number

TL6-3599

Twisted Pair Termination Kit

This termination kit is the perfect solution when working with twisted pair cable for telephone and data communications installations. It includes all the tools needed for cutting, stripping and terminating from the central closet to the desktop.

FEATURES

- ✓ Punchdown tool with 110 style blade
- ✓ EZ-RJ45® crimp tool
- ✓ BTP-6 coax & data cable cutter
- ✓ CAT5 cable jacket stripper
- ✓ 10 EZ-RJ45® connectors
- ✓ Nylon zippered case

CABLE TOOLS

SIZE | TYPES



Item Number

TL6-4223-IK

CAT6A Shielded Ethernet Data Network Termination Tool Kit

Multi-network installation kit is a general-purpose tool kit for performing basic network maintenance around the office or shop.

FEATURES

- ✓ Tests network by auto scanning, the wire continuity, miss wiring and polarization in the network cables
- ✓ Network maintenance basic test tool kit includes:
 - ✓ 251451 Multi-network cable tester
 - ✓ Plastic modular crimping tool, 3 position for: (8P8C/RJ-45, 6P6C/RJ-11, 4P4C and 4P2C)
- ✓ Economic stripper & punch down tool
- ✓ Impact punch-down tool with 66 and 110 blades
- ✓ Crystal line color screwdrivers
- ✓ Color parts box
- ✓ PU zipper bag (290 x 180 x 55 mm)



Item Number

TL6-3192-Z5

EZ-RJPRO™ HD Cable Installation Convenience Pack

The EZ-RJPRO™ HD Convenience Pack includes everything the cable installation professional requires to get the job done.

FEATURES

- ✓ EZ-RJPRO™ HD crimp tool (P/N TL1-2100-ZPRO)
- ✓ 50 EZ-RJ45® connectors (P/N CN1-3002-Z5)
- ✓ Coax & round cable cutter
- ✓ CAT5/6 cable jacket stripper
- ✓ Instruction sheet



Item Number

TL6-2101-Z5

EZ-RJ45® Convenience Pack

The patented EZ-RJ45® connector simplifies twisted pair terminations by allowing the wires to be inserted through the connector and out the front.

FEATURES

- ✓ Includes the handy EZ-RJ45® crimp tool
- ✓ 50 EZ-RJ45® CAT5E connectors

CABLE TOOLS

SIZE | TYPES



Item Number

TL6-4476

Computer PC Repair Tool Kit

All the necessary tools are included for connecting and repairing peripherals at your computer site.

FEATURES

- ✓ 6" Wire stripper pliers (wire 0.2-0.8mm)
- ✓ Electrical test screwdriver
- ✓ Desoldering pump
- ✓ 25 pieces bit set
- ✓ 5 pieces socket set (5/6/8/9/10mm)
- ✓ 5" side cutter pliers
- ✓ 6" long nose pliers
- ✓ Part box
- ✓ 8 pieces mini electronic combination wrench (5/5.5/6/7/8/9/10/11mm)
- ✓ PU carrying case (315 * 240 * 93mm)
- ✓ Ratchet driver
- ✓ Extension bar (60mm)
- ✓ Extension bar (100mm)
- ✓ 3 pieces soldering
- ✓ Heat sink
- ✓ Solder core
- ✓ Precision screwdrivers: | -3.2 * 75 mm | +3.2 * 75 mm | -5.0 * 75 mm | +5.0 * 75 mm



Item Number

TL6-4962

Field Service Engineer Tool Kit

This tool kit was designed for a wide range of electronic equipment and is very popular with service engineers.

FEATURES

- ✓ Soldering
- ✓ Screwdrivers: | -3.2 * 75 mm | +3.2 * 75 mm | -5.0 * 75 mm | +5.0 * 75 mm
- ✓ Electrical test screwdriver
- ✓ Utility knife
- ✓ Solder core
- ✓ Screwdriver (+6.0 * 100mm)
- ✓ De-soldering pump
- ✓ Anti-static wrist strap
- ✓ 10 pcs mini electronic combination wrench
- ✓ 6 pcs precision screwdriver
- ✓ 8.5" Wire stripper pliers
- ✓ 5" side cutter pliers
- ✓ 6" long nose pliers
- ✓ 6" combination pliers
- ✓ 9" coaxial crimping tool
- ✓ IC extractor
- ✓ Soldering stand
- ✓ Part box
- ✓ Digital multimeter

CABLE TOOLS

SIZE | TYPES



Item Number

TL4-6649



CAT6A Shielded Ethernet Data Network Termination Tool Kit

The VDV MapMaster™ 3.0 Field Test Kit includes the VDV MapMaster™ 3.0 along with all the accessories needed for voice, data, and video testing and mapping.

FEATURES

- ✓ Measures the entire length of a cable and/or individual wire pairs
- ✓ Tests voice (6 wire), data (8 wire) and video (coax)
- ✓ Easy to read, extra large 7-segment LCD screen with large icons
- ✓ Tone generator with selectable tone cadence and selectable pins carrying tone
- ✓ RJ (voice & data) master remote stores in bottom of case
- ✓ Map 19 locations at one time
- ✓ Tests and indicates pins with shorts, opens, reversals, miswires and split pairs
- ✓ Displays 'pass' icon for correctly wired T568A/B and crossover/uplink
- ✓ Displays 'pass' icon for correctly wired 6-pin telephone plus 'rev' for reverse-pinned
- ✓ Low power consumption for long battery life
- ✓ Auto power-off



Item Number

TL6-4479



Workstation Repair Tool Kit

The Workstation repair tool kit has our most basic assortment of quality tools. Most repairs to computers and workstations can be accomplished with this kit.

FEATURES

- ✓ 6" Wire stripper pliers
- ✓ 3 pcs Soldering aid set
- ✓ Heat sink
- ✓ 3 * 38 magnifier glass
- ✓ Stainless steel tweezers
- ✓ 6 pcs precision screwdriver set
- ✓ 4 1/2 in. stainless steel side cutter pliers
- ✓ 5" stainless steel long nose pliers
- ✓ Screwdrivers:
-3.2 * 75 mm +3.2 * 75 mm -5.0 * 75 mm +5.0 * 75 mm
- ✓ Parts box
- ✓ 8 pcs mini electronic combination wrench (5/5.5/6/7/8/9/10/ 11 mm)
- ✓ PU carrying case (315 * 240 * 93 mm)
- ✓ Soldering stand
- ✓ Solder core
- ✓ 3-Prong holder
- ✓ Utility knife
- ✓ De-soldering pump
- ✓ Soldering iron

CABLE TOOLS

SIZE | TYPES



Item Number

TL6-5006

All In One Modular Plug Kit

Featuring the all-in-one modular plug crimp tool, this kit is a must for the data network and telephone wiring installer.

FEATURES

- ✓ All-in-one modular plug crimp tool
- ✓ 24 RK12 (6P6C) 3 prong connectors for solid wire
- ✓ Coax & round wire cable cutter
- ✓ Nylon zippered case
- ✓ CAT 5/6 cable jacket stripper
- ✓ Instructions
- ✓ 25 RJ45 (8P8C) 3 prong connectors



Item Number

TL5-3482

Coax & Round Wire Cable Cutter

This durable, economically priced cutter is designed to cut solid and stranded wire to 8 AWG, multi-conductor and coaxial cable to 1/2 in. diameter.

FEATURES

- ✓ Return spring and locking latch
- ✓ Cuts solid and stranded wire to 8 AWG
- ✓ Manufactured from high carbon tool steel
- ✓ Cuts multi-conductor cable to 1/2 in. diameter
- ✓ Heat treated for long life
- ✓ Cuts coaxial cables without deforming the dielectric
- ✓ Rust resistant black oxide finish
- ✓ Clamshell packaging
- ✓ Cushioned handle grip



Item Number

TL7-3027

Coax & Round Wire Cable Cutter

The rugged drop forged construction of the BTP-6 Cutter, provides exceptional durability and professional results. These cutters are manufactured from hardened, corrosion resistant chrome vanadium steel.

FEATURES

- ✓ Precision ground dual cutting blades
- ✓ Dual elliptical cutting blades
- ✓ Cuts solid, stranded and multi-conductor cables to 6 AWG
- ✓ Non-slip cushioned handle
- ✓ Cuts coaxial cables without deforming the dielectric
- ✓ Manufactured from corrosion resistant chrome vanadium steel

CABLE TOOLS

SIZE | TYPES



Item Number

TL1-3201-U

Connector Pressing Telecom Pliers

These quality pliers are designed to crimp UG, UR, UB and UY style connectors manufactured by 3M and others.

FEATURES

- ✓ Use for pressing/crimping UR, UY, UG and UB style connectors
- ✓ Also compatible with other telcom style splice connectors
- ✓ Built in side cutter
- ✓ Built in stop prevents damage to connectors
- ✓ Includes coil spring



Item Number

TL7-3029

Cable Cutter, 100 Pair (2/0)

This cable and wire cutter is a must for any tool belt when cutting larger diameter cables.

FEATURES

- ✓ Precision ground curved cutting blades
- ✓ Built in return spring and locking latch
- ✓ Plastic molded ergonomic handles
- ✓ Cuts up to 100 pair group telephone cable
- ✓ Cuts large diameter coaxial cable such as RG9U
- ✓ Cuts solid and stranded wire up to 2 AWG



Item Number

TL9-5725

Cable Cutter, 100 Pair (2/0)

The heavy duty BTK Series Pliers are the ultimate in performance, control and comfort! Highest quality, state-of-the-art manufactured to exceed European DIN and GS standards. Assembled with a single joint planetary rivet for superior durability and long life. Hi-leverage design requires up to 42% less hand force.

FEATURES

- ✓ Drop-forged from chrome vanadium steel alloy, rust resistant
- ✓ Induction-hardened cutting blades, will not nick
- ✓ Cuts piano wire per ISO427
- ✓ Precision ground jaws with pipe grip
- ✓ Lifetime warranty
- ✓ Clamshell packaging

CABLE TOOLS

SIZE | TYPES



Item Number

TL9-5724

BTK Heavy Duty 8.5" Lineman Pliers

The heavy duty BTK Series Pliers are the ultimate in performance, control and comfort! Highest quality, state-of-the-art manufactured to exceed European DIN and GS standards. Assembled with a single joint planetary rivet for superior durability and long life. Hi-leverage design requires up to 42% less hand force. Non-slip, cushioned grips help prevent hand injuries and fatigue. Precision ground serrated jaws, provide secure gripping surface... will not slip!

FEATURES

- ✓ Drop-forged from chrome vanadium steel alloy, rust resistant
- ✓ Induction-hardened cutting blades, will not nick
- ✓ Cuts piano wire per ISO427
- ✓ Precision ground jaws with pipe grip
- ✓ Lifetime warranty
- ✓ Clamshell packaging



Item Number

TL7-3028

Professional Electrician's Scissors

Designed for use in electrical, telephone and datacom service applications. The ergonomically designed large ring provides more power while reducing fatigue and wrist strain.

FEATURES

- ✓ Cuts stranded wire to 12 AWG
- ✓ Cuts solid wire to 16 AWG
- ✓ Trims kevlar in fiber optic cable
- ✓ Strips 19 to 23 AWG wire
- ✓ Hot forged from high carbon steel, then nickel plated
- ✓ Serrated edges on back of blades for cleaning wire and binding posts
- ✓ Clean wire and binding posts with serrated edges on back of blades
- ✓ Made in the USA
- ✓ Packaged for peg hook



CABLE TOOLS

SIZE | TYPES



Item Number

TL7-4955-DS

PRO Drywall Saw - 6 1/4" Blade

Designed with the professional installer in mind, the teeth are precision ground for fast and effortless cutting in both directions, push and pull.

FEATURES

- ✓ Heavy duty handle designed with a non-slip grip for comfort and safety
- ✓ Hardened blade tip designed to score or punch with ease
- ✓ Clog free hardened steel blade
- ✓ One piece handle and blade design
- ✓ Excellent for cutting: drywall, plasterboard, plywood, plastic paneling, wallboard, and ceiling tile
- ✓ Nylon sheath for storage



Item Number

TL5-3289

V-Notch Adjustable Wire Stripper & Cutter

Designed with a precision ground "V" notch blade for superior stripping results on various types of wire jacket insulations.

FEATURES

- ✓ Stripping blades adjust to proper wire gauge with rotating cam wheel
- ✓ Precision ground from high carbon steel
- ✓ Spring loaded with locking latch
- ✓ Looping holes for solid wire
- ✓ Vinyl dipped cushioned handle
- ✓ Strips and cuts 10-24 AWG wire
- ✓ For use on solid and stranded wire



Item Number

TL5-4608

Cable Cutter for Copper Clad Steel Cable

Designed to easily cut through copper clad steel and aluminum voice, data, video and security cable without nicking, degrading or deforming the cutting blades.

FEATURES

- ✓ CCS-6, Aluminum, CAT5, CAT6, Security & Audio/Video Cable
- ✓ Fully tested to 10,000 cuts on RG6 CCS, copper clad steel center conductor, with no degradation to the blades
- ✓ Provides outstanding cutting performance on all types of solid copper wire, twisted pair and coax cables
- ✓ Optimal blade geometry ensures that the cable stays round during the cutting process to optimize connector installation
- ✓ Rust resistant black oxide finish
- ✓ Forged from SCM440 steel
- ✓ Comfortable PVC handle grips

CABLE TOOLS

SIZE | TYPES



Item Number

TL7-6209



5" Scissor Run Electrician's Scissors

Designed for use in electrical, telephone, security, and datacom applications. An original favorite, this smooth cutting action, scissor-run design is excellent for cutting Kevlar®, foil and wire. Cuts solid wire up to 16 AWG and stranded up to 12 AWG. Strips 19 and 23 AWG. The inside blade is chrome plated for rust protection. It has a scraper and file on the backside of the blades. These electricians scissors easily re-sharpen to maintain a keen cutting edge.

FEATURES

- ✓ Cuts stranded wire to 12 AWG
- ✓ Strips 19 to 23 AWG wire
- ✓ Cuts solid wire to 16 AWG
- ✓ Full serrated bottom blade for non-slip cutting
- ✓ Trims Kevlar® in fiber optic cable.
- ✓ Easily re-sharpens



Item Number

TL5-6785

Networking Cable Stripper, CAT5E, CAT6, CAT6A, CAT7, & CAT8

This durable, and compact cable stripper is specifically designed to strip CAT5E, CAT6, CAT6A, CAT7, and CAT8 cables.

FEATURES

- ✓ Designed for stripping large and small diameter
- ✓ Strips UTP and STP Ethernet cables
- ✓ CAT5E, CAT6, CAT6A, CAT7, and CAT8 cables
- ✓ Manual blade depth adjustment allows for precise
- ✓ Easy to use combination cutter and stripper
- ✓ stripping to prevent nicking inner conductors
- ✓ Spring loaded action for easy cutting
- ✓ Durable high impact plastic housing
- ✓ Finger ring for convenient and smooth stripping
- ✓ Light weight professional tool



Item Number

TL3-2205

Cable Stripper & Punch-Down Tool

Whether PVC or plenum insulation, this wire stripper easily removes the outer insulation from all unshielded twisted pair, shielded twisted pair and multi-core cables. Cable Stripper & punch-down tool, 5-6mm OD UTP/STP cable, terminated conductors on 110 blocks.

5-6mm OD UTP/STP Cable, Terminated Conductors on 110 Blocks

CABLE TOOLS

SIZE | TYPES



Item Number

TL5-5357

CAT5/6 Cable Jacket Stripper

This economical tool has been specifically designed to strip the cable jackets from CAT5, CAT5E and CAT6 twisted pair cables. No adjustments are required and will not nick the inner conductors. Durable high impact plastic housing is molded from yellow plastic to make it easier to locate. Long life blade.

FEATURES

- ✓ Designed for stripping cable jacket on CAT5, CAT5E and CAT6+ cables
- ✓ Will not nick inner conductor
- ✓ No adjustments required
- ✓ Clamshell packaging



Item Number

TL5-4595

All-In-One Stripping Tool - Big Red, BR1, Multi-Stripper

Lightweight, compact and versatile, the BR1 Multi-Stripper is the All In One Cable Stripping solution that helps reduce installation time and tooling costs for installers and technicians. All-in-one BR1 multi-stripper can strip coax, CAT3, CAT4, CAT5, CAT5e, CAT6, CAT6A, shielded, plenum or PVC as well as round cable for Telephone and Audio Cables.

FEATURES

- ✓ Coax cassette blades are preset
- ✓ Cutters for both cable & wire conductors
- ✓ Adjustable stripper for twisted pair & audio cables
- ✓ Includes braid comb, Velcro, for folding the braid back over the cable jacket



Item Number

TL5-5025

Cyclops 2 Cable Jacket Stripper

The Cyclops 2 Cable Jacket Stripper takes the guesswork out of removing the cable jackets from many types of twisted pair, multicore and fiber optic cables.

FEATURES

- ✓ Handy one piece design, ready to use right out of the box
- ✓ Removes cable jackets from fiber optic cable
- ✓ Accepts cable sizes up to .43" (11mm) diameter
- ✓ Self adjusts to automatically cut a variety of cable without damaging braids, foils, or conductors
- ✓ Removes cable jackets from twisted pair UTP/STP cables
- ✓ Removes cable jackets from multi-core cable (shielded & unshielded)

CABLE TOOLS

SIZE | TYPES



Item Number

TL5-3485

Double Ended Coax Stripper

The double ended coaxial cable stripper is a lightweight, compact cable stripping tool which strips a broad range of coax cables. This coaxial cable stripper tool performs the task in a single step, without adjustments. The blades are designed so the ultimate result is a 1/4 in. braid, 2-level strip, the standard preparation for compression connectors. One lightweight, safe, easy to use coaxial cable stripper does it all.

FEATURES

- ✓ Works with RG7/11 and RG59/6/6 Quad cable types
- ✓ Quickly and easily remove the cable jacket and inner conductors in a single step
- ✓ Control the cutting depth by the number of rotations made around the cable
- ✓ Preset, no adjustments required



Item Number

TL5-4607

All-In-One Stripping Tool For Data, Coax, Telephone & Speciality Cable

All-in-one cable stripping tool helps reduce installation time and tooling costs. This tool can strip Coax, CAT3, CAT4, CAT5, CAT5e, CAT6, CAT6A, shielded, plenum, PVC, round telephone and audio cables as well as single and multi-mode fiber-optic cable.

FEATURES

- ✓ Replaceable Coax cassette blades are preset and no adjustment is required
- ✓ Adjustable stripper for twisted pair & audio cables
- ✓ Built-in Cable Cutter
- ✓ Cutters for both cable & wire conductors
- ✓ Includes braid comb, Velcro, for folding the braid back over the cable jacket
- ✓ Multi-conductor cables
- ✓ Easy to Use



Item Number

TL5-3403

Wire Stripper, ProStrip, 10AWG to 20AWG

Designed to meet the demanding expectations of professionals, the new ProStrip wire strippers deliver top performance, total comfort and consistent, reliable results.

FEATURES

- ✓ Precision-ground strip nest for clean strips on solid or stranded wire
- ✓ Requires less hand force to cut due to geometrically designed handles
- ✓ Use left or right handed - Laser engraved markings on both sides of tool
- ✓ Curved blades for easier cleaner cuts
- ✓ Serrated plier nose for gripping, pulling, and twisting
- ✓ Holes in jaw for looping wire
- ✓ Locking latch for storage
- ✓ Cut & strip 10-20 AWG solid wire
- ✓ Cut & strip 12-22 AWG stranded wire
- ✓ Cut and chase threads on 6/32 & 8/32 bolts
- ✓ For cutting copper and aluminum only, not steel cable

CABLE TOOLS

SIZE | TYPES



Item Number

TL5-3404

CAT5/6 Cable Jacket Stripper

Designed to meet the demanding expectations of professionals, the new ProStrip wire strippers deliver top performance, total comfort and consistent, reliable results.

FEATURES

- ✓ Precision-ground strip nest for clean strips on solid or stranded wire
- ✓ Serrated plier nose for gripping, pulling, and twisting
- ✓ Requires less hand force to cut due to geometrically designed handles
- ✓ Holes in jaw for looping wire
- ✓ Use left or right handed - Wire size marked on both sides of tool
- ✓ Locking latch for storage
- ✓ Curved blades for easier cleaner cuts
- ✓ Cut & strip 16-30 AWG solid wire
- ✓ Cut & strip 18-32 AWG stranded wire
- ✓ Cut and chase threads on 16/32 & 8/32 bolts
- ✓ For cutting copper and aluminum only, not steel cable



Item Number

TL5-4576

Slitting and Ringing Tool

This Primus Cable splitter is a manually operated cutting device that enables you to achieve fast, safe and precise jacket removal of PE, PVC and rubber jacket. This cable splitter is ideal for slitting and stripping fiber optic cable and other large OD cables, providing circumferential, longitudinal and spiral cuts for easy removal of the cable jacket.

FEATURES

- ✓ Removes Variety of Jackets and Insulation Materials
- ✓ Spring-Loaded Cable Brace
- ✓ Provides Circumferential, Longitudinal and Spiral Cuts
- ✓ Replacement Blades Available
- ✓ Strips 19mm to 40mm Cable



Item Number

TL5-2263

Coaxial Cable Stripper for RG58, RG59, RG62 and RG6


The coaxial cable stripper for quad shielded cable is an easy and effective tool for stripping different cable materials. Ideal for stripping RG58, RG59, RG62, RG6, RG6QS, RG3C, RG4C, and RG5C cables.

FEATURES

- ✓ The V-block can be reversed, and the indication arrow ">" indicates the (RG) cable size
- ✓ For stripping different cable materials use the built-in hex key to align the correct socket and adjust the blade for best results
- ✓ Stripper distance can be changed if user moves one of the stripping blades
- ✓ Cable stripper used for stripping RG58, RG59, RG62, RG6 cable

TELECO

When quality, performance and reliability really matter



Although the nature of the telecommunications world is ever changing, many of the networking fundamentals remain the same. A telecommunications network still depends upon quality Ethernet cable or telephone cable forming the backbone of your network. Primus Cable provides all the necessary cable and accessories you need to maintain and build your telecom network.

TELECOMMUNICATION NETWORKS

SIZE | TYPES



CAT3 25-Pair Cables with Amphenol Type F/F Connectors 90 Degrees

FEATURES

- ✓ Industry-standard CAT3 25 Pair Cable
- ✓ 24 AWG
- ✓ Female to Female Connector

| Item Number | Cable Length |
|----------------|--------------|
| PC3-3114-5FF | 5 ft. |
| PC3-3115-10FF | 10 ft. |
| PC3-3116-15FF | 15 ft. |
| PC3-3117-20FF | 20 ft. |
| PC3-3118-25FF | 25 ft. |
| PC3-3119-30FF | 30 ft. |
| PC3-3120-50FF | 50 ft. |
| PC3-3121-100FF | 100 ft. |



CAT3 25-Pair Cables with Amphenol Type M/F Connectors 90 Degrees

FEATURES

- ✓ Industry-standard CAT3 25 Pair Cable
- ✓ 24 AWG
- ✓ Male to Female Connector

| Item Number | Cable Length |
|----------------|--------------|
| PC3-3122-5MF | 5 ft. |
| PC3-3123-10MF | 10 ft. |
| PC3-3124-15MF | 15 ft. |
| PC3-3125-20MF | 20 ft. |
| PC3-3126-25MF | 25 ft. |
| PC3-3127-30MF | 30 ft. |
| PC3-3128-50MF | 50 ft. |
| PC3-3129-100MF | 100 ft. |

TELECOMMUNICATION NETWORKS

SIZE | TYPES



CAT3 25-Pair Cables with Amphenol Type M/M Connectors 90 Degrees

FEATURES

- ✓ Industry-standard CAT3 25 Pair Cable
- ✓ 24 AWG
- ✓ Male to Male Connector

| Item Number | Cable Length |
|----------------|--------------|
| PC3-3130-5MM | 5 ft. |
| PC3-3131-10MM | 10 ft. |
| PC3-3132-15MM | 15 ft. |
| PC3-3133-20MM | 20 ft. |
| PC3-3134-25MM | 25 ft. |
| PC3-3135-30MM | 30 ft. |
| PC3-3136-50MM | 50 ft. |
| PC3-3137-100MM | 100 ft. |



CAT3 25-Pair Cables with Amphenol Type M/M Connectors 90 Degrees

FEATURES

- ✓ High-Density, Slim Profile
- ✓ Fire Retardant Housing
- ✓ Meets and Exceeds EIA/TIA Standards
- ✓ UL Compliant and ETL Verified
- ✓ Press-fit Technology



| Item Number | Description |
|----------------|-------------|
| K32-118/L90/AL | Almond |
| K32-119/L90/BK | Black |
| K32-120/L90/IV | Ivory |
| K32-121/L90/WH | White |

TELECOMMUNICATION NETWORKS

SIZE | TYPES



CAT3 Keystone Jack, RJ11, RJ12, H Style

FEATURES

- ✓ 6 Positions/6 Conductors
- ✓ Universal Wiring
- ✓ Meets And Exceeds EIA/TIA Standards
- ✓ Nylon Termination Terminals
- ✓ Phosphor Bronze IDC Contacts

| Item Number | Description |
|----------------|-------------|
| K31-110/180/AL | Almond |
| K31-111/180/BK | Black |
| K31-112/180/IV | Ivory |
| K31-113/180/WH | White |



CAT3 Keystone Jack, RJ11, RJ12, U Style

FEATURES

- ✓ 6 Positions/6 Conductors
- ✓ Universal Wiring
- ✓ Meets And Exceeds EIA/TIA Standards
- ✓ Nylon Termination Terminals
- ✓ Phosphor Bronze IDC Contacts

| Item Number | Description |
|---------------|-------------|
| K33-126/90/AL | Almond |
| K33-127/90/BK | Black |
| K33-128/90/IV | Ivory |
| K33-129/90/WH | White |



CAT 3 Patch Panel 48 port, 2u

FEATURES

- ✓ 6P6C 'RJ11' Jacks
- ✓ Color Coded for USOC
- ✓ Includes Screws
- ✓ 48-port, 2RU
- ✓ RoHS Compliant

Item Number

PP7-5764-48U6

TELECOMMUNICATION NETWORKS

SIZE | TYPES



Item Number

C3U-363WH-4C

CAT3 Bulk Cable, UTP PVC Solid 24 AWG, 2-Pair 1000', White

FEATURES

- ✓ High Performance Data and Voice Communications Cable
- ✓ Tested up to 100MHz
- ✓ Exceeds EIA/TIA 568 and ISO/IEC 11801 specifications
- ✓ 24AWG Solid Bare Copper Conductors



Item Number

C3UP-372WH-8C

CAT3 Bulk Cable, Plenum CMP Solid UTP 4-Pair 24 AWG 1000', White

FEATURES

- ✓ High Performance Data Communications Cable
- ✓ Exceeds EIA/TIA 568 and ISO/IEC 11801 specifications
- ✓ 24AWG Solid Bare Copper Conductors
- ✓ UL/CUL or ETL listed
- ✓ Flame Retardant – Type Plenum



Item Number

C3UP-2898WH-50C

CAT3 Bulk Cable, Plenum CMP Solid UTP 25-Pair 24 AWG, 1000', White

FEATURES

- ✓ High-Performance Voice Communications Cable
- ✓ Solid Bare Copper
- ✓ Designed for Indoor Installations, (CMP)
- ✓ Passes UL 1666 Flame Test
- ✓ 24AWG Solid Bare Copper Conductors
- ✓ RoHS Compliant



Item Number

C3U-360GY-50C

CAT3 Bulk Cable, UTP PVC Solid 25-Pair 24 AWG 1000', Gray

FEATURES

- ✓ High-Performance Voice Communications Cable
- ✓ Solid Bare Copper
- ✓ Designed for Indoor Installations, (CMP)
- ✓ Passes UL 1666 Flame Test
- ✓ 24AWG Solid Bare Copper Conductors
- ✓ RoHS Compliant

TELECOMMUNICATION NETWORKS

SIZE | TYPES



Item Number

C3U-2139GY-100C

CAT3 Bulk Cable, UTP PVC Solid 24AWG, 1000', 50-Pair, Gray

FEATURES

- ✓ High-Performance Voice Communications Cable
- ✓ Passes UL 1666 Flame Test
- ✓ Designed for Indoor Installations, (CMR) Riser
- ✓ RoHS Compliant
- ✓ 24AWG Solid Bare Copper Conductors



Item Number

XC-2901-BW

Cross Connect Wire, Type F, 1 Pair 24 AWG, Min. 2 Twists/Ft. Bandmarked Jacket in Blue/White 1000ft Spool

FEATURES

- ✓ Standard cross connect wire
- ✓ 24 Gauge (AWG)
- ✓ Single pair
- ✓ Non-Jacketed
- ✓ Blue and white
- ✓ For use with 110 and 66 blocks



Item Number

XC-3167-GW

Cross Connect Wire, Type F, 1 Pair 24 AWG, Min. 2 Twists/Ft. Bandmarked Jacket in Green/White 1000ft Spool

FEATURES

- ✓ Standard cross connect wire
- ✓ 24 Gauge (AWG)
- ✓ Single pair
- ✓ Non-Jacketed
- ✓ Blue and white
- ✓ For use with 110 and 66 blocks



Item Number

XC-027-RW

Cross Connect Wire, Type F, 1 Pair 24 AWG, Min. 2 Twists/Ft. Bandmarked Jacket in Red/White 1000ft Spool

FEATURES

- ✓ Standard cross connect wire
- ✓ 24 Gauge (AWG)
- ✓ Single pair
- ✓ Non-Jacketed
- ✓ Blue and white
- ✓ For use with 110 and 66 blocks

TELECOMMUNICATION NETWORKS

SIZE | TYPES



Item Number

CN1-3578-BW1

Bean Connector Splicer, White

Solderless Pigtail Type Connectors for Telephone and Security Applications Crimpable with Ordinary Pliers.



Item Number

CN1-3579-BW2

Bean Connectors Silicon Gel Filled

Solderless Pigtail Type Connectors for Telephone and Security Applications Crimpable with Ordinary Pliers Gel-Filled.

FEATURES

- ✓ Gel-Filled
- ✓ Blue Color
- ✓ Package of 50
- ✓ For Telephone & Security Applications
- ✓ 19 AWG to 26 AWG Cable



Item Number

CN1-3200-UB

Telecom Splicing Connector, UB-Gel Filled

The UR Gel-Filled Telecom Splicing Connector utilizes an insulation displacement contact design for fast, simple, reliable terminations. No wire stripping is required and connectors will accept wire of different gages. All splice connectors are Gel filled to provide moisture resistance and inhibit corrosion.

FEATURES

- ✓ Utilizes an insulation displacement contact design
- ✓ Enables fast, simple, and reliable terminations
- ✓ Eliminates cutting or opening of cable pairs for simple and quick terminations
- ✓ No wire stripping is required, making installations faster and neater, as there is no mess to clean up
- ✓ Connectors will accept wires of different gages
- ✓ Gel filled to provide moisture resistance and inhibit corrosion
- ✓ For use with solid copper conductors only

TELECOMMUNICATION NETWORKS

SIZE | TYPES



Item Number

CN1-7837-UR

Telecom Splicing Connector, UR-Gel Filled

The UR Gel-Filled Telecom Splicing Connector utilizes an insulation displacement contact design for fast, simple, reliable terminations. No wire stripping is required and connectors will accept wire of different gages. All splice connectors are Gel filled to provide moisture resistance and inhibit corrosion.

FEATURES

- ✓ Utilizes and insulation displacement contact design
Enables fast, simple, and reliable terminations
- ✓ Eliminates cutting or opening of cable pairs for simple and quick terminations
- ✓ No wire stripping is required, making installations faster and neater, as there is no mess to clean up
- ✓ Connectors will accept wires of different gages
- ✓ Gel filled to provide moisture resistance and inhibit corrosion
- ✓ For use with solid copper conductors only



Item Number

CN1-3577-UG

Telecom Splice Connector, UG-Gel Filled

The UB Gel-Filled Telecom Splicing Connector utilize an insulation displacement contact design for fast, simple, reliable terminations. No wire stripping is required and connectors will accept wire of different gauges. All splice connectors are gel filled to provide moisture resistance and inhibit corrosion. For use with solid copper conductors only.

FEATURES

- ✓ UG-Gel Filled Splicing Connector
- ✓ Splices 22-26 AWG wire
- ✓ In-line tap, IDC connector
- ✓ Polypropylene body
- ✓ Green Cap



Item Number

CN1-7840-UY

Telecom Splicing Connector, UY-Gel Filled

The UB Gel-Filled Telecom Splicing Connector utilize an insulation displacement contact design for fast, simple, reliable terminations. No wire stripping is required and connectors will accept wire of different gages. All splice connectors are gel filled to provide moisture resistance and inhibit corrosion. For use with solid copper conductors only.

FEATURES

- ✓ Utilizes and insulation displacement contact design
Enables fast, simple, and reliable terminations
- ✓ Eliminates cutting or opening of cable pairs for simple and quick terminations
- ✓ No wire stripping is required, making installations faster and neater, as there is no mess to clean up
- ✓ Connectors will accept wires of different gages
- ✓ Gel filled to provide moisture resistance and inhibit corrosion
- ✓ For use with solid copper conductors only

TELECOMMUNICATION NETWORKS

SIZE | TYPES



Item Number

CN1-7844-Z1

EZ-RJ12 / RJ11 Connector - 1ea

The new, patented EZ-RJ12/11 Connector simplifies twisted pair terminations by allowing the wires to be inserted through the connector and out the front. This allows the technician to easily verify the proper wiring order prior to termination.

FEATURES

- ✓ For use in telephone & security installations
- ✓ For applications requiring custom specific wire configurations
- ✓ Faster, easier terminations with reduced scrap
- ✓ Works on solid or stranded wire
- ✓ For specialized telephone installations & communications equipment



Item Number

CN1-7871-7CUL

Modular Plug, RJ11 Plug, 6 Position, 4 Conductor For Round Solid Stranded Wires

RJ11 Plug, 6 Position, 4 Conductor, For Round Solid and Stranded Wires (for Telephone cords).

FEATURES

- ✓ 50μ" Gold Plated Contacts
- ✓ 6 Pins x 4 Conductors
- ✓ Works On Round Solid Conductors
- ✓ Fits 24 AWG - 28 AWG (0.96 - 1.02 mm OD) Wires
- ✓ Transparent Housing For Easy Conductor Alignment



Item Number

CN1-002-4C

Modular Plugs, RJ22 Handset Plug, 4 Position, 4 Conductor

RJ22 Plug, 4 Position, 4 Conductor, Handset Plug For Flat Stranded Cable. For Flat Stranded Cable.



Item Number

CN1-7873-6CUL

Modular Plugs, RJ12 Plug, 6 Position, 6 Conductor

RJ12 Plug, 6 Position, 6 Conductor, For CAT3 Round Solid Wire

TELECOMMUNICATION NETWORKS

SIZE | TYPES



Item Number

CN1-003-4C

Modular Plugs, RJ11 Handset Plug, 6 Position, 4 Conductor

Primus Cable's RJ11 Modular Plug feature a 6-Position and 4-Conductor Configuration. These modular plugs are ideal for termination flat, stranded cable.

FEATURES

- ✓ RJ11 Modular Plug
- ✓ 6-Position x 4-Conductor Configuration
- ✓ Ideal for Terminating on Flat, Stranded Cable



Item Number

PP7-2144-BC

Bridge Clips, 66 Block Metal

Our 66 block metal bridge clips come in 100 pack and are easy to use.

FEATURES

- ✓ Metal bridge clips
- ✓ 100 pieces per bag



Cat6 110 Wiring Blocks w/ Legs, Wall Mount

FEATURES

- ✓ Wall Mountable
- ✓ Includes Label Strips and Holders
- ✓ Connecting Clips Sold Separately
- ✓ Available in 48, 96 and 288-Pai
- ✓ Easy system administration with designation
- ✓ labels and label holders
- ✓ Designed with legs

| Item Number | Description |
|--------------|-------------|
| PP7-1162/48 | 48-Pair |
| PP7-1163/96 | 96-Pair |
| PP7-1164/288 | 288-Pair |

TELECOMMUNICATION NETWORKS

SIZE | TYPES



CAT5E 110 Wiring Blocks w/ Legs, Wall Mount

FEATURES

- ✓ High density wall mounted cross connect system designed for voice and data applications
- ✓ Easy system administration with designation labels and label holders
- ✓ Designed with legs providing more room behind the block to better facilitate cable management.

| Item Number | Description |
|--------------|-------------|
| PP7-1097/50 | 50 Pair |
| PP7-321/100 | 100 Pair |
| PP7-2900/300 | 300 Pair |



66 Block 1/2 Thick Wood Backboard

FEATURES

- ✓ Accepts Two, Four or Eight 66 Blocks (1x2, 2x2 and 4x2 configurations)
- ✓ 1/2 in. Thick Wood
- ✓ These Materials are NOT Fire-Retardant

| Item Number | Description | Color |
|-------------|-----------------|-------------------------------|
| PP7-5761-H | Half 4 Brackets | Green, Purple, White, Orange, |
| PP7-5760-F | Full 8 Brackets | Red, Blue, Yellow |



66 Block 20 Gauge Metal Backboard

FEATURES

- ✓ Accepts Two, Four or Eight 66 Blocks (1x2, 2x2 and 4x2 configurations)
- ✓ 20 Gauge Steel
- ✓ NOT Fire-Retardant Materials
- ✓ 89B Bracket Type

| Item Number | Description | Color |
|--------------|--------------------|-------------------------------|
| PP7-6171-QBL | Quarter 2 Brackets | Green, Purple, White, Orange, |
| PP7-1588-H | Half 4 Brackets | Red, Blue, Yellow |
| PP7-1587-F | Full 8 Brackets | |

TELECOMMUNICATION NETWORKS

SIZE | TYPES




Cable Distribution Spool, Mushroom Post w/ Screw, 110 block

FEATURES

- ✓ Designed to retain and guide cables
- ✓ Simple design provides makes system changes easy
- ✓ For wall mounting (mounting screws not included)
- ✓ Made of durable plastic
- ✓ 10 pieces per pack
- ✓ UL listed

| Item Number | Description |
|---------------|---------------|
| PP7-2143-MUSH | Without Screw |
| PP7-3038-MUSH | With Screw |




CAT5E 110 Connecting Block, 110 Type

FEATURES

- ✓ Designed for voice and data applications
- ✓ Performance exceeds Category 5E connecting hardware
- ✓ requirements specified in TIA/EIA-568-B.2
- ✓ Color Coded IDC Terminals for Identification Purposes
- ✓ Accepts 26~22 AWG solid or stranded wires
- ✓ Used with 110 wiring blocks and termination caps

| Item Number | Description |
|-------------|-------------|
| PP7-2228/C4 | 4 Pair |
| PP7-2229/C5 | 5 Pair |



Item Number

PP7-320/MB



Mounting Bracket, 89B for Wall mounting Use With 66 Wiring Block


The 89B Wall Mount Bracket is designed to wall mount blank 66 wiring blocks allowing cable routing behind the installation. 66 wiring blocks easily snap into the frame.

FEATURES

- ✓ Designed for wall mounting
- ✓ Compatible with blank 66 wiring blocks
- ✓ Dimensions: 10" H x 3.30" W x 1.90" D
- ✓ UL listed

TELECOMMUNICATION NETWORKS

SIZE | TYPES



Pre-Wired 66 Block, with Male or Female Amphenol Connectors

FEATURES

- ✓ Voice Grade
- ✓ 50-Pair
- ✓ Male or Female 'Amphenol-style' Connectors
- ✓ Available in Single or Double Configurations
- ✓ USOC Wired
- ✓ Cover Sold Separately

| Item Number | Description |
|--------------|----------------------------|
| PP7-1141-1FC | Female Connectors, 50 Pair |
| PP7-1142-1MC | Male Connectors, 50 Pair |
| PP7-1143-2FC | Female Connectors, 50 Pair |
| PP7-1144-2MC | Male Connectors, 50 Pair |



Ethernet Splitter, Pigtail Type, 10/100 Base T 1P/2J 04

CAT5E splitters enables two different devices to share the same cable. They are usually used in pairs, one at the outlet and one at the patch panel. Several wiring configurations are available to split the four pairs to suit different applications. This unit splits a 4 pair T568A/568B plug sending pair 2 & 3 to jack 1 and pair 1 & 4 to jack 2 for 100BaseT application at either jack.

10/100 Base T 1P/2J 04

Item Number

TS1-2963-04



Ethernet Splitter, Pigtail Type, 10/100 Base T 1P/2J 07

Bridges all plug pairs, compatible with any jack wiring. Provides an additional 4 pair plug with the same wiring. 10/100 Base T 1P/2J 07

Item Number

TS1-2964-07

TELECOMMUNICATION NETWORKS

SIZE | TYPES



Ethernet Splitter, 10/100 Base T 1P/2J 08

Splits a 4 pair T568A568B plug, pair 2&3 to jack 1 and pair 1&4 to Jack 2 for 100BaseT (jack1) and Token Ring or voice application (jack 2). 10/100 Base T 1P/2J 08

Item Number

TS1-2965-08



Flat Modular Phone Cord, Silver Satin, RJ11 6P4C Straight Wiring (For Data applications)

FEATURES

- ✓ Our 28AWG silver satin jacket flat modular phone cord is terminated with RJ11 (6P4C) plug on both ends.
- ✓ 28AWG, silver satin jacket
- ✓ Terminated with RJ11 (6P4C) plug on both ends
- ✓ 4 conductor straight wiring
 - pin1 -- pin1 (black)
 - pin2 -- pin2 (red)
 - pin3 -- pin3 (green)
 - pin4 -- pin4 (yellow)
- ✓ Straight wiring is generally used for data application

| Item Number | Description |
|----------------|-------------------------------|
| LC2-2634-7S64 | Straight Wiring (Data) 7 ft. |
| LC2-2636-14S64 | Straight Wiring (Data) 14 ft. |
| LC2-2638-25S64 | Straight Wiring (Data) 25 ft. |



Flat Modular Phone Cord, Silver Satin, RJ11 6P4C Straight Wiring (For Voice applications)

FEATURES

- ✓ Our 28AWG silver satin jacket flat modular phone cord is terminated with RJ11 (6P4C) plug on both ends.
- ✓ 28AWG, silver satin jacket
- ✓ Terminated with RJ11 (6P4C) plug on both ends
- ✓ 4 conductor straight wiring
 - pin1 -- pin1 (black)
 - pin2 -- pin2 (red)
 - pin3 -- pin3 (green)
 - pin4 -- pin4 (yellow)
- ✓ Reverse wiring is generally used for voice application

| Item Number | Description |
|----------------|-------------------------------|
| LC2-2635-7R64 | Reverse Wiring (Voice) 7 ft. |
| LC2-2637-14R64 | Reverse Wiring (Voice) 14 ft. |
| LC2-2639-25R64 | Reverse Wiring (Voice) 25 ft. |

TELECOMMUNICATION NETWORKS

SIZE | TYPES



Flat Modular Phone Cord, Silver Satin, RJ12 6P6C Straight Wiring (For Data applications)

FEATURES

- ✓ This 28AWG, silver satin jacket flat modular phone cord is terminated with RJ12 (6P6C) plug on both ends.
 - ✓ 28AWG, silver satin jacket
 - ✓ Terminated with RJ12 (6P6C) plug on both ends
 - ✓ 6 conductor straight wiring
 - pin1 -- pin1 (white)
 - pin2 -- pin2 (black)
 - pin3 -- pin3 (red)
 - pin4 -- pin4 (green)
 - ✓ pin5 -- pin5 (yellow)
 - pin6 -- pin6 (blue)
- Straight wiring is generally used for data application.

| Item Number | Description |
|----------------|-------------------------------|
| LC2-2640-7S66 | Straight Wiring (Data) 7 ft. |
| LC2-2642-14S66 | Straight Wiring (Data) 14 ft. |
| LC2-2644-25S66 | Straight Wiring (Data) 25 ft. |



Flat Modular Phone Cord, Silver Satin, RJ12 6P6C Straight Wiring (For Voice applications)

FEATURES

- ✓ This 28AWG, silver satin jacket flat modular phone cord is terminated with RJ12 (6P6C) plug on both ends.
 - ✓ 28AWG, silver satin jacket
 - ✓ Terminated with RJ12 (6P6C) plug on both ends
 - ✓ 6 conductor straight wiring
 - pin1 -- pin1 (white)
 - pin2 -- pin2 (black)
 - pin3 -- pin3 (red)
 - pin4 -- pin4 (green)
 - ✓ pin5 -- pin5 (yellow)
 - pin6 -- pin6 (blue)
- Straight wiring is generally used for voice application.

| Item Number | Description |
|----------------|-------------------------------|
| LC2-2641-7R66 | Reverse Wiring (Voice) 7 ft. |
| LC2-2643-14R66 | Reverse Wiring (Voice) 14 ft. |
| LC2-2645-25R66 | Reverse Wiring (Voice) 25 ft. |

TELECOMMUNICATION NETWORKS

SIZE | TYPES



Flat Modular Silver Satin Cable, 26 AWG, UL listed, 1000 ft.

FEATURES

- ✓ Flat Modular Cable 1000 ft.
- ✓ Silver-PVC Jacket
- ✓ Designed for Telephony, VoIP
- ✓ 26 AWG Stranded CCA Wire
- ✓ Available with 4, 6, and 8 Conductors

| Item Number | Description |
|-------------|------------------------|
| LC1-352SL4C | 4 Conductors, 1000 ft. |
| LC1-353SL6C | 6 Conductors, 1000 ft. |
| LC1-354SL8C | 8 Conductors, 1000 ft. |



Flat Modular Silver Satin Cable, 26 AWG, UL listed, 1000 ft.

FEATURES

- ✓ Flat Modular Cable 1000 ft.
- ✓ Silver-PVC Jacket
- ✓ Designed for Telephony, VoIP
- ✓ 26 AWG Stranded CCA Wire
- ✓ Available with 4, 6, and 8 Conductors

| Item Number | Description |
|-------------|------------------------|
| LC1-352SL4C | 4 Conductors, 1000 ft. |
| LC1-353SL6C | 6 Conductors, 1000 ft. |
| LC1-354SL8C | 8 Conductors, 1000 ft. |



CAT3 Wall Plate with F81 & TV Jack, 4 Conductor, 1 Port Flush Mount - White

This 1 port CAT3 wall plate mounts flush and has a smooth professional finish. It has 4 Conductors With F-81 Insert / TV Jack.

FEATURES

- ✓ 1 Port CAT3 Wall Plate
- ✓ Flush Mount Smooth Finish
- ✓ 4 Conductor
- ✓ With F-81 Insert / TV Jack
- ✓ Width: 2 3/4 in.
- ✓ Height: 4 1/2 in.
- ✓ UL Listed

Item Number

WP7-1883/F81/RJ11



TELECOMMUNICATION NETWORKS

SIZE | TYPES



RJ11 Modular Wall Plate with Telephone Jack, 4 Conductor, 1 Port Flush Mount - Ivory

This 1 Port RJ11 Modular Wall Plate mounts flush against the wall for a clean look. The modular wall plate uses 4 conductors

FEATURES

- ✓ 1 Port RJ11 Modular Wall Plate
- ✓ Telephone Jack
- ✓ Flush Mount
- ✓ 4 Conductor
- ✓ Width: 2 3/4 in.
- ✓ Height: 4 1/2 in.

| Item Number | Description |
|------------------|-------------|
| WP7-2153/1P/RJ11 | Ivory |
| WP7-2211/1P/RJ11 | White |



EZ-RJ12 / RJ11 Connector - 1ea

This stainless steel wall plate was designed with voice over internet protocol systems in mind. The studs allow for the mounting of a phone directly on to the wall plate itself. No keystone jack or insert is included with the purchase of this wall plate.

FEATURES

- ✓ Configured to fit standard single gang outlet box
- ✓ Designed for commercial or residential applications
- ✓ Rugged and durable construction
- ✓ Brushed Finish
- ✓ Stainless Steel

Item Number

WP10-3862/1P



Integrated Wall Plates, Voice/Data/Video, White

This stainless steel wall plate was designed with voice over internet protocol systems in mind. The studs allow for the mounting of a phone directly on to the wall plate itself. No keystone jack or insert is included with the purchase of this wall plate.

FEATURES

- ✓ All-in-One Voice & Data Wall Plate
- ✓ Satin Finish
- ✓ Painted Combo Screws Included
- ✓ Flame Retardant UL 94V-0 Rated Plastic

Item Number

WP7-1127/WH

WARRANTIES

PRODUCT WARRANTY OVERVIEW

CRN Solutions Inc. is recognized throughout the industry for our product quality, reliability, customer service and overall customer satisfaction. Our branded product line is sold worldwide. To support this claim of supplying quality designed and certified-crafted products, CRN Solutions Inc. dba Primus Cable ("Primus Cable") offers three limited warranty plans, depending on the product type, to meet your needs.

All Primus Cable products sold for Resale, unless otherwise stated, come only with a (1) Year Limited Product Warranty. Beyond that CRN Solutions Inc. dba Primus Cable ("Primus Cable") provides additional limited warranty plans for 15 and even 30 years. Primus cable does not accept returns or exchanges on any special order or custom ordered products. Read about all the details within the applicable warranty plan details pages on our website: www.primuscable.com located at the bottom of our website.

Primus Cable shall not be held liable for any costs associated with the installation, testing and or removal of any product purchased from us at any time. Primus Cable's sole and exclusive obligation under this warranty shall be limited to repair or replacement of the defective item(s) at Primus Cable's sole discretion.

To apply for a return authorization number please fill out the RMA form (RMA numbers are valid for 7 days after issuance). Items not received by Primus Cable within the 7-day RMA window may be denied a refund or credit. Replacements are shipped promptly upon receipt and testing of defective merchandise. Please visit our website: www.primuscable.com and click on the RMA Form link at the bottom of the home page.

If you would like to apply for a 30 year warranty coverage, please read more in the 30 year warranty details page on our website: www.primuscable.com and use the 30 year warranty application if applicable. If you wish to contact us to check the status of your RMA or 30 year Warranty application, you can do so by emailing us at: support@primuscable.com.

1 YEAR LIMITED WARRANTY INFORMATION

CRN Solutions Inc. dba Primus Cable ("Primus Cable") provides this specific limited warranty that it will repair or replace products it finds to be defective in material and workmanship for (1) year from the date of original purchase unless otherwise stated and/or agreed upon in writing.

15 YEAR LIMITED WARRANTY INFORMATION

CRN Solutions Inc. dba Primus Cable ("Primus Cable") provides this specific limited warranty that it will repair or replace certain category-rated (Category 3, Category 5E & Category 6) products it finds do not perform in accordance with TIA/EIA-568 standards and/or are found to be defective in material and workmanship for fifteen (15) years from the date of original purchase.

30 YEAR LIMITED WARRANTY INFORMATION

CRN Solutions Inc. dba Primus Cable ("Primus Cable") provides this specific limited warranty that it will repair or replace certain category-rated (Category 3, Category 5E & Category 6) products it finds do not perform in accordance with TIA/EIA-568 standards and/or are found to be defective in material and workmanship for thirty (30) years from the date of original purchase. To qualify for the 30-year warranty coverage, you must submit a 30-year warranty registration form with proof of liability insurance, current business license, contractor's license, and job site information and be issued a certificate of acceptance.

Primus Cable does not cover labor costs associated with the installation of products. The warranty is issued to the original Customer only, and is not transferable in any way at any time. If any failure to conform to this warranty becomes apparent during the warranty period, the Customer shall promptly notify in writing and return such defective product to Primus Cable (F.O.B. Primus Cable at 36595 Kevin Road Ste 138-139, Wildomar CA 92595) together with proof of purchase to establish such claim after being given an RMA number by Primus Cable.

TERMS AND CONDITIONS OF SALE

CRN SOLUTIONS, INC. DBA PRIMUS CABLE TERMS AND CONDITIONS OF SALE

PLEASE READ THESE MASTER TERMS AND CONDITIONS OF SALE VERY CAREFULLY.
THE CUSTOMER AGREES TO BE BOUND BY THESE MASTER TERMS AND CONDITIONS OF SALE.

Important information about this legal contract:

These Master Terms and Conditions are a legal contract between the Customer and CRN Solutions, Inc. dba Primus Cable ("Primus Cable"). The Customer accepts these Master Terms and Conditions by making a purchase, placing an order, or otherwise shopping on Primus Cable's website. The Master Terms and Conditions are subject to change without prior notice, except that the terms and conditions posted on Primus Cable's website at the time the Customer initially places or modifies an order will govern the order in question.

The Master Terms and Conditions, along with Primus Cable's invoice with the terms and conditions therein, Primus Cable's Privacy Policy, and Primus Cable's RMA/Warranty Returns Policy (collectively, "Sales Agreement"), constitutes the entire agreement between the Customer and Primus Cable relating to the purchase or sale of goods or services, and supersedes all other agreements, oral or written, and all other communications suggesting additional or different terms between Primus Cable and the Customer. The Sale Agreement may only be amended, modified, canceled or terminated with regard to goods or services that have been purchased or sold on this website in writing signed by Primus Cable. Electronic records (including signatures), that are otherwise valid, shall be accepted under the Sale Agreement. The Customer consents to receiving electronic records, which may be provided via a web browser or e-mail application connected to the Internet; consumers may withdraw consent to receiving electronic records or have the record provided in non-electronic form by contacting Primus Cable at the address provided below.

In the event of any conflict between the terms and conditions stated on the Customer's purchase order and this Sale Agreement, the Customer agrees that the provisions of this Sale Agreement shall control. Any proposal for additional or different terms or any attempt by the Customer to vary in any degree any of the terms hereof is hereby deemed material and is objected to and rejected. No terms of any document or form submitted by the Customer shall be effective to alter or add to the terms and conditions in the Sales Agreement.

Taxes

Prices do not include any sales, use, excise, privilege, or other taxes or assessments imposed or levied presently or in the future by or under the authority of any federal, state, or local law, rule, or regulation. Such taxes or assessments is the responsibility of the Customer and may be added to the purchase cost of the goods, where applicable.

Title / Risk of Loss

Title to the goods being purchased is retained by Primus Cable until the goods are paid for by the Customer and at that time title passes to the Customer. Loss or damage that occurs during shipping by a carrier selected by Primus Cable is Primus Cable's responsibility. Loss or damage that occurs during shipping by a carrier selected by Customer is Customer's responsibility. Title to software will remain with the applicable licensor(s).

Delivery

All shipping and delivery dates are estimates based upon prompt receipt of all necessary information. Delays in securing Customer's approval of necessary specifications or samples of the goods shall, if Primus Cable so chooses, extend the date of delivery. Primus Cable shall not be liable for any claim, loss, expense, or damage of any kind whatsoever for delays in delivery.

Installation

Customer agrees to pay for all installation charges. Primus Cable is not to be held responsible for claimed or unclaimed installation fees on any of the products Primus Cable sells.

Export Sales

If goods herein being purchased are being purchased for purposes of export, the Customer must obtain from the federal government certain export documentation before shipping to a foreign country. In addition, manufacturers' warranties for exported goods may vary or even be null and void for goods exported outside the United States. The Customer should inquire further regarding any questions. Any and all liability is only for the products purchased.

Cancellations

Order cancellations are subject to cancellation charges as calculated by Primus Cable to cover all costs and expenses incurred prior to the cancellation of said order. Cancellation charges may include, but are not limited to, all costs and expenses incurred in producing the goods (both completed and in process) and the cost of all items and special materials purchased for such order. Cancellation charges may be the total cost of manufacturing the goods.

TERMS AND CONDITIONS OF SALE

Third-Party Product Disclaimer

All products sold by Primus Cable are third party products and are subject to the warranties and representations of the applicable manufacturers, including but not limited to the original manufacturer's warranty and compliance.

Pricing and Information Disclaimer

All pricing is subject to change. For all prices, products and offers, Primus Cable reserves the right to make adjustments due to changing market conditions, product discontinuation, manufacturer price changes, errors in advertisements and other extenuating circumstances.

While Primus Cable uses reasonable efforts to include accurate and up-to-date information on their website, Primus Cable makes no warranties or representations as to the Site's accuracy. Primus Cable assumes no liability or responsibility for any errors or omissions in the content on its website.

Limitation of Liability

(a) Primus Cable provides this specific limited warranty that it will repair or replace products it finds to be defective in material and workmanship for one (1) year from the date of delivery. The warranty does not include any promises, duties, obligations or otherwise of Primus Cable that are not explicitly outlined in the applicable warranty. See page 296 for details on warranty plans that are available.

(b) Customer is responsible for testing the goods before installation. If Customer determines that the goods fail to conform to the applicable specifications, Customer must notify Primus Cable in writing within seven (7) days of delivery at which point Primus Cable will refund the purchase price. After seven (7) days after delivery, but within one (1) year of delivery, Customer may notify Primus Cable in writing if any goods fail to conform to the applicable specifications at which point Primus Cable will replace any portion of the goods it finds to be defective. Customer acknowledges the amount of time to permit Primus Cable to examine and test the goods. This represents Customer's sole remedy for any breach of warranty. All warranty requests shall adhere to CRN's Return Policy.

(c) EXCEPT AS STATED HEREIN, PRIMUS CABLE HEREBY EXPRESSLY DISCLAIMS ALL WARRANTIES, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE. THIS DISCLAIMER BY PRIMUS CABLE IN NO WAY AFFECTS THE TERMS OF THE MANUFACTURER'S WARRANTY, IF APPLICABLE. IT IS SPECIFICALLY UNDERSTOOD AND AGREED THAT THIS AGREEMENT BETWEEN PRIMUS CABLE AND CUSTOMER SHALL NOT CONFER ANY THIRD-PARTY BENEFICIARY RIGHTS AND SHALL EXCLUDE ALL SUCH RIGHTS. IN ADDITION, CUSTOMER AGREES THAT IF THERE IS AN ALLEGED PRODUCT DEFECT, DEFECTIVE LABELING OR OTHERWISE, CUSTOMER SHALL SEEK REDRESS ONLY FROM THE MANUFACTURER OF SUCH GOODS, AND CUSTOMER WAIVES AND RELEASES PRIMUS CABLE FROM SUCH CLAIMS. PRIMUS CABLE WILL REASONABLY COOPERATE IN THAT REGARD AT CUSTOMER'S COST AND EXPENSE.

(d) Primus Cable's liability to Customer or anyone claiming through or on behalf of Customer, with respect to any claim or loss arising out of this transaction or alleged to have resulted from an act or omission of Primus Cable, whether negligent or otherwise, and whether in tort, contract, or otherwise, including failure to deliver, delay in delivery, or breach of warranty, shall be limited to an amount equal to the purchase price of the goods with respect to which such liability is claimed or, where appropriate and at the option of Primus Cable, to replacement of the goods thereof. In no case will Primus Cable be liable for any bodily injury, death, or property damage resulting from or in any way arising out of the goods or their sale, use, or manufacture. PRIMUS CABLE WILL NOT BE LIABLE FOR LOST PROFITS, LOSS OF BUSINESS OR OTHER CONSEQUENTIAL, SPECIAL, INDIRECT, OR PUNITIVE DAMAGES, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, OR FOR ANY CLAIM BY ANY THIRD-PARTY. PRIMUS CABLE WILL NOT BE LIABLE FOR LOST OR CORRUPTED DATA OR SOFTWARE. CUSTOMER AGREES THAT FOR ANY LIABILITY RELATED TO THE PURCHASE OF PRODUCTS OR SERVICES, PRIMUS CABLE IS NOT LIABLE OR RESPONSIBLE FOR ANY AMOUNT OF DAMAGES ABOVE THE DOLLAR AMOUNT PAID BY CUSTOMER FOR THE PURCHASE UNDER THIS SALES AGREEMENT.

(e) Primus Cable reserves the right, at any time, to make changes in the design or specification of the goods, or any part thereof, which Primus Cable, in its sole discretion, believes will constitute an improvement in such goods or parts thereof.

(f) Primus Cable is not liable for any alterations of the goods, improper maintenance, abuse of the goods, or improper installation thereof.

Freight Policy

Shipping and handling charges on all orders vary, depending upon published rate of the carriers used. Contact your Primus Cable account manager for our most current and competitive rates, options and shipping specials. For the Customer's protection, we ship only to the verified billing address of the Customer's credit card. In some circumstances, international shipping may be available. Call for details.

Return Policy

(a) Please see Primus Cable's Return Policy on this website. Any goods to be returned to Primus Cable must have a Return Material Authorization (RMA) number issued by Primus Cable before being returned. Please call (951) 824-1571 or e-mail our Returns Department at rma@primuscable.com to obtain an RMA number prior to returning or shipping your product back to Primus Cable. No returns of any type will be accepted without an RMA number. Any goods returned without a proper RMA number will not be accepted and will be returned to Customer at Customer's expense. For faster service, please have the following information on hand when calling for an RMA number: customer name, invoice number, serial number and nature of the problem.

(b) Any goods returned by the Customer must be returned as originally shipped in their original packaging. Any item not returned in its original package will be returned and under no circumstance will we issue a credit. All products returned MUST be 100 percent complete, contain ALL original boxes and packing materials, have original UPC codes on the manufacturer boxes, contain all manuals, blank warranty cards and other accessories and documentation provided by the manufacturer.

(c) Specially or custom build to order goods or cut cables are non-cancellable and non-returnable.

TERMS AND CONDITIONS OF SALE

- (d) You the customer are responsible for shipping charges on returned items; Primus Cable will match your shipping method on your replacement or exchange item(s). i.e., you return the defective item in question back to us UPS Ground for replacement; Primus Cable in return will ship back to you the replacement item via UPS Ground at our expense. Any additional shipping cost(s) is the Customer's responsibility.
- (e) Primus Cable strongly recommends the Customer fully insure the return shipment in case it is lost or damaged and use a carrier that can provide the Customer with proof of delivery for the Customer's protection.
- (f) If merchandise arrives to the Customer damaged, it is best to REFUSE it back to the carrier attempting delivery. If the Customer accepts the package, make sure to note the damage on the carrier's delivery record in order for Primus Cable to file a damage claim. Save the merchandise AND the original box and packing it arrived in, notify Primus Cable immediately to arrange for a carrier inspection and a pick up of damaged merchandise. If the Customer does not notify Primus Cable of damaged goods within the first 7 days of arrival, Primus Cable's regular return policy will override any claim of damage, and will fall under all current manufacturer restrictions. Call a Primus Cable Account Manager at (951) 824-1571 to arrange for carrier inspection and a pick up of damaged merchandise.
- (g) Manufacturer restrictions apply. Any item(s) that are missing the UPC Code can ONLY be replaced with the same item. After 30 days, all manufacturers' warranties apply.
- (h) Certain non-defective returns can be accepted directly by Primus Cable within 30 days from the invoice date at Primus Cable's discretion for credit or exchange. Please see Primus Cable's Return Policy on this website. All non-defective returns are subject to a 20 percent restocking fee.
- (i) Primus Cable reserves the right to authorize product returns beyond 30 days from the invoice date. If the product(s) is accepted after 30 days, credit will be issued toward FUTURE PURCHASES ONLY. Original shipping charges are not refunded on returned items. Customers are responsible for all charges for shipping returned items to Primus Cable, and Primus Cable will pay the shipping charges on the replacement or exchange item(s) sent to the Customer.

Force Majeure

Primus Cable shall not be liable for any delay in or failure of performance hereunder due to any contingency beyond its reasonable control, including without limitation: an act of God; war; civil commotion; sabotage; labor dispute; explosion; fire; accident; power or equipment failure; inability to obtain suitable or sufficient labor, fuel, power, or material; delay of carrier; embargo; or any law, ordinance, rule, or regulation, whether valid or invalid.

Applicable Law

This Agreement shall be construed and interpreted in accordance with the laws of the State of California, without regard to its rules for conflict of law. Customer agrees that any dispute or claim arising out of this Sales Agreement shall initially be submitted to mediation with a private mediator in the County of Riverside, California. If the dispute or claim cannot be resolved by mediation, the parties shall submit to neutral binding arbitration by a single arbitrator in the County of Riverside, California, in accordance with the Commercial Arbitration Rules of the American Arbitration Association.

Hours of Operation

Monday through Friday 8:00 a.m. to 5:00 p.m. PST (excluding holidays)

Check Payment Policy

Primus Cable will accept a cashiers check or money order on all COD orders. COD Company check terms are available upon completion and acceptance of a Primus Cable credit application. Email us at credit@primuscable.com or fax your credit application to Primus Cable at (951) 691-5072. Payments not made on time for invoices due are subject to a 1.5% late penalty. Primus Cable will accept personal and business checks for prepay orders, which may take up to 10 business days to clear.

TERMS AND CONDITIONS OF WEBSITE USE

PLEASE READ THESE TERMS AND CONDITIONS OF WEBSITE USE VERY CAREFULLY.

BY VISITING, BROWSING, SHOPPING, ACCESSING OR OTHERWISE USING THIS WEBSITE (THE "SITE") OPERATED BY CRN SOLUTIONS, INC. DBA PRIMUS CABLE, YOU AGREE TO BE BOUND BY THESE TERMS AND CONDITIONS.

Important information about this legal contract:

You agree to these Terms and Conditions of Website Use and Primus Cable's Privacy Policy outlined on the Site (collectively "User Agreement") by visiting, browsing, shopping, accessing or otherwise using the Site. These terms and conditions are subject to change without prior notice at any time and at Primus Cable's sole discretion. By visiting, browsing, shopping, accessing or otherwise using the Site after a change has been posted to the Site, the Customer accepts that change. Customers should review the Terms and Conditions of Website Use and the Privacy Policy frequently.

Acceptance of Contract Terms

The User Agreement and all of its terms and conditions constitute a legal contract between you and CRN Solutions, Inc. dba

TERMS AND CONDITIONS OF WEBSITE USE

PLEASE READ THESE TERMS AND CONDITIONS OF WEBSITE USE VERY CAREFULLY.
BY VISITING, BROWSING, SHOPPING, ACCESSING OR OTHERWISE USING THIS WEBSITE (THE "SITE") OPERATED BY
CRN SOLUTIONS, INC. DBA PRIMUS CABLE, YOU AGREE TO BE BOUND BY THESE TERMS AND CONDITIONS.

Important information about this legal contract

You agree to these Terms and Conditions of Website Use and Primus Cable's Privacy Policy outlined on the Site (collectively "User Agreement") by visiting, browsing, shopping, accessing or otherwise using the Site. These terms and conditions are subject to change without prior notice at any time and at Primus Cable's sole discretion. By visiting, browsing, shopping, accessing or otherwise using the Site after a change has been posted to the Site, the Customer accepts that change. Customers should review the Terms and Conditions of Website Use and the Privacy Policy frequently.

Acceptance of Contract Terms

The User Agreement and all of its terms and conditions constitute a legal contract between you and CRN Solutions, Inc. dba ("Primus Cable"). (References to "you" or "your" shall relate to a customer of Primus Cable or other party that visits, browses, shops, accesses or otherwise uses the Site (the "Customer"); references to "Primus Cable" shall relate to CRN Solutions, Inc. and its affiliates.) By visiting, browsing, shopping, accessing or otherwise using this Site, you acknowledge that you have read, understood, and agree to be bound by this User Agreement and comply with all applicable laws and regulations, including U.S. export and re-export control laws and regulations. Do not use this Site if you do not agree to this User Agreement, as it may be changed by Primus Cable from time to time. The material provided on this Site is protected by law, including, but not limited to, United States copyright law and international treaties. This Site is controlled and operated by Primus Cable from its offices within the United States. Primus Cable makes no representation that materials in the Site are appropriate or available for use in other locations, and access to them from territories where their contents are illegal is not authorized. Those who choose to access this Site from other locations do so, on their own initiative and risk and are responsible for compliance with applicable local laws.

Access, Interference and Linking

Primus Cable grants you a limited license to access and make personal use of the Site and not to download (other than page caching) or modify it, or any portion of it, except as provided below under "Use Restrictions," or with express written consent of Primus Cable. The following activity on the Site is expressly prohibited: Any non-personal or commercial use of any robot, spider, other automatic device, or manual process to monitor or copy portions of the Site or the content contained herein without prior written permission by Primus Cable; collection or use of any product listings, descriptions, or prices, from the Site for the benefit of another merchant that supplies products competitive with or comparable to those offered on the Site; and, any use of, visits to, or other action that imposes an unreasonable or disproportionately large load on the Site, or otherwise interferes with its proper and timely functioning. Any unauthorized use terminates the license granted by Primus Cable. You are granted a limited, revocable, and nonexclusive right to create a hyperlink to the Home page of the Site so long as the link does not portray Primus Cable, its affiliates, or their products or services in a false, misleading, derogatory, or otherwise offensive matter. You may not use any Primus Cable logo or other proprietary graphic or trademark as part of the link without express written permission.

Use Restrictions

The copyright in all material provided on this Site is held by Primus Cable or by the original creator of the material. Except as stated herein, none of the material may be copied, reproduced, distributed, republished, downloaded, displayed, posted or transmitted in any form or by any means, including, but not limited to, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Primus Cable or the copyright owner. Permission is granted to display, copy, distribute and download the materials on this Site for personal, non-commercial use only, provided you do not modify the materials and that you retain all copyright and other proprietary notices contained in the materials. This permission automatically terminates if you breach any of these terms and conditions. Upon termination, you must immediately destroy any downloaded or printed materials. You also may not, without Primus Cable's prior written permission, "mirror" any material contained on this Site on any other server. Any unauthorized use of any material contained on this Site may violate copyright laws, trademark laws, laws of privacy and publicity, and communications regulations and statutes.

All trademarks and registered trademarks are the sole property of their respective owners. Photographs are a courtesy of respective manufacturers. Primus Cable logos are registered trademarks of Primus Cable. Copyright 2012 CRN Solutions, dba Primus Cable.

Limitation of Liability

UNDER NO CIRCUMSTANCES, INCLUDING, BUT NOT LIMITED TO, NEGLIGENCE, SHALL PRIMUS CABLE BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING, BUT NOT LIMITED TO, LOSS OF DATA OR PROFIT, ARISING OUT OF THE USE, OR THE INABILITY TO USE, THE MATERIALS ON THIS SITE, EVEN IF PRIMUS CABLE OR A PRIMUS CABLE AUTHORIZED REPRESENTATIVE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. IF YOUR USE OF MATERIALS FROM THIS SITE RESULTS IN THE NEED FOR SERVICING, REPAIR OR CORRECTION OF EQUIPMENT OR DATA, YOU ASSUME ANY COSTS THEREOF.

Governing Law:

TERMS AND CONDITIONS OF WEBSITE USE

Governing Law

The User Agreement shall be construed and interpreted in accordance with the laws of the State of California, without regard to rules for conflict of law. By accessing the Site and using the information therein available and/or by purchasing any products or services made available through this Site, you agree with Primus Cable, its service providers, agents, employees, successors, assigns, affiliates, parents, subsidiaries and any content provider or offer or of goods or services on this Site or through any other associated activity, that ANY CLAIM OR DISPUTE UNDER THE USER AGREEMENT AND ANY CLAIM OR DISPUTE THAT YOU MAY HAVE AGAINST ANY OF THESE PERSONS OR ENTITIES, WHETHER RELATED TO THE DESCRIBED TRANSACTIONS OR OTHERWISE, SHALL INITIALLY BE SUBMITTED TO MEDIATION WITH A PRIVATE MEDIATOR IN THE COUNTY OF RIVERSIDE, CALIFORNIA. IF THE CLAIM OR DISPUTE CANNOT BE RESOLVED BY MEDIATION, ALL PARTIES SHALL SUBMIT TO NEUTRAL BINDING ARBITRATION BY A SINGLE ARBITRATOR IN THE COUNTY OF RIVERSIDE, CALIFORNIA, IN ACCORDANCE WITH THE COMMERCIAL ARBITRATIONS RULES OF THE AMERICAN ARBITRATION ASSOCIATION.

Privacy

Please review our Privacy Notice, which governs your visit to this Site.

Disagreement with These Terms and Conditions

If you disagree with any of the terms and conditions of this User Agreement, please do not visit, browse, shop, access or otherwise use this Site.

Links to other materials

Primus Cable does not review or control third-party sites that link to or from the Site, and is not responsible for the contents of any third-party sites linked to or from the Site. Primus Cable reserves the right to terminate any link or linking program at any time. Primus Cable does not endorse companies or products to which it links and reserves the right to note as such on its web pages. If you decide to access any of the third party sites linked to this site, you do this entirely at your own risk.

RETURN POLICY

Please see the applicable warranty policy on the web site for returns. Primus Cable offers a 30 day return policy on selected items based on manufacturer return policies. For further information not listed, please contact your Primus Cable account manager.

Please contact our Returns Department at rma@primuscable.com or call (951) 824-1571 to obtain a Return Merchandise Authorization (RMA) number before returning the product. NO returns of any type will be accepted without an RMA number. Any goods returned without a proper RMA number will not be accepted and will be returned to Customer at Customer's expense. For faster service, please have the following information on hand when calling for an RMA number: customer name, invoice number, serial number and nature of the problem.

Any product returned by the Customer must be returned as originally shipped in their original packaging. Any item not returned in its original package will be returned and under no circumstance will we issue a credit. All products returned MUST be 100 percent complete, contain ALL original boxes and packing materials, have original UPC codes on the manufacturer boxes, contain all manuals, blank warranty cards and other accessories and documentation provided by the manufacturer.

PRIMUS CABLE DOES NOT ACCEPT RETURNS OR EXCHANGES ON ANY SPECIAL ORDER OR CUSTOM ORDERED PRODUCTS. THIS INCLUDES, BUT IS NOT LIMITED TO CABLE ASSEMBLIES, CUSTOM CUT LENGTHS, COLOR MATCHING, FIBER PRODUCTS, PE89, AND/OR CUSTOM FABRICATION.

You the customer are responsible for shipping charges on returned items; Primus Cable will match your shipping method on your replacement or exchange item(s). i.e., you return the defective item in question back to us UPS Ground for replacement; Primus Cable in return will ship back to you the replacement item via UPS Ground at our expense. Any additional shipping cost(s) is the Customer's responsibility.

Primus Cable strongly recommends you fully insure your return shipment in case it is lost or damaged and you use a carrier that can provide you with proof of delivery for your protection.

If merchandise arrives to you damaged, it is best to REFUSE it back to the carrier attempting delivery. If you accept the package make sure it is noted on the carrier's delivery record in order for Primus Cable to file a damage claim. Save the merchandise AND the original box and packing it arrived in, notify Primus Cable immediately to arrange for a carrier inspection and a pick up of damaged merchandise. If you do not notify Primus Cable of damaged goods within the first 7 days of arrival our regular return policy will override any claim of damage, and will fall under all current manufacturer restrictions. Contact Primus Cable to arrange for carrier inspection and a pick up of damaged merchandise. Manufacturer restrictions apply. Any item that is missing the UPC can ONLY be replaced with the same item. After 30 days, all manufacturers' warranties apply.

Certain non-defective returns can be accepted directly by Primus Cable within 30 days from the invoice date at Primus Cable's discretion for credit or exchange. Please see Primus Cable's Return Policy on this web site. All non-defective returns are subject to a 20 percent restocking fee.

Primus Cable reserves the right to authorize product returns beyond 30 days from the invoice date. IF the product is accepted after 30 days, credit will be issued toward FUTURE PURCHASES ONLY. Original shipping charges are not refunded on returned items. Customers are responsible for all charges for shipping returned items to Primus Cable, and Primus Cable will pay the shipping charges on the replacement or exchange item(s) sent to the Customer. If you have questions, or would like more information, please leave your name and contact information.

PRIVACY PLEDGE

Primus Cable is committed to protecting your privacy. That's because we base our business on the trust you place in us. The information we collect is gathered to ensure secure ordering and to provide a more personalized shopping experience. See below for detailed information about how we protect your personal information. If you have any concerns, comments or complaints, be sure to let us know. info@primuscable.com.

How much information must you share? The amount of information we collect depends on you. We collect information needed for secure ordering and customizing your experience. See below to find out what information is required for each task.

Browse Online: IP address - We use IP addresses to measure our site traffic and to help provide a relevant shopping experience. Your IP address is not linked to your customer information. Referral site - If you come to our site via a link, the location of the referral is captured. This is used to help us know where our users come from. Browser type - This information is captured to help us optimize our site to match the latest technology used by our customers. Movements through our site - We keep track of pages you visit to help us provide a more personalized and relevant shopping experience.

Is your information used for any other purpose? We require only the personal information that is needed for safely processing your online order and for contacting you about your transactions. It is used exclusively for that purpose. If you become a Primus Cable customer, you may receive mailings based on your account information and your account information may be analyzed as part of our standard business practices. If you would prefer not to receive catalogs, please let give us a call at (951) 824-1571.

Will your information be given to any other party? Your personal information is not shared with any other party. Do you purchase information about your customers from other companies? Yes, we occasionally purchase third party information about companies that are our customers. We do not purchase any personal customer information. The company information we purchase includes size of company, number of employees and annual sales. This is used for customizing the user experience online and for supplementing our internal sales information.

What about e-mail? When you purchase online from Primus Cable, we will contact you by e-mail to confirm your order and to update you on the status of your order. Primus Cable is committed to providing all customers with a world-class experience. In order to measure how well we are doing and to better understand how we can continually improve our product offerings and our ability to meet your unique requirements, we may contact you by phone or e-mail and solicit your participation in research. Your participation is voluntary and you may request to remove yourself from future efforts of this kind.

NOTE: Your account manager may occasionally send you promotional or product information. In addition, Primus Cable may occasionally send you updates on important information about our company and services. If you do not wish to receive such e-mails, simply let your account manager know.

How do we protect your information? www.primuscable.com takes great measures to ensure your information remains secure. As the GeoTrust dynamic True Site Seal on our site indicates, the data you enter on our site is protected with strong 256-bit encryption and domain control validation. Other non-sensitive data, such as the browser you are using or the duration of your visit, is collected anonymously on our secure database for statistical purposes to help us assess how to better improve your user experience.

How do you give us feedback? Simply click here to send us feedback via e-mail. Please note that feedback given in this manner becomes property of Primus Cable and may be used for promotional purposes. If you prefer not to have your comments used in this manner, simply use your own e-mail to send a message to info@primuscable.com. Or you can indicate your preference at the top of your message.



Communications wire and cable for premise installations are in accordance with Article 800 and other applicable parts of the National Electrical Code (NEC), latest issue.



| Fire Resistance Level | Test Requirement | NEC ARTICLE | | |
|--|---------------------------|-------------|------|-----|
| | | 725 | 760 | 800 |
| Plenum Cables (Highest) | CSA-FT6 (Steiner Tunnel) | CL2P | FPLP | CMP |
| | NFPA 262 (Steiner Tunnel) | CL3P | | |
| Riser Cables - Multiple Floors | CSA-FT4 (Vertical Tray) | CL2R | FPLR | CMR |
| | UL-1666 (Vertical Shaft) | CL3R | | |
| General Purpose Cables | CSA-FT4 (Vertical Tray) | CL2 | FPL | CMG |
| | UL-1581 (Vertical Tray) | CL3 | | |
| Residential Cables - Restricted Use (Lowest) | CSA-FT | CL2X | N/A | CMX |
| | UL-1581 VW-1 | CL3X | | |

NOTES

1. Cables with a higher fire resistance level may be substituted for those with a lower fire resistance level.
2. Non-fire-rated outside plant telephone cables may not run outside of a rigid metal conduit more than 50 feet from the point of entrance into a building.
3. Cables rated CMG or CM may be used in runs penetrating one floor (NEC 800-53).

DESIGNATIONS

- CM Communications Wires and Cables
- CL2 & CL3 Class 2 and Class 3 Remote-Control, Signaling, and Power-Limited Cables
- FPL Power-Limited Fire Alarm Cables
- PLTC Power-Limited Cables





Primus Cable is a leading supplier of wire, cable and interconnectivity products, serving the electrical, electronic and communication industries.

Placing an order is as easy as calling **(951) 824 - 1571** and speaking to one of our qualified consultants or online at **www.primuscable.com**

CONTACT INFORMATION

(951) 824-1571
(951) 245-0042
sales@primuscable.com

OFFICE ADDRESS

29415 Hunco Way
Lake Elsinore, CA 92530

PHONE SUPPORT

Monday - Friday
8:00am to 5:00pm (PST)